

Table 2.47C (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	856	859	876	923	844	871
GEOGRAPHIC DIVISION						
Northeast	359	391	337	370	330	349
New England	175	174	160	174	145	164
Middle Atlantic	312	350	294	328	296	309
Midwest	287	315	367	369	352	351
East North Central	245	260	297	306	281	289
West North Central	152	181	206	199	203	196
South	542	506	564	570	532	546
South Atlantic	422	381	431	426	420	415
East South Central	163	178	197	230	190	217
West South Central	286	261	290	289	268	273
West	468	501	437	469	407	420
Mountain	200	181	222	202	215	195
Pacific	423	470	377	423	347	372
COUNTY TYPE						
Large Metro	1,487	1,541	871	888	783	797
Small Metro	1,167	1,178	666	635	597	567
250K – 1 Mil. Pop.	992	1,029	588	511	534	463
< 250K Pop.	702	725	380	413	338	358
Nonmetro	841	885	504	547	470	500
Urbanized	577	634	350	356	317	331
Less Urbanized	649	619	377	397	352	355
Completely Rural	358	327	209	191	190	179

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.47D (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.35	0.34	0.35	0.37	0.34	0.35
GEOGRAPHIC DIVISION						
Northeast	0.78	0.85	0.73	0.80	0.72	0.76
New England	1.45	1.44	1.33	1.44	1.20	1.36
Middle Atlantic	0.92	1.03	0.87	0.96	0.87	0.91
Midwest	0.52	0.57	0.67	0.67	0.64	0.64
East North Central	0.64	0.68	0.78	0.80	0.73	0.75
West North Central	0.92	1.09	1.25	1.20	1.23	1.18
South	0.60	0.56	0.63	0.63	0.59	0.60
South Atlantic	0.89	0.79	0.91	0.89	0.88	0.87
East South Central	1.11	1.19	1.34	1.55	1.29	1.46
West South Central	1.03	0.93	1.05	1.03	0.97	0.97
West	0.82	0.87	0.76	0.81	0.71	0.73
Mountain	1.16	1.03	1.29	1.15	1.24	1.11
Pacific	1.06	1.17	0.94	1.05	0.87	0.92
COUNTY TYPE						
Large Metro	0.50	0.51	0.50	0.51	0.48	0.48
Small Metro	0.62	0.58	0.63	0.68	0.59	0.63
250K – 1 Mil. Pop.	0.77	0.75	0.78	0.77	0.74	0.72
< 250K Pop.	1.03	0.95	1.13	1.25	1.05	1.11
Nonmetro	0.69	0.67	0.79	0.83	0.78	0.82
Urbanized	1.01	0.99	1.13	1.27	1.14	1.33
Less Urbanized	0.96	1.03	1.27	1.21	1.22	1.13
Completely Rural	2.41	2.37	2.58	2.35	2.38	2.23

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.47P (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.8623		0.3595		0.5597	
GEOGRAPHIC DIVISION						
Northeast	0.8057		0.6881		0.9845	
New England	0.6551		0.9584		0.8611	
Middle Atlantic	0.9673		0.6245		0.9449	
Midwest	0.3483		0.1496		0.1065	
East North Central	0.7374		0.9245		0.5012	
West North Central	0.2501		0.0100		0.0599	
South	0.8098		0.6699		0.7805	
South Atlantic	0.9679		0.2635		0.4462	
East South Central	0.9205		0.2206		0.1261	
West South Central	0.5683		0.9382		0.5631	
West	0.3147		0.8442		0.8767	
Mountain	0.9064		0.4551		0.2416	
Pacific	0.3006		0.5106		0.5876	
COUNTY TYPE						
Large Metro	0.6825		0.7776		0.9964	
Small Metro	0.5935		0.0912		0.0950	
250K – 1 Mil. Pop.	0.4940		0.1464		0.2043	
< 250K Pop.	0.9472		0.3573		0.2574	
Nonmetro	0.6632		0.5540		0.4540	
Urbanized	0.4003		0.4797		0.7529	
Less Urbanized	0.7470		0.2866		0.4037	
Completely Rural	0.6745		0.5517		0.2783	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.48C (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	109	99	95	85	76	69
GEOGRAPHIC DIVISION						
Northeast	40	38	35	32	28	26
New England	20	17	18	16	15	11
Middle Atlantic	34	34	30	28	23	24
Midwest	42	43	38	36	32	29
East North Central	35	35	31	29	26	24
West North Central	23	26	21	22	17	18
South	68	68	61	57	51	46
South Atlantic	48	48	45	42	39	33
East South Central	26	26	21	22	17	17
West South Central	39	38	35	32	28	25
West	56	50	49	45	39	37
Mountain	26	23	24	21	19	16
Pacific	49	45	42	41	34	33
COUNTY TYPE						
Large Metro	104	96	82	76	58	57
Small Metro	78	71	63	60	46	43
250K – 1 Mil. Pop.	61	55	47	46	35	33
< 250K Pop.	50	48	41	39	29	29
Nonmetro	59	62	49	49	39	34
Urbanized	40	42	31	32	25	22
Less Urbanized	43	42	37	33	30	24
Completely Rural	18	25	14	20	10	13

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.48D (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.43	0.40	0.38	0.34	0.30	0.28
GEOGRAPHIC DIVISION						
Northeast	0.89	0.87	0.78	0.73	0.62	0.60
New England	1.71	1.49	1.53	1.39	1.26	0.98
Middle Atlantic	1.03	1.05	0.90	0.86	0.71	0.73
Midwest	0.75	0.78	0.68	0.65	0.57	0.53
East North Central	0.88	0.90	0.80	0.76	0.67	0.62
West North Central	1.39	1.57	1.25	1.34	1.03	1.10
South	0.74	0.75	0.67	0.62	0.56	0.50
South Atlantic	1.04	1.04	0.96	0.92	0.83	0.73
East South Central	1.73	1.77	1.41	1.51	1.14	1.13
West South Central	1.31	1.27	1.15	1.06	0.93	0.84
West	0.92	0.83	0.81	0.76	0.65	0.62
Mountain	1.44	1.30	1.30	1.18	1.02	0.89
Pacific	1.15	1.07	1.00	0.98	0.81	0.80
COUNTY TYPE						
Large Metro	0.56	0.55	0.49	0.47	0.38	0.40
Small Metro	0.84	0.72	0.72	0.64	0.57	0.52
250K – 1 Mil. Pop.	1.01	0.83	0.83	0.74	0.67	0.62
< 250K Pop.	1.40	1.35	1.28	1.22	0.99	0.94
Nonmetro	0.97	1.03	0.90	0.91	0.79	0.65
Urbanized	1.38	1.70	1.26	1.40	1.15	1.00
Less Urbanized	1.37	1.34	1.32	1.25	1.19	0.97
Completely Rural	3.10	3.33	2.64	3.35	2.07	2.14

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.48P (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.4598		0.1197		0.0201	
GEOGRAPHIC DIVISION						
Northeast	0.5073		0.8658		0.7919	
New England	0.7054		0.8310		0.0697	
Middle Atlantic	0.3511		0.9370		0.5079	
Midwest	0.2505		0.0331		0.3764	
East North Central	0.1812		0.0323		0.1728	
West North Central	0.9286		0.5161		0.6572	
South	0.1389		0.0341		0.0039	
South Atlantic	0.9598		0.4506		0.0837	
East South Central	0.1022		0.2180		0.0439	
West South Central	0.1286		0.0470		0.0969	
West	0.4011		0.2076		0.8854	
Mountain	0.9157		0.4486		0.3530	
Pacific	0.3838		0.3286		0.5056	
COUNTY TYPE						
Large Metro	0.6845		0.3903		0.3421	
Small Metro	0.5497		0.7066		0.3605	
250K – 1 Mil. Pop.	0.9478		0.4842		0.5547	
< 250K Pop.	0.2319		0.0970		0.4223	
Nonmetro	0.5814		0.0601		0.0052	
Urbanized	0.3027		0.1241		0.0442	
Less Urbanized	0.3972		0.0583		0.0093	
Completely Rural	0.0158		0.1229		0.1583	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.49C (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	149	158	159	165	162	153
GEOGRAPHIC DIVISION						
Northeast	65	61	71	63	72	64
New England	31	30	33	33	33	33
Middle Atlantic	56	53	62	54	63	55
Midwest	53	52	60	60	62	61
East North Central	40	43	45	50	45	51
West North Central	35	29	41	36	43	34
South	93	95	101	98	101	92
South Atlantic	64	74	69	76	70	67
East South Central	34	29	39	31	40	32
West South Central	57	52	61	55	58	56
West	89	92	84	96	88	82
Mountain	47	43	44	48	43	41
Pacific	76	81	72	83	76	70
COUNTY TYPE						
Large Metro	267	257	215	203	182	164
Small Metro	206	205	171	165	140	129
250K – 1 Mil. Pop.	163	164	135	130	111	105
< 250K Pop.	136	136	110	111	89	84
Nonmetro	143	176	115	137	95	115
Urbanized	91	150	73	112	61	91
Less Urbanized	110	99	88	85	71	76
Completely Rural	42	33	38	26	33	24

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.49D (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.45	0.48	0.49	0.50	0.50	0.47
GEOGRAPHIC DIVISION						
Northeast	1.10	1.01	1.19	1.05	1.21	1.08
New England	2.05	1.94	2.15	2.12	2.15	2.13
Middle Atlantic	1.29	1.19	1.41	1.22	1.45	1.25
Midwest	0.73	0.71	0.83	0.83	0.85	0.84
East North Central	0.79	0.86	0.90	0.99	0.89	1.02
West North Central	1.56	1.29	1.80	1.59	1.89	1.52
South	0.80	0.81	0.86	0.83	0.86	0.78
South Atlantic	1.09	1.25	1.17	1.27	1.18	1.12
East South Central	1.80	1.57	2.07	1.68	2.16	1.73
West South Central	1.46	1.32	1.57	1.40	1.49	1.43
West	1.14	1.16	1.07	1.21	1.12	1.04
Mountain	1.98	1.82	1.87	2.01	1.84	1.75
Pacific	1.39	1.45	1.31	1.49	1.39	1.26
COUNTY TYPE						
Large Metro	0.67	0.68	0.70	0.70	0.72	0.66
Small Metro	0.86	0.78	0.90	0.84	0.88	0.78
250K – 1 Mil. Pop.	1.07	0.98	1.11	1.03	1.07	0.97
< 250K Pop.	1.37	1.22	1.47	1.45	1.47	1.37
Nonmetro	0.98	0.97	1.10	1.10	1.25	1.11
Urbanized	1.66	1.14	1.75	1.48	1.97	1.49
Less Urbanized	1.20	1.57	1.49	1.70	1.78	1.73
Completely Rural	2.41	2.83	3.92	3.37	3.94	3.45

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.49P (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.9577		0.9371		0.4876	
GEOGRAPHIC DIVISION						
Northeast	0.1523		0.3035		0.6613	
New England	0.7357		0.7168		0.5827	
Middle Atlantic	0.1521		0.1613		0.4141	
Midwest	0.5818		0.9635		0.8008	
East North Central	0.1112		0.3226		0.3955	
West North Central	0.2657		0.1803		0.1529	
South	0.1482		0.3969		0.2863	
South Atlantic	0.0611		0.2362		0.3216	
East South Central	0.9800		0.8729		0.6687	
West South Central	0.8798		0.8801		0.7698	
West	0.4128		0.9641		0.5665	
Mountain	0.6093		0.5848		0.2043	
Pacific	0.5175		0.7070		0.9606	
COUNTY TYPE						
Large Metro	0.5100		0.5102		0.1784	
Small Metro	0.7292		0.6714		0.8697	
250K – 1 Mil. Pop.	0.5543		0.7040		0.7434	
< 250K Pop.	0.7816		0.8525		0.8517	
Nonmetro	0.2491		0.3729		0.3297	
Urbanized	0.0332		0.3489		0.8472	
Less Urbanized	0.7776		0.4225		0.1397	
Completely Rural	0.4293		0.2160		0.4870	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.50C (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	816	821	827	885	801	849
GEOGRAPHIC DIVISION						
Northeast	347	381	321	361	313	343
New England	171	165	153	171	137	165
Middle Atlantic	301	342	281	319	281	301
Midwest	269	292	349	351	337	337
East North Central	234	237	284	290	270	276
West North Central	140	170	195	186	192	186
South	512	478	536	543	508	524
South Atlantic	401	359	410	402	402	398
East South Central	154	171	187	220	182	208
West South Central	266	247	273	279	253	268
West	443	479	415	449	390	410
Mountain	183	173	208	195	201	185
Pacific	403	448	359	404	336	364
COUNTY TYPE						
Large Metro	1,408	1,463	788	820	715	761
Small Metro	1,088	1,091	595	574	540	525
250K – 1 Mil. Pop.	921	947	522	456	482	423
< 250K Pop.	650	663	340	366	307	325
Nonmetro	775	798	439	480	417	446
Urbanized	516	561	308	301	281	287
Less Urbanized	597	552	317	346	306	311
Completely Rural	318	288	176	165	164	158

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.50D (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.43	0.43	0.44	0.46	0.42	0.44
GEOGRAPHIC DIVISION						
Northeast	0.98	1.07	0.90	1.01	0.88	0.96
New England	1.83	1.76	1.64	1.82	1.47	1.76
Middle Atlantic	1.15	1.30	1.07	1.21	1.08	1.14
Midwest	0.64	0.69	0.83	0.83	0.80	0.80
East North Central	0.80	0.80	0.97	0.98	0.92	0.94
West North Central	1.12	1.34	1.55	1.47	1.53	1.46
South	0.74	0.68	0.78	0.77	0.74	0.75
South Atlantic	1.08	0.96	1.11	1.07	1.09	1.06
East South Central	1.36	1.48	1.64	1.91	1.60	1.80
West South Central	1.29	1.17	1.32	1.32	1.22	1.27
West	1.02	1.09	0.96	1.02	0.90	0.93
Mountain	1.39	1.29	1.58	1.45	1.53	1.38
Pacific	1.33	1.47	1.19	1.32	1.11	1.19
COUNTY TYPE						
Large Metro	0.63	0.64	0.62	0.64	0.59	0.61
Small Metro	0.74	0.73	0.78	0.84	0.74	0.79
250K – 1 Mil. Pop.	0.91	0.93	0.97	0.94	0.93	0.89
< 250K Pop.	1.27	1.18	1.40	1.56	1.33	1.40
Nonmetro	0.86	0.79	0.97	1.03	0.96	1.00
Urbanized	1.28	1.16	1.45	1.60	1.42	1.66
Less Urbanized	1.17	1.22	1.51	1.46	1.50	1.35
Completely Rural	2.98	2.82	3.05	2.91	2.87	2.74

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.50P (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.9540		0.4061		0.7318	
GEOGRAPHIC DIVISION						
Northeast	0.8930		0.5005		0.8876	
New England	0.6977		0.9507		0.9580	
Middle Atlantic	0.7215		0.4150		0.8487	
Midwest	0.3732		0.1818		0.0914	
East North Central	0.9778		0.7961		0.6486	
West North Central	0.1307		0.0030		0.0183	
South	0.9275		0.9416		0.4704	
South Atlantic	0.7787		0.3723		0.6285	
East South Central	0.7588		0.1383		0.0646	
West South Central	0.6873		0.8883		0.4145	
West	0.4904		0.9692		0.9332	
Mountain	0.9384		0.4587		0.3696	
Pacific	0.4383		0.6333		0.6519	
COUNTY TYPE						
Large Metro	0.7096		0.8040		0.8563	
Small Metro	0.5147		0.0879		0.1084	
250K – 1 Mil. Pop.	0.3291		0.1058		0.1924	
< 250K Pop.	0.7596		0.4546		0.3297	
Nonmetro	0.7533		0.4518		0.3656	
Urbanized	0.5128		0.5013		0.8989	
Less Urbanized	0.7931		0.1926		0.3740	
Completely Rural	0.8427		0.5941		0.3050	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.51C (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	830	835	868	923	838	872
GEOGRAPHIC DIVISION						
Northeast	350	384	334	372	325	351
New England	171	173	158	176	140	167
Middle Atlantic	304	343	293	329	294	309
Midwest	276	301	365	365	349	350
East North Central	239	245	296	303	281	289
West North Central	145	175	205	195	199	192
South	524	489	558	568	527	545
South Atlantic	407	369	428	424	416	413
East South Central	163	174	197	230	191	217
West South Central	275	252	285	288	264	274
West	452	486	433	465	407	416
Mountain	189	180	218	199	212	191
Pacific	410	454	375	420	349	368
COUNTY TYPE						
Large Metro	1,461	1,516	858	872	777	792
Small Metro	1,138	1,154	646	619	584	558
250K – 1 Mil. Pop.	970	1,008	571	500	525	458
< 250K Pop.	679	707	366	399	328	349
Nonmetro	820	861	489	533	458	491
Urbanized	561	618	340	349	309	326
Less Urbanized	630	598	361	384	340	347
Completely Rural	346	312	201	181	185	173

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.51D (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.37	0.37	0.39	0.41	0.38	0.39
GEOGRAPHIC DIVISION						
Northeast	0.85	0.92	0.81	0.89	0.79	0.84
New England	1.57	1.58	1.46	1.61	1.29	1.52
Middle Atlantic	1.00	1.11	0.96	1.07	0.96	1.00
Midwest	0.56	0.61	0.74	0.74	0.71	0.71
East North Central	0.70	0.71	0.86	0.88	0.82	0.84
West North Central	0.98	1.17	1.38	1.31	1.34	1.28
South	0.65	0.60	0.69	0.69	0.65	0.66
South Atlantic	0.95	0.85	1.00	0.98	0.97	0.95
East South Central	1.23	1.30	1.49	1.72	1.44	1.62
West South Central	1.12	1.00	1.16	1.15	1.07	1.09
West	0.88	0.94	0.85	0.90	0.80	0.80
Mountain	1.22	1.14	1.41	1.26	1.37	1.21
Pacific	1.15	1.26	1.05	1.16	0.98	1.02
COUNTY TYPE						
Large Metro	0.55	0.55	0.55	0.56	0.54	0.53
Small Metro	0.65	0.63	0.69	0.75	0.65	0.70
250K – 1 Mil. Pop.	0.79	0.82	0.85	0.85	0.81	0.80
< 250K Pop.	1.12	1.01	1.26	1.38	1.17	1.23
Nonmetro	0.76	0.71	0.89	0.93	0.87	0.91
Urbanized	1.10	1.01	1.26	1.43	1.26	1.49
Less Urbanized	1.03	1.12	1.40	1.34	1.35	1.25
Completely Rural	2.73	2.58	2.93	2.63	2.75	2.50

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.51P (REVISED) Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.9572		0.4060		0.6364	
GEOGRAPHIC DIVISION						
Northeast	0.9302		0.6538		0.9714	
New England	0.6681		0.9879		0.9610	
Middle Atlantic	0.8948		0.6015		0.9875	
Midwest	0.3383		0.1979		0.1095	
East North Central	0.7806		0.9344		0.5551	
West North Central	0.2029		0.0102		0.0448	
South	0.8702		0.8118		0.6235	
South Atlantic	0.9624		0.2833		0.5206	
East South Central	0.7713		0.1818		0.0967	
West South Central	0.6756		0.8867		0.4758	
West	0.4040		0.9736		0.8331	
Mountain	0.9623		0.3896		0.2588	
Pacific	0.3772		0.5950		0.6552	
COUNTY TYPE						
Large Metro	0.8153		0.7804		0.9851	
Small Metro	0.5811		0.0918		0.1073	
250K – 1 Mil. Pop.	0.4048		0.1121		0.2033	
< 250K Pop.	0.7938		0.4536		0.2994	
Nonmetro	0.5971		0.4185		0.3138	
Urbanized	0.2570		0.6124		0.9161	
Less Urbanized	0.7735		0.2037		0.2879	
Completely Rural	0.8958		0.6640		0.3446	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.