

Table 1.108C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 or Older: Standard Errors of Numbers in Thousands, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	615	604	209	226	212	227
Benzodiazepine Tranquilizers	543	562	199	219	202	220
Alprazolam Products	440	422	160	173	162	174
Lorazepam Products	267	293	85	97	85	97
Clonazepam Products	240	260	75	85	76	85
Diazepam Products	284	294	88	91	88	91
Muscle Relaxants	257	241	65	63	65	63
Cyclobenzaprine	213	217	52	54	52	54
Soma®	141	117	41	31	42	31
Any Other Prescription Tranquilizer ¹	261	261	23	21	23	21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.108D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 or Older: Standard Errors of Percentages, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.23	0.22	0.08	0.08	0.52	0.57
Benzodiazepine Tranquilizers	0.20	0.21	0.07	0.08	0.61	0.71
Alprazolam Products	0.16	0.15	0.06	0.06	0.83	0.91
Lorazepam Products	0.10	0.11	0.03	0.04	1.10	1.22
Clonazepam Products	0.09	0.09	0.03	0.03	1.18	1.35
Diazepam Products	0.10	0.11	0.03	0.03	1.19	1.35
Muscle Relaxants	0.09	0.09	0.02	0.02	1.00	0.96
Cyclobenzaprine	0.08	0.08	0.02	0.02	1.06	1.04
Soma®	0.05	0.04	0.02	0.01	2.25	2.08
Any Other Prescription Tranquilizer ¹	0.10	0.10	0.01	0.01	0.38	0.35

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.108P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.3529		0.4415		0.6976	
Benzodiazepine Tranquilizers	0.1252		0.5117		0.9493	
Alprazolam Products	0.5257		0.9376		0.7551	
Lorazepam Products	0.4389		0.6371		0.4416	
Clonazepam Products	0.2572		0.3150		0.6914	
Diazepam Products	0.0793		0.1386		0.4753	
Muscle Relaxants	0.7665		0.3412		0.2732	
Cyclobenzaprine	0.3055		0.5325		0.3532	
Soma®	0.1262		0.1498		0.5379	
Any Other Prescription Tranquilizer ¹	0.9011		0.4161		0.4315	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.109C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 to 17: Standard Errors of Numbers in Thousands, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	50	48	32	33	33	33
Benzodiazepine Tranquilizers	44	40	32	32	32	32
Alprazolam Products	41	38	30	31	31	31
Lorazepam Products	15	15	9	7	*	*
Clonazepam Products	15	12	11	7	*	*
Diazepam Products	17	14	10	8	*	*
Muscle Relaxants	11	8	8	5	*	*
Cyclobenzaprine	7	6	5	2	*	*
Soma®	8	5	6	5	*	*
Any Other Prescription Tranquilizer ¹	30	27	7	5	7	5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.109D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 to 17: Standard Errors of Percentages, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.20	0.19	0.13	0.13	2.21	2.61
Benzodiazepine Tranquilizers	0.18	0.16	0.13	0.13	2.68	2.97
Alprazolam Products	0.16	0.15	0.12	0.12	2.87	3.21
Lorazepam Products	0.06	0.06	0.04	0.03	*	*
Clonazepam Products	0.06	0.05	0.04	0.03	*	*
Diazepam Products	0.07	0.05	0.04	0.03	*	*
Muscle Relaxants	0.04	0.03	0.03	0.02	*	*
Cyclobenzaprine	0.03	0.02	0.02	0.01	*	*
Soma®	0.03	0.02	0.02	0.02	*	*
Any Other Prescription Tranquilizer ¹	0.12	0.11	0.03	0.02	1.75	1.60

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.109P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.0540		0.4647		0.5659	
Benzodiazepine Tranquilizers	0.1093		0.4575		0.5922	
Alprazolam Products	0.1149		0.4417		0.5397	
Lorazepam Products	0.8228		0.3303		*	
Clonazepam Products	0.0141		0.0252		*	
Diazepam Products	0.0306		0.1358		*	
Muscle Relaxants	0.0329		0.1582		*	
Cyclobenzaprine	0.2740		0.0857		*	
Soma®	0.0573		0.5974		*	
Any Other Prescription Tranquilizer ¹	0.0252		0.2777		0.5644	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.110C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 or Older: Standard Errors of Numbers in Thousands, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	607	599	205	223	209	225
Benzodiazepine Tranquilizers	535	556	196	218	199	219
Alprazolam Products	434	417	157	170	159	171
Lorazepam Products	266	294	84	97	84	97
Clonazepam Products	239	259	75	85	76	85
Diazepam Products	282	294	88	91	87	91
Muscle Relaxants	257	241	64	62	64	63
Cyclobenzaprine	214	217	51	54	51	54
Soma®	141	117	41	31	41	31
Any Other Prescription Tranquilizer ¹	259	261	23	21	23	21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.110D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 or Older: Standard Errors of Percentages, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.25	0.24	0.08	0.09	0.53	0.58
Benzodiazepine Tranquilizers	0.22	0.22	0.08	0.09	0.62	0.72
Alprazolam Products	0.18	0.17	0.06	0.07	0.86	0.92
Lorazepam Products	0.11	0.12	0.03	0.04	1.11	1.23
Clonazepam Products	0.10	0.10	0.03	0.03	1.20	1.37
Diazepam Products	0.11	0.12	0.04	0.04	1.21	1.36
Muscle Relaxants	0.10	0.10	0.03	0.03	0.99	0.96
Cyclobenzaprine	0.09	0.09	0.02	0.02	1.05	1.04
Soma®	0.06	0.05	0.02	0.01	2.25	2.07
Any Other Prescription Tranquilizer ¹	0.10	0.10	0.01	0.01	0.40	0.36

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.110P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.4201		0.4995		0.7202	
Benzodiazepine Tranquilizers	0.1459		0.5789		0.9237	
Alprazolam Products	0.6100		0.9471		0.7113	
Lorazepam Products	0.4388		0.6994		0.5007	
Clonazepam Products	0.3121		0.4568		0.8315	
Diazepam Products	0.0971		0.1809		0.5301	
Muscle Relaxants	0.7141		0.4102		0.3242	
Cyclobenzaprine	0.2954		0.6075		0.4114	
Soma®	0.1501		0.1643		0.5293	
Any Other Prescription Tranquilizer ¹	0.9095		0.5967		0.5832	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.111C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 to 25: Standard Errors of Numbers in Thousands, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	112	102	80	72	87	77
Benzodiazepine Tranquilizers	107	98	79	71	84	76
Alprazolam Products	100	88	75	69	80	73
Lorazepam Products	46	44	24	20	24	20
Clonazepam Products	55	43	32	27	33	27
Diazepam Products	45	37	27	21	28	21
Muscle Relaxants	40	32	19	15	19	15
Cyclobenzaprine	30	26	10	9	10	9
Soma®	30	19	17	11	*	*
Any Other Prescription Tranquilizer ¹	41	45	9	10	9	10

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.111D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 to 25: Standard Errors of Percentages, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.33	0.30	0.23	0.21	1.49	1.53
Benzodiazepine Tranquilizers	0.31	0.29	0.23	0.21	1.59	1.66
Alprazolam Products	0.29	0.26	0.22	0.20	1.77	1.90
Lorazepam Products	0.13	0.13	0.07	0.06	3.01	3.00
Clonazepam Products	0.16	0.13	0.09	0.08	2.96	3.42
Diazepam Products	0.13	0.11	0.08	0.06	3.57	3.60
Muscle Relaxants	0.12	0.09	0.06	0.04	3.49	3.63
Cyclobenzaprine	0.09	0.08	0.03	0.03	3.40	3.51
Soma®	0.09	0.06	0.05	0.03	*	*
Any Other Prescription Tranquilizer ¹	0.12	0.13	0.03	0.03	1.84	1.86

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.111P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.0116		0.0054		0.1237	
Benzodiazepine Tranquilizers	0.0029		0.0083		0.3972	
Alprazolam Products	0.0220		0.0246		0.4131	
Lorazepam Products	0.1414		0.0831		0.2580	
Clonazepam Products	0.0005		0.0087		0.7248	
Diazepam Products	0.0007		0.0449		0.8542	
Muscle Relaxants	0.0582		0.0457		0.2516	
Cyclobenzaprine	0.4223		0.5864		0.8106	
Soma®	0.0246		0.0271		*	
Any Other Prescription Tranquilizer ¹	0.4716		0.5792		0.6979	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.112C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 26 or Older: Standard Errors of Numbers in Thousands, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	585	588	182	211	184	212
Benzodiazepine Tranquilizers	515	542	172	205	173	206
Alprazolam Products	416	401	131	153	132	154
Lorazepam Products	261	289	81	95	81	95
Clonazepam Products	233	256	69	79	70	79
Diazepam Products	276	291	83	88	83	88
Muscle Relaxants	254	240	59	62	59	63
Cyclobenzaprine	214	216	48	55	48	55
Soma®	134	114	37	29	37	29
Any Other Prescription Tranquilizer ¹	254	258	21	18	21	18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.112D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 26 or Older: Standard Errors of Percentages, 2017 and 2018

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.27	0.27	0.09	0.10	0.53	0.61
Benzodiazepine Tranquilizers	0.24	0.25	0.08	0.10	0.63	0.77
Alprazolam Products	0.20	0.19	0.06	0.07	0.86	0.99
Lorazepam Products	0.12	0.13	0.04	0.04	1.19	1.31
Clonazepam Products	0.11	0.12	0.03	0.04	1.27	1.43
Diazepam Products	0.13	0.14	0.04	0.04	1.26	1.42
Muscle Relaxants	0.12	0.11	0.03	0.03	1.01	1.01
Cyclobenzaprine	0.10	0.10	0.02	0.03	1.06	1.11
Soma®	0.06	0.05	0.02	0.01	2.33	2.09
Any Other Prescription Tranquilizer ¹	0.12	0.12	0.01	0.01	0.40	0.34

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.112P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 26 or Older: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Tranquilizer Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION TRANQUILIZER	0.7065		0.6785		0.5813	
Benzodiazepine Tranquilizers	0.3611		0.6093		0.3873	
Alprazolam Products	0.9864		0.1906		0.1767	
Lorazepam Products	0.3080		0.9478		0.8156	
Clonazepam Products	0.7614		0.7663		0.6561	
Diazepam Products	0.2270		0.4173		0.7320	
Muscle Relaxants	0.5252		0.7630		0.6050	
Cyclobenzaprine	0.2584		0.6763		0.4616	
Soma®	0.2860		0.5757		0.9479	
Any Other Prescription Tranquilizer ¹	0.9859		0.3871		0.3884	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.