

**Table 1.68C Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Standard Errors of Numbers in Thousands, 2017 and 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	217	205	16	18	218	203	89	89	192	177
GEOGRAPHIC REGION										
Northeast	99	110	6	8	99	109	35	40	83	101
Midwest	82	84	6	8	82	83	44	39	67	71
South	124	104	8	11	124	103	49	45	114	93
West	126	121	11	8	127	120	53	54	107	99
COUNTY TYPE										
Large Metro	187	177	12	13	187	176	77	79	163	159
Small Metro	96	99	9	10	96	98	46	52	83	81
Nonmetro	71	59	5	7	71	59	34	27	61	45
Urbanized	53	50	4	5	53	50	26	21	45	37
Less Urbanized	47	30	3	4	47	29	21	16	41	24
Completely Rural	10	10	1	1	10	10	5	3	9	9
POVERTY LEVEL¹										
Less Than 100%	98	87	8	10	97	85	49	52	83	71
100-199%	99	76	7	8	98	76	45	39	88	64
200% or More	164	169	12	12	164	169	65	62	150	154
HEALTH INSURANCE²										
Private	163	156	11	14	163	156	81	82	137	128
Medicaid/CHIP	96	87	12	9	95	86	38	33	86	79
Other ³	80	65	2	3	80	66	25	22	76	62
No Coverage	99	77	1	6	99	77	33	25	93	72

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.68D Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.08	0.07	0.06	0.07	0.09	0.08	0.26	0.26	0.09	0.08
GEOGRAPHIC REGION										
Northeast	0.21	0.23	0.15	0.21	0.22	0.25	0.59	0.68	0.22	0.27
Midwest	0.14	0.15	0.11	0.15	0.16	0.16	0.60	0.53	0.15	0.16
South	0.12	0.10	0.09	0.11	0.13	0.11	0.38	0.35	0.14	0.11
West	0.20	0.19	0.18	0.14	0.22	0.20	0.64	0.66	0.21	0.19
COUNTY TYPE										
Large Metro	0.12	0.11	0.08	0.09	0.13	0.12	0.37	0.39	0.13	0.13
Small Metro	0.12	0.12	0.13	0.13	0.13	0.13	0.41	0.44	0.13	0.13
Nonmetro	0.18	0.14	0.14	0.20	0.19	0.16	0.74	0.58	0.19	0.14
Urbanized	0.31	0.27	0.27	0.38	0.34	0.30	1.19	0.99	0.33	0.25
Less Urbanized	0.24	0.16	0.18	0.24	0.26	0.17	1.01	0.71	0.27	0.16
Completely Rural	0.28	0.25	0.19	0.14	0.31	0.27	1.77	0.94	0.31	0.30
POVERTY LEVEL¹										
Less Than 100%	0.24	0.21	0.15	0.17	0.28	0.24	0.57	0.54	0.32	0.27
100-199%	0.18	0.14	0.13	0.15	0.20	0.15	0.52	0.46	0.22	0.16
200% or More	0.09	0.09	0.08	0.09	0.10	0.10	0.37	0.36	0.10	0.10
HEALTH INSURANCE²										
Private	0.09	0.09	0.08	0.10	0.10	0.09	0.36	0.36	0.09	0.09
Medicaid/CHIP	0.20	0.19	0.12	0.09	0.26	0.24	0.49	0.45	0.29	0.27
Other ³	0.12	0.09	0.22	0.24	0.12	0.10	0.96	0.83	0.12	0.09
No Coverage	0.39	0.29	0.12	0.54	0.41	0.31	0.68	0.50	0.48	0.36

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.68P Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.1298		0.5124		0.1400		0.2435		0.3099	
GEOGRAPHIC REGION										
Northeast	0.7682		0.8145		0.7590		0.6345		0.8473	
Midwest	0.1770		0.2966		0.1472		0.1753		0.3922	
South	0.0209		0.7227		0.0183		0.0660		0.0867	
West	0.8564		0.0303		0.7355		0.6898		0.8106	
COUNTY TYPE										
Large Metro	0.2695		0.9608		0.2533		0.3965		0.4228	
Small Metro	0.7888		0.1730		0.9235		0.6056		0.8108	
Nonmetro	0.1583		0.7403		0.1453		0.5796		0.1462	
Urbanized	0.3525		0.8942		0.3318		0.8268		0.3609	
Less Urbanized	0.3078		0.5948		0.2884		0.8303		0.2324	
Completely Rural	0.3574		0.7963		0.3809		0.2183		0.7067	
POVERTY LEVEL¹										
Less Than 100%	0.6311		0.5060		0.6869		0.9189		0.6399	
100-199%	0.0119		0.4645		0.0131		0.1413		0.0497	
200% or More	0.7064		0.9824		0.7033		0.4290		0.9798	
HEALTH INSURANCE²										
Private	0.8424		0.3785		0.7675		0.6693		0.9932	
Medicaid/CHIP	0.2834		0.0008		0.4731		0.7296		0.5550	
Other ³	0.0959		0.6395		0.1021		0.3694		0.1504	
No Coverage	0.0385		0.2202		0.0314		0.1232		0.0822	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.69C Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	130	123	7	5	130	123	47	46	123	117
GEOGRAPHIC REGION										
Northeast	67	65	3	3	67	65	19	26	61	60
Midwest	47	50	2	1	47	50	23	18	44	45
South	75	67	4	3	75	67	25	21	71	64
West	73	78	4	2	73	78	26	25	69	75
COUNTY TYPE										
Large Metro	108	109	6	3	108	109	35	41	102	105
Small Metro	55	58	3	4	55	58	27	19	49	54
Nonmetro	54	29	2	1	54	29	19	13	51	24
Urbanized	42	25	2	1	42	25	18	11	38	20
Less Urbanized	34	15	0	*	34	15	6	7	33	13
Completely Rural	5	1	0	*	5	1	*	*	5	1
POVERTY LEVEL¹										
Less Than 100%	55	57	2	1	55	57	22	24	51	53
100-199%	80	42	2	3	80	42	27	18	75	38
200% or More	98	103	6	4	98	103	33	34	91	100
HEALTH INSURANCE²										
Private	95	94	6	4	95	94	41	40	85	87
Medicaid/CHIP	68	56	4	2	68	56	19	16	66	54
Other ³	55	34	2	*	55	34	12	10	53	32
No Coverage	66	53	*	*	66	53	20	12	64	51

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.69D Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.05	0.05	0.03	0.02	0.05	0.05	0.14	0.13	0.06	0.05
GEOGRAPHIC REGION										
Northeast	0.14	0.14	0.08	0.08	0.15	0.15	0.32	0.45	0.16	0.16
Midwest	0.08	0.09	0.04	0.03	0.09	0.10	0.31	0.24	0.10	0.10
South	0.07	0.06	0.04	0.03	0.08	0.07	0.19	0.16	0.09	0.08
West	0.11	0.12	0.07	0.03	0.13	0.13	0.32	0.30	0.14	0.15
COUNTY TYPE										
Large Metro	0.07	0.07	0.04	0.02	0.08	0.08	0.18	0.21	0.09	0.09
Small Metro	0.07	0.07	0.04	0.05	0.07	0.08	0.24	0.17	0.08	0.08
Nonmetro	0.14	0.07	0.06	0.03	0.15	0.08	0.42	0.30	0.16	0.07
Urbanized	0.25	0.14	0.14	0.07	0.27	0.15	0.83	0.55	0.29	0.14
Less Urbanized	0.18	0.08	0.01	*	0.19	0.09	0.29	0.36	0.22	0.09
Completely Rural	0.14	0.04	0.17	*	0.16	0.05	*	*	0.16	0.05
POVERTY LEVEL¹										
Less Than 100%	0.14	0.14	0.04	0.02	0.16	0.17	0.25	0.27	0.20	0.20
100-199%	0.15	0.08	0.04	0.06	0.16	0.09	0.32	0.22	0.18	0.09
200% or More	0.06	0.06	0.04	0.03	0.06	0.06	0.19	0.20	0.06	0.07
HEALTH INSURANCE²										
Private	0.05	0.05	0.04	0.03	0.06	0.06	0.19	0.19	0.06	0.06
Medicaid/CHIP	0.15	0.12	0.04	0.02	0.19	0.15	0.25	0.21	0.23	0.18
Other ³	0.08	0.05	0.17	*	0.08	0.05	0.47	0.38	0.08	0.05
No Coverage	0.27	0.20	*	*	0.28	0.21	0.42	0.26	0.33	0.26

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.69P Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
P Values from Tests of Differences of Percentages, 2018 Versus 2017**

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.1917		0.0698		0.2201		0.0365		0.6532	
GEOGRAPHIC REGION										
Northeast	0.7472		0.5836		0.7636		0.9311		0.7419	
Midwest	0.6400		0.7481		0.6451		0.1793		0.8620	
South	0.2132		0.6602		0.2189		0.1067		0.4599	
West	0.6931		0.0402		0.7629		0.2173		0.8613	
COUNTY TYPE										
Large Metro	0.6936		0.0341		0.7395		0.3402		0.9803	
Small Metro	0.4669		0.8020		0.4737		0.0050		0.6713	
Nonmetro	0.0775		0.1824		0.0854		0.9422		0.0529	
Urbanized	0.1231		0.2964		0.1312		0.9594		0.1021	
Less Urbanized	0.4465		*		0.4520		0.4764		0.3150	
Completely Rural	0.1919		*		0.2272		*		0.3983	
POVERTY LEVEL¹										
Less Than 100%	0.3501		0.2130		0.3256		0.8281		0.3285	
100-199%	0.0005		0.9761		0.0004		0.0027		0.0077	
200% or More	0.7867		0.0885		0.7219		0.4398		0.4994	
HEALTH INSURANCE²										
Private	0.6812		0.2334		0.7204		0.1118		0.7042	
Medicaid/CHIP	0.2359		0.1041		0.2637		0.1415		0.4494	
Other ³	0.1778		*		0.1885		0.4372		0.2428	
No Coverage	0.3538		*		0.3478		0.4062		0.4596	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.