

**Table 1.70C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Lifetime (2017)</b>	<b>Lifetime (2018)</b>	<b>Past Year (2017)</b>	<b>Past Year (2018)</b>	<b>Past Month (2017)</b>	<b>Past Month (2018)</b>
<b>TOTAL</b>	322	330	99	85	74	72
<b>GEOGRAPHIC REGION</b>						
Northeast	133	145	48	51	35	46
Midwest	119	143	31	32	18	27
South	204	194	70	50	48	40
West	172	187	43	36	41	25
<b>COUNTY TYPE</b>						
Large Metro	259	274	77	70	57	62
Small Metro	174	179	51	45	32	34
Nonmetro	114	119	39	22	36	13
Urbanized	71	63	17	12	16	5
Less Urbanized	91	87	34	19	32	12
Completely Rural	21	40	5	1	4	1
<b>POVERTY LEVEL<sup>1</sup></b>						
Less Than 100%	155	181	57	52	42	45
100-199%	155	128	60	37	55	25
200% or More	234	262	55	55	32	49
<b>HEALTH INSURANCE<sup>2</sup></b>						
Private	230	239	52	56	36	51
Medicaid/CHIP	173	196	57	52	43	38
Other <sup>3</sup>	174	165	45	29	27	20
No Coverage	133	127	63	36	46	31

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.70D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Lifetime (2017)</b>	<b>Lifetime (2018)</b>	<b>Past Year (2017)</b>	<b>Past Year (2018)</b>	<b>Past Month (2017)</b>	<b>Past Month (2018)</b>
<b>TOTAL</b>	0.12	0.12	0.04	0.03	0.03	0.03
<b>GEOGRAPHIC REGION</b>						
Northeast	0.28	0.30	0.10	0.11	0.07	0.10
Midwest	0.21	0.25	0.05	0.06	0.03	0.05
South	0.20	0.19	0.07	0.05	0.05	0.04
West	0.27	0.29	0.07	0.06	0.06	0.04
<b>COUNTY TYPE</b>						
Large Metro	0.16	0.17	0.05	0.05	0.04	0.04
Small Metro	0.20	0.21	0.06	0.05	0.04	0.04
Nonmetro	0.28	0.28	0.10	0.06	0.09	0.03
Urbanized	0.39	0.34	0.10	0.07	0.09	0.03
Less Urbanized	0.44	0.43	0.18	0.10	0.17	0.07
Completely Rural	0.59	0.95	0.15	0.02	0.12	0.02
<b>POVERTY LEVEL<sup>1</sup></b>						
Less Than 100%	0.38	0.43	0.14	0.13	0.10	0.11
100-199%	0.28	0.23	0.11	0.07	0.10	0.05
200% or More	0.13	0.14	0.03	0.03	0.02	0.03
<b>HEALTH INSURANCE<sup>2</sup></b>						
Private	0.13	0.13	0.03	0.03	0.02	0.03
Medicaid/CHIP	0.36	0.41	0.12	0.11	0.09	0.08
Other <sup>3</sup>	0.25	0.23	0.07	0.04	0.04	0.03
No Coverage	0.52	0.47	0.25	0.14	0.19	0.12

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.70P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Lifetime (2017)</b>	<b>Lifetime (2018)</b>	<b>Past Year (2017)</b>	<b>Past Year (2018)</b>	<b>Past Month (2017)</b>	<b>Past Month (2018)</b>
<b>TOTAL</b>	0.3009		0.1858		0.7196	
<b>GEOGRAPHIC REGION</b>						
Northeast	0.4283		0.9455		0.8585	
Midwest	0.7284		0.8386		0.3695	
South	0.1169		0.0586		0.3845	
West	0.7738		0.7800		0.6502	
<b>COUNTY TYPE</b>						
Large Metro	0.6056		0.3713		0.9450	
Small Metro	0.3488		0.5308		0.8631	
Nonmetro	0.6354		0.3899		0.1669	
Urbanized	0.3656		0.4062		0.1383	
Less Urbanized	0.9677		0.7879		0.5027	
Completely Rural	0.4994		0.1203		0.2513	
<b>POVERTY LEVEL<sup>1</sup></b>						
Less Than 100%	0.8583		0.9020		0.3907	
100-199%	0.0112		0.0575		0.0444	
200% or More	0.8667		0.5605		0.4610	
<b>HEALTH INSURANCE<sup>2</sup></b>						
Private	0.3496		0.9414		0.3321	
Medicaid/CHIP	0.7324		0.7279		0.6389	
Other <sup>3</sup>	0.1543		0.1047		0.7630	
No Coverage	0.6505		0.0585		0.4201	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.