

Table 1.74C Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	113	123	9	9	113	122	39	30	104	118
GEOGRAPHIC REGION										
Northeast	21	35	2	1	21	35	8	7	19	34
Midwest	42	58	4	5	42	59	17	15	38	57
South	70	61	6	8	69	60	24	15	64	57
West	78	82	5	1	78	82	26	19	72	79
COUNTY TYPE										
Large Metro	78	91	7	7	77	91	28	21	72	88
Small Metro	64	77	4	5	64	76	24	17	59	74
Nonmetro	52	42	4	4	52	42	16	11	50	40
Urbanized	32	25	2	2	32	25	12	8	29	24
Less Urbanized	39	32	3	4	39	31	10	8	38	30
Completely Rural	15	12	1	1	15	12	3	2	15	12
POVERTY LEVEL¹										
Less Than 100%	71	73	4	4	71	73	18	18	68	70
100-199%	58	57	6	6	57	56	25	12	50	56
200% or More	60	82	6	7	60	82	24	20	55	79
HEALTH INSURANCE²										
Private	52	75	5	5	52	74	24	17	46	72
Medicaid/CHIP	70	75	7	6	70	74	21	18	66	72
Other ³	44	51	4	0	44	51	6	4	43	50
No Coverage	64	56	3	6	63	55	22	15	59	53

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.74D Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.04	0.04	0.04	0.04	0.05	0.05	0.11	0.09	0.05	0.05
GEOGRAPHIC REGION										
Northeast	0.04	0.07	0.05	0.03	0.05	0.08	0.13	0.12	0.05	0.09
Midwest	0.07	0.10	0.08	0.10	0.08	0.11	0.23	0.20	0.09	0.13
South	0.07	0.06	0.06	0.09	0.07	0.06	0.19	0.12	0.08	0.07
West	0.12	0.13	0.09	0.02	0.13	0.14	0.31	0.23	0.14	0.15
COUNTY TYPE										
Large Metro	0.05	0.06	0.05	0.05	0.06	0.07	0.14	0.11	0.06	0.07
Small Metro	0.08	0.09	0.06	0.07	0.09	0.10	0.22	0.16	0.09	0.12
Nonmetro	0.13	0.10	0.10	0.12	0.15	0.11	0.36	0.26	0.16	0.12
Urbanized	0.19	0.14	0.14	0.13	0.21	0.16	0.57	0.41	0.22	0.17
Less Urbanized	0.20	0.17	0.16	0.22	0.22	0.19	0.48	0.37	0.25	0.20
Completely Rural	0.43	0.33	0.23	0.30	0.47	0.36	0.99	0.49	0.51	0.39
POVERTY LEVEL¹										
Less Than 100%	0.18	0.18	0.08	0.08	0.21	0.21	0.21	0.22	0.26	0.26
100-199%	0.11	0.10	0.12	0.12	0.12	0.11	0.30	0.15	0.12	0.13
200% or More	0.03	0.05	0.04	0.05	0.04	0.05	0.14	0.12	0.04	0.05
HEALTH INSURANCE²										
Private	0.03	0.04	0.03	0.04	0.03	0.04	0.11	0.08	0.03	0.05
Medicaid/CHIP	0.15	0.16	0.08	0.06	0.19	0.20	0.29	0.25	0.23	0.24
Other ³	0.06	0.07	0.41	0.01	0.06	0.07	0.24	0.14	0.07	0.08
No Coverage	0.26	0.22	0.24	0.53	0.27	0.23	0.47	0.32	0.31	0.27

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.74P Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.1865		0.6811		0.1775		0.0551		0.0400	
GEOGRAPHIC REGION										
Northeast	0.0644		0.5264		0.0588		0.5146		0.0729	
Midwest	0.2636		0.7285		0.2765		0.5933		0.1918	
South	0.4346		0.6858		0.4037		0.0189		0.9326	
West	0.2572		0.0639		0.2243		0.4172		0.1253	
COUNTY TYPE										
Large Metro	0.0754		0.6025		0.0693		0.4648		0.0341	
Small Metro	0.6996		0.8086		0.6685		0.0827		0.2966	
Nonmetro	0.5859		0.7587		0.5641		0.2964		0.7788	
Urbanized	0.9716		0.8683		0.9834		0.3714		0.6923	
Less Urbanized	0.6287		0.5738		0.5978		0.6625		0.6632	
Completely Rural	0.5105		0.8358		0.5272		0.5919		0.5759	
POVERTY LEVEL¹										
Less Than 100%	0.6605		0.7663		0.6658		0.8361		0.6253	
100-199%	0.7044		0.3272		0.7688		0.0063		0.4358	
200% or More	0.0393		0.8678		0.0394		0.6966		0.0212	
HEALTH INSURANCE²										
Private	0.1392		0.7799		0.1347		0.2657		0.0497	
Medicaid/CHIP	0.3284		0.5052		0.3013		0.3071		0.1671	
Other ³	0.8338		0.1698		0.7611		0.3361		0.6828	
No Coverage	0.9255		0.4561		0.8691		0.1406		0.7274	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.75C Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	78	100	5	6	77	100	27	15	72	98
GEOGRAPHIC REGION										
Northeast	15	31	1	1	15	31	4	5	14	30
Midwest	32	51	2	4	32	51	10	8	30	51
South	48	45	5	4	48	45	17	8	45	42
West	51	66	2	*	51	66	19	7	47	65
COUNTY TYPE										
Large Metro	53	75	4	3	53	75	21	9	49	73
Small Metro	39	58	3	3	39	58	15	9	36	57
Nonmetro	41	33	0	3	41	33	10	7	40	32
Urbanized	19	20	*	2	19	20	6	4	18	19
Less Urbanized	33	24	*	2	33	24	8	5	32	23
Completely Rural	15	12	0	1	15	12	*	2	15	12
POVERTY LEVEL¹										
Less Than 100%	51	58	0	4	51	58	10	8	50	57
100-199%	41	42	4	0	41	42	19	7	36	41
200% or More	40	68	3	4	40	68	17	10	36	67
HEALTH INSURANCE²										
Private	34	62	3	4	34	62	17	10	30	61
Medicaid/CHIP	46	61	4	4	45	61	15	9	42	60
Other ³	34	38	*	0	34	38	5	2	34	38
No Coverage	49	46	*	*	49	46	16	5	47	45

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.75D Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.03	0.04	0.02	0.02	0.03	0.04	0.08	0.04	0.03	0.05
GEOGRAPHIC REGION										
Northeast	0.03	0.06	0.02	0.02	0.03	0.07	0.06	0.09	0.04	0.08
Midwest	0.06	0.09	0.03	0.07	0.06	0.10	0.13	0.11	0.07	0.11
South	0.05	0.04	0.05	0.04	0.05	0.05	0.13	0.06	0.06	0.05
West	0.08	0.10	0.03	*	0.09	0.11	0.23	0.09	0.09	0.13
COUNTY TYPE										
Large Metro	0.03	0.05	0.03	0.02	0.04	0.05	0.11	0.05	0.04	0.06
Small Metro	0.05	0.07	0.04	0.05	0.05	0.08	0.14	0.09	0.06	0.09
Nonmetro	0.10	0.08	0.01	0.08	0.12	0.09	0.23	0.15	0.13	0.10
Urbanized	0.11	0.11	*	0.11	0.12	0.12	0.30	0.18	0.13	0.14
Less Urbanized	0.17	0.13	*	0.13	0.19	0.14	0.38	0.26	0.21	0.16
Completely Rural	0.43	0.31	0.17	0.30	0.47	0.35	*	0.48	0.51	0.38
POVERTY LEVEL¹										
Less Than 100%	0.13	0.14	0.01	0.07	0.15	0.17	0.12	0.10	0.19	0.22
100-199%	0.08	0.08	0.08	0.00	0.08	0.09	0.22	0.08	0.09	0.10
200% or More	0.02	0.04	0.02	0.03	0.02	0.04	0.10	0.06	0.02	0.05
HEALTH INSURANCE²										
Private	0.02	0.03	0.02	0.03	0.02	0.04	0.08	0.05	0.02	0.04
Medicaid/CHIP	0.10	0.13	0.05	0.04	0.13	0.16	0.20	0.13	0.15	0.20
Other ³	0.05	0.06	*	0.01	0.05	0.06	0.20	0.07	0.05	0.06
No Coverage	0.20	0.18	*	*	0.21	0.19	0.34	0.09	0.25	0.23

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.75P Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.0858		0.9177		0.0862		0.0485		0.0243	
GEOGRAPHIC REGION										
Northeast	0.0692		0.9435		0.0694		0.2501		0.1000	
Midwest	0.2295		0.3077		0.2546		0.6144		0.2032	
South	0.9689		0.8347		0.9544		0.1425		0.6048	
West	0.3402		*		0.3293		0.0848		0.1591	
COUNTY TYPE										
Large Metro	0.1054		0.5892		0.0993		0.1580		0.0391	
Small Metro	0.2051		0.8762		0.1943		0.2417		0.0975	
Nonmetro	0.7533		0.1523		0.6873		0.4620		0.8051	
Urbanized	0.2862		*		0.3215		0.4428		0.2129	
Less Urbanized	0.4262		*		0.3958		0.6629		0.4346	
Completely Rural	0.4925		0.8365		0.4924		*		0.4708	
POVERTY LEVEL¹										
Less Than 100%	0.6423		0.0766		0.6966		0.4898		0.6198	
100-199%	0.8517		0.0646		0.9461		0.0396		0.5046	
200% or More	0.0117		0.6433		0.0122		0.7354		0.0070	
HEALTH INSURANCE²										
Private	0.0635		0.8723		0.0639		0.9292		0.0529	
Medicaid/CHIP	0.1715		0.9002		0.1666		0.2626		0.0923	
Other ³	0.9250		*		0.9271		0.0699		0.9213	
No Coverage	0.9549		*		0.9475		0.0378		0.6396	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.