

**Table 10.37C Had Serious Thoughts of Suicide in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2018**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	299	299	311	299	305	340	281	280	267	289	282
<b>AGE GROUP</b>											
18-25	74	66	75	85	79	85	87	91	96	108	100
26 or Older	292	292	296	284	294	327	263	267	247	262	257
26-49	193	200	201	169	208	207	167	165	154	163	170
50 or Older	210	215	214	229	214	271	194	209	193	210	189
<b>GENDER</b>											
Male	206	204	235	194	208	241	202	197	198	207	198
Female	210	211	216	228	221	236	183	199	182	203	199
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	282	280	297	288	282	315	257	261	244	273	264
White	265	256	269	267	258	294	231	232	228	248	245
Black or African American	88	89	103	86	99	95	77	99	85	91	94
AIAN	9	13	24	55	20	15	18	19	12	13	18
NHOPI	18	*	14	*	6	15	5	10	11	31	13
Asian	44	38	72	69	79	87	64	55	52	77	52
Two or More Races	38	48	24	25	31	54	49	41	41	57	41
Hispanic or Latino	92	112	76	84	120	127	100	105	106	92	111

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.37D Had Serious Thoughts of Suicide in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2018**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	0.13	0.13	0.14	0.13	0.13	0.14	0.12	0.12	0.11	0.12	0.11
<b>AGE GROUP</b>											
18-25	0.23	0.20	0.22	0.25	0.23	0.24	0.25	0.26	0.28	0.32	0.30
26 or Older	0.15	0.15	0.15	0.14	0.15	0.16	0.13	0.13	0.12	0.12	0.12
26-49	0.19	0.20	0.20	0.17	0.21	0.21	0.17	0.17	0.16	0.16	0.17
50 or Older	0.23	0.23	0.22	0.23	0.21	0.26	0.18	0.19	0.17	0.19	0.17
<b>GENDER</b>											
Male	0.19	0.19	0.21	0.17	0.18	0.21	0.18	0.17	0.17	0.17	0.17
Female	0.18	0.18	0.18	0.19	0.18	0.19	0.15	0.16	0.14	0.16	0.16
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	0.15	0.14	0.15	0.15	0.14	0.16	0.13	0.13	0.12	0.13	0.13
White	0.16	0.16	0.17	0.17	0.16	0.18	0.15	0.15	0.14	0.15	0.15
Black or African American	0.34	0.32	0.38	0.32	0.36	0.34	0.28	0.34	0.28	0.30	0.30
AIAN	0.92	1.24	2.17	3.72	1.50	1.21	1.31	1.52	0.84	1.07	1.23
NHOPI	2.21	*	2.13	*	0.63	1.93	0.53	1.62	1.04	3.13	1.42
Asian	0.46	0.38	0.69	0.61	0.65	0.72	0.51	0.42	0.39	0.55	0.35
Two or More Races	1.48	1.87	0.96	0.78	0.90	1.45	1.26	1.05	1.01	1.34	0.94
Hispanic or Latino	0.30	0.36	0.24	0.25	0.35	0.36	0.27	0.28	0.28	0.23	0.28

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.37P Had Serious Thoughts of Suicide in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2008-2017**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	0.0004	0.0005	0.0030	0.0001	0.0045	0.0228	0.0128	0.0652	0.0618	0.9377	
<b>AGE GROUP</b>											
18-25	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.2198	
26 or Older	0.6004	0.8339	0.8828	0.4211	0.9047	0.8682	0.7430	0.8435	0.8485	0.7454	
26-49	0.0083	0.2207	0.0305	0.0001	0.0715	0.0129	0.0115	0.0381	0.0727	0.1372	
50 or Older	0.3713	0.5002	0.0997	0.0619	0.2228	0.0417	0.0117	0.0583	0.2354	0.1108	
<b>GENDER</b>											
Male	0.0141	0.0265	0.2124	0.0030	0.0495	0.3079	0.2931	0.3108	0.9133	0.8913	
Female	0.0084	0.0058	0.0034	0.0132	0.0379	0.0256	0.0115	0.0994	0.0088	0.9813	
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	0.0020	0.0006	0.0350	0.0028	0.0040	0.0162	0.0166	0.0501	0.0752	0.7320	
White	0.0077	0.0010	0.0166	0.0058	0.0062	0.0516	0.0390	0.1786	0.2499	0.8079	
Black or African American	0.2491	0.1844	0.9652	0.0748	0.2554	0.0087	0.0408	0.0748	0.1699	0.4327	
AIAN	0.0520	0.6267	0.4943	0.0638	0.9536	0.5601	0.5660	0.7914	0.1904	0.5804	
NHOPI	0.8591	*	0.6937	*	0.1794	0.6637	0.1139	0.7307	0.5250	0.2316	
Asian	0.2800	0.0803	0.6509	0.9841	0.5855	0.6169	0.7216	0.3781	0.2750	0.5192	
Two or More Races	0.3198	0.9297	0.1364	0.0131	0.1362	0.7725	0.5577	0.6093	0.9623	0.3669	
Hispanic or Latino	0.0202	0.3859	0.0003	0.0012	0.5928	0.8302	0.4541	0.9342	0.5820	0.2610	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.40C Made Any Suicide Plans in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2018**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	155	157	168	157	156	166	138	138	127	148	155
<b>AGE GROUP</b>											
18-25	39	41	41	44	47	50	49	54	56	67	58
26 or Older	148	150	164	148	152	156	130	127	114	131	147
26-49	99	94	91	102	120	120	85	78	85	90	100
50 or Older	108	117	134	111	101	98	98	101	78	94	105
<b>GENDER</b>											
Male	110	111	119	106	116	105	97	99	91	109	110
Female	113	100	117	115	106	124	99	94	95	108	109
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	143	149	164	149	146	151	127	129	118	138	144
White	134	140	145	126	131	136	117	121	102	114	122
Black or African American	42	48	64	43	50	60	52	39	51	42	63
AIAN	6	9	7	*	10	8	7	16	7	10	8
NHOPI	5	4	0	1	2	12	4	*	2	*	5
Asian	9	16	48	54	49	17	33	18	19	59	30
Two or More Races	26	15	14	14	15	16	20	19	29	21	27
Hispanic or Latino	59	48	31	52	64	67	48	54	46	50	59

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents were asked whether they made any suicide plans in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.40D Made Any Suicide Plans in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2018**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.05	0.06	0.06
<b>AGE GROUP</b>											
18-25	0.12	0.12	0.12	0.13	0.14	0.14	0.14	0.16	0.16	0.20	0.17
26 or Older	0.08	0.08	0.08	0.07	0.08	0.08	0.06	0.06	0.05	0.06	0.07
26-49	0.10	0.10	0.09	0.10	0.12	0.12	0.09	0.08	0.09	0.09	0.10
50 or Older	0.12	0.12	0.14	0.11	0.10	0.09	0.09	0.09	0.07	0.08	0.09
<b>GENDER</b>											
Male	0.10	0.10	0.11	0.09	0.10	0.09	0.08	0.08	0.08	0.09	0.09
Female	0.10	0.09	0.10	0.10	0.09	0.10	0.08	0.08	0.08	0.08	0.09
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	0.07	0.08	0.08	0.08	0.07	0.07	0.06	0.06	0.06	0.07	0.07
White	0.09	0.09	0.09	0.08	0.08	0.09	0.07	0.08	0.07	0.07	0.08
Black or African American	0.16	0.18	0.24	0.16	0.18	0.22	0.19	0.13	0.18	0.14	0.21
AIAN	0.61	0.83	0.65	*	0.72	0.61	0.55	1.26	0.50	0.81	0.55
NHOPI	0.68	0.49	0.02	0.16	0.22	1.58	0.41	*	0.21	*	0.59
Asian	0.09	0.17	0.46	0.48	0.42	0.14	0.26	0.13	0.14	0.43	0.21
Two or More Races	1.03	0.62	0.55	0.44	0.45	0.45	0.56	0.49	0.72	0.50	0.63
Hispanic or Latino	0.20	0.16	0.10	0.15	0.18	0.19	0.13	0.14	0.12	0.13	0.15

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents were asked whether they made any suicide plans in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.40P Made Any Suicide Plans in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2008-2017**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	0.0008	0.0002	0.0186	0.0011	0.0328	0.0409	0.0078	0.0117	0.0120	0.6434	
<b>AGE GROUP</b>											
18-25	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0015	0.0173	0.2928	
26 or Older	0.1694	0.0826	0.7003	0.2158	0.4719	0.4036	0.2857	0.1030	0.0711	0.2824	
26-49	0.0061	0.0022	0.0022	0.0162	0.3517	0.2894	0.0139	0.0027	0.2106	0.1088	
50 or Older	0.8156	0.9959	0.0923	0.7350	0.7923	0.8069	0.4993	0.6705	0.1708	0.9598	
<b>GENDER</b>											
Male	0.0118	0.0366	0.1860	0.0390	0.1598	0.0384	0.0177	0.1092	0.0393	0.5024	
Female	0.0279	0.0010	0.0432	0.0109	0.1064	0.3598	0.1648	0.0396	0.1489	0.9659	
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	0.0014	0.0005	0.0773	0.0049	0.0337	0.0233	0.0220	0.0143	0.0212	0.8876	
White	0.0307	0.0076	0.0853	0.0211	0.1068	0.3634	0.0785	0.1847	0.0962	0.8667	
Black or African American	0.0190	0.0534	0.7166	0.0079	0.0985	0.0199	0.2981	0.0028	0.1497	0.0543	
AIAN	0.6048	0.5210	0.5998	*	0.7806	0.9455	0.5467	0.4103	0.6554	0.3159	
NHOPI	0.7780	0.5532	0.0459	0.1078	0.1877	0.4547	0.3405	*	0.1763	*	
Asian	0.0294	0.1470	0.5562	0.7495	0.3933	0.1386	0.9226	0.2948	0.2527	0.2304	
Two or More Races	0.5677	0.2970	0.1791	0.0309	0.0409	0.0178	0.3315	0.7667	0.8296	0.5012	
Hispanic or Latino	0.2524	0.1736	0.0060	0.0625	0.6501	0.9539	0.1286	0.5156	0.3325	0.3498	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents were asked whether they made any suicide plans in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.42C Attempted Suicide in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008-2018**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	105	91	108	110	103	118	76	100	96	97	101
<b>AGE GROUP</b>											
18-25	32	31	30	35	41	35	36	44	45	48	44
26 or Older	100	85	103	103	95	112	67	90	84	87	91
26-49	67	63	59	64	75	83	54	57	53	53	59
50 or Older	76	57	81	81	64	72	40	73	65	68	66
<b>GENDER</b>											
Male	62	60	74	65	71	66	51	71	64	58	61
Female	86	69	77	88	72	93	63	73	71	77	78
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	97	88	106	104	90	103	68	92	89	90	86
White	86	72	88	79	78	85	56	88	69	73	65
Black or African American	37	44	55	31	35	55	36	26	38	32	44
AIAN	3	7	7	*	9	6	7	6	2	4	5
NHOPI	*	1	0	1	2	*	4	*	5	*	2
Asian	5	22	9	53	28	9	31	14	40	30	20
Two or More Races	20	13	9	8	11	7	11	10	10	14	18
Hispanic or Latino	41	22	23	36	50	52	33	38	34	36	52

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents were asked whether they attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.42D Attempted Suicide in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2008-2018**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	0.05	0.04	0.05	0.05	0.04	0.05	0.03	0.04	0.04	0.04	0.04
<b>AGE GROUP</b>											
18-25	0.10	0.09	0.09	0.10	0.12	0.10	0.10	0.13	0.13	0.14	0.13
26 or Older	0.05	0.04	0.05	0.05	0.05	0.06	0.03	0.04	0.04	0.04	0.04
26-49	0.07	0.06	0.06	0.07	0.08	0.09	0.06	0.06	0.05	0.05	0.06
50 or Older	0.08	0.06	0.08	0.08	0.06	0.07	0.04	0.07	0.06	0.06	0.06
<b>GENDER</b>											
Male	0.06	0.05	0.07	0.06	0.06	0.06	0.04	0.06	0.05	0.05	0.05
Female	0.07	0.06	0.06	0.07	0.06	0.08	0.05	0.06	0.06	0.06	0.06
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	0.05	0.05	0.05	0.05	0.05	0.05	0.03	0.05	0.04	0.04	0.04
White	0.06	0.05	0.06	0.05	0.05	0.05	0.04	0.06	0.04	0.05	0.04
Black or African American	0.14	0.16	0.21	0.12	0.13	0.20	0.13	0.09	0.13	0.11	0.15
AIAN	0.30	0.68	0.65	*	0.66	0.45	0.55	0.47	0.15	0.34	0.36
NHOPI	*	0.14	0.05	0.16	0.21	*	0.41	*	0.48	*	0.17
Asian	0.05	0.22	0.09	0.48	0.24	0.07	0.24	0.10	0.30	0.22	0.14
Two or More Races	0.78	0.54	0.36	0.26	0.33	0.22	0.31	0.25	0.26	0.34	0.43
Hispanic or Latino	0.14	0.07	0.07	0.11	0.14	0.15	0.09	0.10	0.09	0.09	0.13

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents were asked whether they attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.

**Table 10.42P Attempted Suicide in Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2008-2017**

Demographic Characteristic	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
<b>TOTAL</b>	0.1167	0.0307	0.1402	0.1361	0.5853	0.6561	0.0233	0.9398	0.4802	0.7475	
<b>AGE GROUP</b>											
18-25	0.0000	0.0000	0.0000	0.0000	0.0119	0.0001	0.0001	0.1348	0.5082	0.9403	
26 or Older	0.8867	0.6673	0.9734	0.9117	0.7680	0.3705	0.4992	0.6491	0.5482	0.7033	
26-49	0.4201	0.5554	0.1736	0.4449	0.9470	0.3854	0.8244	0.9501	0.8282	0.2982	
50 or Older	0.7794	0.7618	0.3243	0.7093	0.7080	0.7458	0.4073	0.5417	0.5271	0.7130	
<b>GENDER</b>											
Male	0.2295	0.4250	0.9557	0.2351	0.7215	0.7272	0.1427	0.5397	0.8564	0.8482	
Female	0.2849	0.0305	0.0409	0.3208	0.6664	0.7561	0.0978	0.5303	0.4290	0.7937	
<b>HISPANIC ORIGIN AND RACE</b>											
Not Hispanic or Latino	0.2405	0.2056	0.4483	0.3375	0.6842	0.6140	0.1011	0.7174	0.8925	0.7227	
White	0.7388	0.4785	0.7514	0.3848	0.7944	0.5544	0.1751	0.0459	0.5546	0.4038	
Black or African American	0.2558	0.3075	0.6979	0.1506	0.2352	0.2327	0.3165	0.0066	0.1443	0.1201	
AIAN	0.3627	0.6142	0.8100	*	0.6583	0.8206	0.5471	0.8382	0.0573	0.8459	
NHOPI	*	0.9885	0.5546	0.8404	0.5212	*	0.4409	*	0.3155	*	
Asian	0.1103	0.9176	0.4507	0.3026	0.5528	0.2279	0.4605	0.6873	0.2543	0.4615	
Two or More Races	0.8881	0.7914	0.5021	0.1163	0.1695	0.0989	0.1562	0.2718	0.1412	0.7812	
Hispanic or Latino	0.3047	0.0109	0.0382	0.1530	0.7689	0.9390	0.0916	0.4094	0.1916	0.1555	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2008 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

NOTE: Respondents were asked whether they attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2008-2018.