

**Table 2.24C Cigarette Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2017)</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12-17 (2017)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 18+ (2017)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18-25 (2017)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 26+ (2017)</b>	<b>Aged 26+ (2018)</b>
<b>TOTAL</b>	725	731	60	56	717	723	164	151	681	691
<b>GEOGRAPHIC REGION</b>										
Northeast	304	283	21	18	305	280	65	66	291	265
Midwest	315	339	26	26	310	339	72	73	292	324
South	438	455	41	41	434	450	98	100	414	427
West	381	344	25	26	373	342	90	80	351	329
<b>COUNTY TYPE</b>										
Large Metro	653	607	46	38	649	602	191	150	606	564
Small Metro	499	502	34	36	492	494	124	127	460	454
Nonmetro	372	385	26	25	362	379	81	87	323	340
Urbanized	241	255	16	13	235	252	61	65	203	223
Less Urbanized	307	283	19	20	298	277	57	55	266	251
Completely Rural	118	148	9	11	112	143	19	31	102	122
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	386	371	30	28	382	369	136	112	348	341
100-199%	382	370	31	27	380	369	93	94	365	351
200% or More	561	563	44	42	556	558	131	124	532	535
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	561	564	42	41	556	562	183	156	522	531
Medicaid/CHIP	401	375	44	35	395	371	90	88	369	348
Other <sup>3</sup>	383	396	8	14	384	395	57	44	376	391
No Coverage	290	291	13	17	289	291	85	77	269	275

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.24D Cigarette Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2017)</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12-17 (2017)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 18+ (2017)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18-25 (2017)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 26+ (2017)</b>	<b>Aged 26+ (2018)</b>
<b>TOTAL</b>	0.27	0.27	0.24	0.23	0.29	0.29	0.48	0.44	0.32	0.32
<b>GEOGRAPHIC REGION</b>										
Northeast	0.63	0.59	0.52	0.46	0.69	0.64	1.09	1.12	0.77	0.70
Midwest	0.55	0.59	0.48	0.49	0.60	0.65	0.98	1.01	0.66	0.73
South	0.43	0.44	0.43	0.42	0.47	0.48	0.77	0.78	0.52	0.53
West	0.59	0.53	0.43	0.43	0.64	0.58	1.10	0.98	0.70	0.65
<b>COUNTY TYPE</b>										
Large Metro	0.36	0.35	0.30	0.27	0.39	0.38	0.68	0.59	0.44	0.42
Small Metro	0.48	0.50	0.45	0.47	0.52	0.54	0.90	0.83	0.58	0.61
Nonmetro	0.65	0.69	0.63	0.68	0.71	0.75	1.14	1.39	0.77	0.81
Urbanized	0.93	1.03	0.92	0.90	1.01	1.11	1.68	2.24	1.10	1.20
Less Urbanized	0.98	1.04	0.94	1.09	1.07	1.15	1.75	1.86	1.15	1.25
Completely Rural	2.13	2.24	2.42	2.28	2.27	2.45	4.67	4.86	2.39	2.42
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.74	0.68	0.54	0.49	0.83	0.77	0.98	0.94	1.05	0.96
100-199%	0.61	0.60	0.54	0.52	0.67	0.66	0.95	0.93	0.78	0.76
200% or More	0.28	0.29	0.30	0.29	0.30	0.32	0.66	0.61	0.32	0.34
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.28	0.29	0.28	0.28	0.30	0.31	0.64	0.57	0.32	0.34
Medicaid/CHIP	0.70	0.67	0.44	0.37	0.85	0.82	1.07	0.94	1.02	0.97
Other <sup>3</sup>	0.52	0.53	0.78	1.11	0.53	0.53	1.70	1.57	0.54	0.55
No Coverage	0.92	0.89	1.15	1.47	0.96	0.93	1.41	1.21	1.12	1.09

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.24P Cigarette Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2017)</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12-17 (2017)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 18+ (2017)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18-25 (2017)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 26+ (2017)</b>	<b>Aged 26+ (2018)</b>
<b>TOTAL</b>	0.1843		0.0161		0.2413		0.0000		0.9607	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.3746		0.0941		0.4265		0.5752		0.5018	
Midwest	0.2438		0.7488		0.2397		0.0354		0.4644	
South	0.9556		0.1677		0.9571		0.0002		0.3101	
West	0.4295		0.0869		0.4905		0.0248		0.8856	
<b>COUNTY TYPE</b>										
Large Metro	0.3963		0.0158		0.4430		0.0000		0.8164	
Small Metro	0.1901		0.8249		0.2377		0.0060		0.5888	
Nonmetro	0.8970		0.0600		0.9937		0.8127		0.9451	
Urbanized	0.8119		0.0759		0.8040		0.5204		0.7933	
Less Urbanized	0.6229		0.5426		0.6776		0.2872		0.7872	
Completely Rural	0.7042		0.1130		0.5439		0.9935		0.5893	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.2234		0.0868		0.3044		0.0246		0.6722	
100-199%	0.1751		0.0442		0.1937		0.1066		0.3580	
200% or More	0.7256		0.3763		0.7771		0.0000		0.4894	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.4702		0.0841		0.5153		0.0005		0.7689	
Medicaid/CHIP	0.2350		0.0005		0.4182		0.0827		0.6223	
Other <sup>3</sup>	0.8374		0.0104		0.8052		0.0003		0.8704	
No Coverage	0.2617		0.1193		0.1999		0.0463		0.4422	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.25C Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:  
Standard Errors of Numbers in Thousands, 2017 and 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2017)</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12-17 (2017)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 18+ (2017)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18-25 (2017)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 26+ (2017)</b>	<b>Aged 26+ (2018)</b>
<b>TOTAL</b>	673	677	43	39	666	672	150	133	631	644
<b>GEOGRAPHIC REGION</b>										
Northeast	282	262	15	14	281	258	61	56	267	244
Midwest	299	313	18	16	295	315	61	67	279	300
South	416	420	29	30	415	415	92	88	393	399
West	344	318	20	16	339	318	82	67	323	306
<b>COUNTY TYPE</b>										
Large Metro	573	549	33	27	570	547	142	115	540	518
Small Metro	463	446	23	25	460	443	102	97	432	414
Nonmetro	336	355	18	17	330	352	67	74	302	322
Urbanized	221	227	11	9	218	226	51	56	195	206
Less Urbanized	270	267	12	13	265	263	47	44	242	242
Completely Rural	100	133	6	8	97	130	16	25	89	115
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	351	338	22	21	350	337	101	85	323	319
100-199%	357	347	21	19	355	346	80	78	343	337
200% or More	499	509	32	28	495	508	113	101	475	491
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	490	508	30	28	487	507	137	118	463	488
Medicaid/CHIP	372	346	29	26	369	343	77	72	347	328
Other <sup>3</sup>	359	372	6	9	360	371	45	38	355	367
No Coverage	268	273	11	12	267	273	76	66	250	262

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.25D Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:  
Standard Errors of Percentages, 2017 and 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2017)</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12-17 (2017)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 18+ (2017)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18-25 (2017)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 26+ (2017)</b>	<b>Aged 26+ (2018)</b>
<b>TOTAL</b>	0.25	0.25	0.17	0.16	0.27	0.27	0.44	0.39	0.30	0.30
<b>GEOGRAPHIC REGION</b>										
Northeast	0.59	0.55	0.36	0.35	0.64	0.59	1.02	0.96	0.70	0.64
Midwest	0.52	0.55	0.34	0.30	0.57	0.61	0.84	0.92	0.63	0.67
South	0.41	0.41	0.30	0.31	0.45	0.44	0.72	0.69	0.49	0.49
West	0.53	0.49	0.34	0.26	0.58	0.54	0.99	0.82	0.64	0.60
<b>COUNTY TYPE</b>										
Large Metro	0.33	0.33	0.23	0.19	0.36	0.36	0.60	0.50	0.40	0.39
Small Metro	0.46	0.46	0.32	0.34	0.50	0.50	0.81	0.73	0.56	0.56
Nonmetro	0.62	0.65	0.47	0.47	0.68	0.72	1.09	1.30	0.74	0.78
Urbanized	0.90	0.94	0.70	0.61	0.98	1.02	1.66	2.06	1.09	1.13
Less Urbanized	0.90	1.00	0.64	0.74	0.99	1.11	1.64	1.68	1.08	1.22
Completely Rural	2.00	2.03	1.78	1.86	2.19	2.26	4.44	5.08	2.27	2.32
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.72	0.67	0.40	0.38	0.83	0.77	0.93	0.83	1.02	0.96
100-199%	0.58	0.57	0.37	0.37	0.64	0.63	0.89	0.81	0.74	0.74
200% or More	0.26	0.27	0.22	0.19	0.27	0.29	0.60	0.54	0.29	0.31
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.25	0.27	0.21	0.19	0.27	0.29	0.54	0.49	0.29	0.32
Medicaid/CHIP	0.67	0.64	0.30	0.28	0.83	0.79	0.96	0.82	0.99	0.95
Other <sup>3</sup>	0.49	0.50	0.58	0.72	0.50	0.51	1.50	1.42	0.51	0.52
No Coverage	0.89	0.87	0.98	1.06	0.92	0.91	1.36	1.09	1.09	1.09

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.25P Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:  
P Values from Tests of Differences of Percentages, 2018 Versus 2017**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2017)</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12-17 (2017)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 18+ (2017)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18-25 (2017)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 26+ (2017)</b>	<b>Aged 26+ (2018)</b>
<b>TOTAL</b>	0.0306		0.0461		0.0364		0.0000		0.3338	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.1018		0.3772		0.1061		0.1455		0.1731	
Midwest	0.0343		0.6285		0.0338		0.0062		0.0943	
South	0.9052		0.3404		0.8689		0.0036		0.3921	
West	0.2020		0.0792		0.2283		0.0005		0.6815	
<b>COUNTY TYPE</b>										
Large Metro	0.1351		0.0402		0.1374		0.0000		0.6173	
Small Metro	0.0525		0.6770		0.0729		0.0009		0.2650	
Nonmetro	0.8378		0.3589		0.8466		0.6806		0.9251	
Urbanized	0.7512		0.2137		0.7054		0.6821		0.6990	
Less Urbanized	0.8380		0.7956		0.8686		0.3037		0.9838	
Completely Rural	0.4860		0.8300		0.4236		0.8848		0.4253	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.0777		0.5412		0.0904		0.0026		0.3385	
100-199%	0.1348		0.3344		0.1207		0.0876		0.2280	
200% or More	0.2761		0.1004		0.3170		0.0000		0.9267	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.1732		0.0930		0.1823		0.0000		0.7000	
Medicaid/CHIP	0.1084		0.0473		0.1375		0.0167		0.2690	
Other <sup>3</sup>	0.5867		0.1219		0.5890		0.0005		0.8558	
No Coverage	0.2028		0.6121		0.1761		0.0385		0.3913	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.