

**Table 5.33C Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2017 and 2018**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	231	277	114	97	198	252	1.19	1.01	1.19	1.01
<b>AGE GROUP</b>										
12-17	39	40	10	15	38	38	1.31	2.03	1.31	2.03
18 or Older	227	274	113	96	194	248	1.29	1.08	1.29	1.08
18-25	92	93	32	24	86	91	1.15	0.89	1.15	0.89
26 or Older	204	247	106	93	170	223	1.82	1.58	1.82	1.58
<b>GENDER</b>										
Male	187	222	97	80	160	201	1.61	1.35	1.61	1.35
Female	120	148	55	57	107	136	1.60	1.53	1.60	1.53
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	211	249	105	93	179	221	1.30	1.12	1.30	1.12
White	183	210	90	88	160	184	1.51	1.40	1.51	1.40
Black or African American	88	105	46	31	76	99	3.35	2.58	3.35	2.58
AIAN	29	15	11	1	27	15	*	*	*	*
NHOPI	9	22	*	1	5	22	*	*	*	*
Asian	30	41	4	15	30	39	*	*	*	*
Two or More Races	30	36	15	5	26	35	*	2.08	*	2.08
Hispanic or Latino	89	117	43	29	77	117	2.99	2.09	2.99	2.09

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.33D Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	0.08	0.10	0.04	0.04	0.07	0.09	1.19	1.01	1.19	1.01
<b>AGE GROUP</b>										
12-17	0.16	0.16	0.04	0.06	0.15	0.15	1.31	2.03	1.31	2.03
18 or Older	0.09	0.11	0.05	0.04	0.08	0.10	1.29	1.08	1.29	1.08
18-25	0.27	0.27	0.09	0.07	0.25	0.27	1.15	0.89	1.15	0.89
26 or Older	0.10	0.11	0.05	0.04	0.08	0.10	1.82	1.58	1.82	1.58
<b>GENDER</b>										
Male	0.14	0.17	0.07	0.06	0.12	0.15	1.61	1.35	1.61	1.35
Female	0.09	0.10	0.04	0.04	0.08	0.10	1.60	1.53	1.60	1.53
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.09	0.11	0.05	0.04	0.08	0.10	1.30	1.12	1.30	1.12
White	0.11	0.12	0.05	0.05	0.09	0.11	1.51	1.40	1.51	1.40
Black or African American	0.27	0.32	0.14	0.09	0.23	0.30	3.35	2.58	3.35	2.58
AIAN	1.82	0.86	0.75	0.08	1.69	0.85	*	*	*	*
NHOPI	0.80	2.09	*	0.12	0.50	2.08	*	*	*	*
Asian	0.20	0.26	0.03	0.10	0.19	0.25	*	*	*	*
Two or More Races	0.59	0.69	0.29	0.11	0.52	0.68	*	2.08	*	2.08
Hispanic or Latino	0.19	0.25	0.09	0.06	0.17	0.25	2.99	2.09	2.99	2.09

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.33P Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	0.2242		0.0552		0.0224		0.0048		0.0048	
<b>AGE GROUP</b>										
12-17	0.3461		0.2015		0.1470		0.1069		0.1069	
18 or Older	0.1700		0.0345		0.0102		0.0014		0.0014	
18-25	0.4494		0.0035		0.0817		0.0008		0.0008	
26 or Older	0.1911		0.1643		0.0268		0.0137		0.0137	
<b>GENDER</b>										
Male	0.7090		0.0766		0.1921		0.0287		0.0287	
Female	0.0739		0.4170		0.0202		0.0655		0.0655	
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.3313		0.1257		0.0559		0.0224		0.0224	
White	0.2529		0.5149		0.0959		0.1761		0.1761	
Black or African American	0.6341		0.2139		0.9665		0.2250		0.2250	
AIAN	0.0332		0.0076		0.2257		*		*	
NHOPI	0.0966		*		0.0476		*		*	
Asian	0.0894		0.3917		0.1326		*		*	
Two or More Races	0.9856		0.0116		0.3571		*		*	
Hispanic or Latino	0.3729		0.1862		0.1543		0.0789		0.0789	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.36C Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2017 and 2018**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	346	362	126	124	322	344	0.77	0.76	0.77	0.76
<b>AGE GROUP</b>										
12-17	32	35	9	9	31	34	1.88	2.09	1.88	2.09
18 or Older	344	361	125	124	319	343	0.79	0.78	0.79	0.78
18-25	106	105	26	24	101	103	0.72	0.66	0.72	0.66
26 or Older	324	342	122	120	300	327	1.01	0.99	1.01	0.99
<b>GENDER</b>										
Male	276	296	94	109	265	277	0.94	1.05	0.94	1.05
Female	190	204	81	56	175	198	1.37	0.94	1.37	0.94
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	312	327	117	104	289	315	0.84	0.77	0.84	0.77
White	272	293	86	94	260	281	0.80	0.87	0.80	0.87
Black or African American	126	106	76	24	97	105	3.90	1.58	3.90	1.58
AIAN	26	39	13	*	25	21	*	*	*	*
NHOPI	13	26	3	*	13	25	*	*	*	*
Asian	62	80	5	2	62	80	1.11	*	1.11	*
Two or More Races	51	39	10	16	50	35	2.80	*	2.80	*
Hispanic or Latino	137	154	45	66	129	142	1.83	2.47	1.83	2.47

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.36D Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	0.13	0.13	0.05	0.05	0.12	0.13	0.77	0.76	0.77	0.76
<b>AGE GROUP</b>										
12-17	0.13	0.14	0.04	0.04	0.12	0.14	1.88	2.09	1.88	2.09
18 or Older	0.14	0.15	0.05	0.05	0.13	0.14	0.79	0.78	0.79	0.78
18-25	0.31	0.31	0.08	0.07	0.30	0.30	0.72	0.66	0.72	0.66
26 or Older	0.15	0.16	0.06	0.06	0.14	0.15	1.01	0.99	1.01	0.99
<b>GENDER</b>										
Male	0.21	0.22	0.07	0.08	0.20	0.21	0.94	1.05	0.94	1.05
Female	0.14	0.14	0.06	0.04	0.13	0.14	1.37	0.94	1.37	0.94
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.14	0.14	0.05	0.05	0.13	0.14	0.84	0.77	0.84	0.77
White	0.16	0.17	0.05	0.06	0.15	0.16	0.80	0.87	0.80	0.87
Black or African American	0.38	0.32	0.23	0.07	0.29	0.32	3.90	1.58	3.90	1.58
AIAN	1.59	2.14	0.92	*	1.48	1.18	*	*	*	*
NHOPI	1.22	2.35	0.23	*	1.19	2.26	*	*	*	*
Asian	0.40	0.50	0.03	0.02	0.40	0.50	1.11	*	1.11	*
Two or More Races	0.96	0.76	0.20	0.31	0.94	0.69	2.80	*	2.80	*
Hispanic or Latino	0.30	0.33	0.10	0.14	0.28	0.30	1.83	2.47	1.83	2.47

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.36P Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	0.7311		0.9269		0.7399		0.9955		0.9955	
<b>AGE GROUP</b>										
12-17	0.3459		0.3181		0.4800		0.4348		0.4348	
18 or Older	0.6762		0.8726		0.6998		0.9535		0.9535	
18-25	0.9611		0.3546		0.7845		0.3360		0.3360	
26 or Older	0.6361		0.7231		0.7134		0.8136		0.8136	
<b>GENDER</b>										
Male	0.8904		0.8469		0.9425		0.8687		0.8687	
Female	0.6826		0.9080		0.6310		0.8222		0.8222	
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.9914		0.9629		0.9958		0.9631		0.9631	
White	0.9297		0.2284		0.7665		0.2182		0.2182	
Black or African American	0.4541		0.0484		0.8185		0.0335		0.0335	
AIAN	0.9353		*		0.4678		*		*	
NHOPI	0.1167		*		0.1495		*		*	
Asian	0.2758		0.1412		0.2380		*		*	
Two or More Races	0.4241		0.9138		0.4223		*		*	
Hispanic or Latino	0.4092		0.8995		0.4005		0.9823		0.9823	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.38C Classified as Needing Substance Use Treatment and Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2017 and 2018**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	396	415	152	148	360	390	0.67	0.65	0.67	0.65
<b>AGE GROUP</b>										
12-17	47	48	14	15	45	46	1.29	1.56	1.29	1.56
18 or Older	395	412	151	148	359	387	0.70	0.68	0.70	0.68
18-25	123	122	36	31	118	119	0.67	0.57	0.67	0.57
26 or Older	366	391	144	143	332	368	0.91	0.89	0.91	0.89
<b>GENDER</b>										
Male	311	342	113	126	293	318	0.82	0.89	0.82	0.89
Female	215	235	96	74	197	227	1.15	0.90	1.15	0.90
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	362	375	143	128	330	353	0.74	0.68	0.74	0.68
White	314	333	113	115	298	316	0.78	0.78	0.78	0.78
Black or African American	140	134	80	37	112	130	2.83	1.52	2.83	1.52
AIAN	39	42	16	33	35	26	*	*	*	*
NHOPI	14	28	8	8	12	26	*	*	*	*
Asian	69	88	6	15	68	86	1.04	1.94	1.04	1.94
Two or More Races	55	49	16	17	52	46	3.13	3.35	3.13	3.35
Hispanic or Latino	152	179	52	71	140	169	1.54	1.98	1.54	1.98

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.38D Classified as Needing Substance Use Treatment and Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	0.15	0.15	0.06	0.05	0.13	0.14	0.67	0.65	0.67	0.65
<b>AGE GROUP</b>										
12-17	0.19	0.19	0.06	0.06	0.18	0.18	1.29	1.56	1.29	1.56
18 or Older	0.16	0.17	0.06	0.06	0.15	0.16	0.70	0.68	0.70	0.68
18-25	0.36	0.36	0.11	0.09	0.34	0.35	0.67	0.57	0.67	0.57
26 or Older	0.17	0.18	0.07	0.07	0.16	0.17	0.91	0.89	0.91	0.89
<b>GENDER</b>										
Male	0.24	0.26	0.09	0.10	0.22	0.24	0.82	0.89	0.82	0.89
Female	0.15	0.17	0.07	0.05	0.14	0.16	1.15	0.90	1.15	0.90
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.16	0.17	0.06	0.06	0.15	0.16	0.74	0.68	0.74	0.68
White	0.18	0.19	0.07	0.07	0.17	0.19	0.78	0.78	0.78	0.78
Black or African American	0.43	0.41	0.24	0.11	0.34	0.39	2.83	1.52	2.83	1.52
AIAN	2.35	2.31	1.15	1.92	2.14	1.50	*	*	*	*
NHOPI	1.32	2.49	0.67	0.74	1.15	2.40	*	*	*	*
Asian	0.44	0.54	0.04	0.10	0.43	0.53	1.04	1.94	1.04	1.94
Two or More Races	1.02	0.94	0.32	0.33	0.98	0.89	3.13	3.35	3.13	3.35
Hispanic or Latino	0.33	0.38	0.11	0.15	0.31	0.36	1.54	1.98	1.54	1.98

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 5.38P Classified as Needing Substance Use Treatment and Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017**

<b>Demographic Characteristic</b>	<b>Classified as Needing Treatment (Tx) (2017)</b>	<b>Classified as Needing Treatment (Tx) (2018)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx and Received Tx at a Specialty Facility (2018)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)</b>	<b>Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)</b>	<b>% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)</b>
<b>TOTAL</b>	0.4809		0.3849		0.2640		0.2348		0.2348	
<b>AGE GROUP</b>										
12-17	0.2133		0.7271		0.2291		0.9948		0.9948	
18 or Older	0.4041		0.3978		0.2115		0.2229		0.2229	
18-25	0.6071		0.0238		0.2350		0.0136		0.0136	
26 or Older	0.4250		0.7275		0.3130		0.4876		0.4876	
<b>GENDER</b>										
Male	0.7555		0.6174		0.5962		0.5261		0.5261	
Female	0.4116		0.4105		0.2258		0.2435		0.2435	
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.6767		0.3757		0.4188		0.2637		0.2637	
White	0.7046		0.9277		0.6642		0.8122		0.8122	
Black or African American	0.5764		0.1282		0.8866		0.1158		0.1158	
AIAN	0.7255		0.9537		0.7235		*		*	
NHOPI	0.0924		0.9898		0.0739		*		*	
Asian	0.1227		0.5716		0.1371		0.7720		0.7720	
Two or More Races	0.5578		0.2127		0.8586		0.2742		0.2742	
Hispanic or Latino	0.4119		0.8863		0.3498		0.7170		0.7170	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.