

Table 5.35C Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	198	257	56	59	37	44	44	38	189
AGE GROUP										
12-17	39	39	3	5	2	2	2	5	39	38
18 or Older	194	253	56	58	37	44	44	38	185	245
18-25	94	102	20	17	14	12	15	13	92	101
26 or Older	171	226	53	56	35	42	42	36	162	218
GENDER										
Male	161	205	45	48	26	38	36	31	153	199
Female	106	137	37	32	27	23	25	22	101	134

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.35D Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	0.00	0.00	0.82	0.78	0.55	0.59	0.66	0.51	0.82
AGE GROUP										
12-17	0.00	0.00	0.43	0.85	0.31	0.26	0.30	0.81	0.43	0.85
18 or Older	0.00	0.00	0.91	0.85	0.62	0.65	0.74	0.56	0.91	0.85
18-25	0.00	0.00	0.85	0.69	0.60	0.48	0.64	0.51	0.85	0.69
26 or Older	0.00	0.00	1.40	1.26	0.95	0.98	1.14	0.83	1.40	1.26
GENDER										
Male	0.00	0.00	1.03	1.04	0.62	0.82	0.86	0.68	1.03	1.04
Female	0.00	0.00	1.46	1.11	1.07	0.79	1.02	0.77	1.46	1.11

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.35P Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	da		0.1033		0.6637		0.0807		0.1033
AGE GROUP										
12-17	da		0.2751		0.5402		0.1382		0.2751	
18 or Older	da		0.0650		0.6247		0.0486		0.0650	
18-25	da		0.3531		0.5726		0.4652		0.3531	
26 or Older	da		0.0904		0.7083		0.0605		0.0904	
GENDER										
Male	da		0.2680		0.8974		0.1089		0.2680	
Female	da		0.2402		0.3674		0.4640		0.2402	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received illicit drug use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.37C Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	341	362	80	70	69	44	43	52	332
AGE GROUP										
12-17	31	34	5	2	2	2	4	1	31	34
18 or Older	339	362	80	70	69	44	43	52	330	353
18-25	117	118	16	14	7	8	14	12	116	116
26 or Older	317	341	79	69	69	43	41	51	308	333
GENDER										
Male	279	290	60	60	49	37	34	47	273	285
Female	181	204	54	32	47	24	26	23	171	201

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.37D Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	0.00	0.00	0.56	0.49	0.49	0.31	0.31	0.37	0.56
AGE GROUP										
12-17	0.00	0.00	1.11	0.52	0.54	0.47	0.97	0.22	1.11	0.52
18 or Older	0.00	0.00	0.58	0.50	0.51	0.32	0.32	0.38	0.58	0.50
18-25	0.00	0.00	0.47	0.43	0.22	0.23	0.41	0.36	0.47	0.43
26 or Older	0.00	0.00	0.76	0.64	0.67	0.41	0.40	0.48	0.76	0.64
GENDER										
Male	0.00	0.00	0.67	0.66	0.55	0.41	0.39	0.53	0.67	0.66
Female	0.00	0.00	1.00	0.60	0.89	0.45	0.51	0.43	1.00	0.60

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.37P Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	da		0.5072		0.2928		0.7893		0.5072
AGE GROUP										
12-17	da		0.3241		0.8874		0.2636		0.3241	
18 or Older	da		0.5307		0.2906		0.7426		0.5307	
18-25	da		0.7179		0.3242		0.8800		0.7179	
26 or Older	da		0.4641		0.2281		0.7035		0.4641	
GENDER										
Male	da		0.7285		0.7825		0.4298		0.7285	
Female	da		0.1001		0.1742		0.3826		0.1001	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received alcohol use treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.39C Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	384	415	93	92	77	62	54	66	371
AGE GROUP										
12-17	46	47	6	6	3	2	5	5	46	47
18 or Older	382	412	92	91	77	61	54	66	369	402
18-25	141	147	25	22	16	14	20	18	140	144
26 or Older	351	388	90	89	76	61	51	63	339	376
GENDER										
Male	309	338	69	78	53	54	45	56	302	330
Female	203	233	62	47	53	31	32	35	190	229

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.39D Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: Standard Errors of Percentages, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	0.00	0.00	0.49	0.47	0.42	0.32	0.30	0.34	0.49
AGE GROUP										
12-17	0.00	0.00	0.61	0.64	0.35	0.22	0.51	0.61	0.61	0.64
18 or Older	0.00	0.00	0.52	0.49	0.44	0.34	0.31	0.36	0.52	0.49
18-25	0.00	0.00	0.52	0.45	0.34	0.28	0.41	0.36	0.52	0.45
26 or Older	0.00	0.00	0.70	0.66	0.59	0.45	0.41	0.47	0.70	0.66
GENDER										
Male	0.00	0.00	0.59	0.64	0.46	0.45	0.39	0.47	0.59	0.64
Female	0.00	0.00	0.88	0.64	0.76	0.43	0.47	0.48	0.88	0.64

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.39P Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Demographic Characteristic	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Treatment (Tx) but Did Not Receive Tx at a Specialty Facility (2018)	Perceived Need for Tx ¹ (2017)	Perceived Need for Tx ¹ (2018)	Perceived Need and Made Effort to Get Tx ¹ (2017)	Perceived Need and Made Effort to Get Tx ¹ (2018)	Perceived Need and Made No Effort to Get Tx ¹ (2017)	Perceived Need and Made No Effort to Get Tx ¹ (2018)	Did Not Perceive Need for Tx ¹ (2017)	Did Not Perceive Need for Tx ¹ (2018)
	TOTAL	da		0.4042		0.2233		0.8676		0.4042
AGE GROUP										
12-17	da		0.8747		0.2314		0.6536		0.8747	
18 or Older	da		0.3916		0.2315		0.9187		0.3916	
18-25	da		0.6059		0.7421		0.6980		0.6059	
26 or Older	da		0.4485		0.2463		0.8197		0.4485	
GENDER										
Male	da		0.9930		0.7645		0.7426		0.9930	
Female	da		0.1443		0.1056		0.8248		0.1443	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.