

Table 5.9C Received Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2017 and 2018

| Age Category | Illicit Drugs (2017) | Illicit Drugs (2018) | Alcohol (2017) | Alcohol (2018) | Both Illicit Drugs and Alcohol (2017) | Both Illicit Drugs and Alcohol (2018) | Illicit Drugs or Alcohol ¹ (2017) | Illicit Drugs or Alcohol ¹ (2018) |
|--------------------|----------------------|----------------------|----------------|----------------|---------------------------------------|---------------------------------------|--|--|
| TOTAL | 134 | 123 | 156 | 155 | 99 | 90 | 185 | 187 |
| 12-20 | 23 | 23 | 19 | 22 | 15 | 17 | 30 | 29 |
| 21 or Older | 131 | 121 | 156 | 155 | 97 | 89 | 183 | 188 |
| 12-17 | 18 | 19 | 15 | 14 | 13 | 13 | 21 | 20 |
| 12-13 | 7 | 2 | 3 | * | 3 | * | 7 | 2 |
| 14-15 | 11 | 10 | 8 | 8 | 7 | 6 | 12 | 12 |
| 16-17 | 13 | 16 | 12 | 12 | 11 | 12 | 14 | 16 |
| 16-25 | 41 | 33 | 36 | 32 | 30 | 25 | 49 | 43 |
| 18 or Older | 132 | 122 | 155 | 155 | 97 | 89 | 183 | 187 |
| 18-25 | 38 | 29 | 34 | 30 | 27 | 21 | 44 | 40 |
| 18-20 | 14 | 13 | 13 | 17 | 8 | 10 | 20 | 22 |
| 21-25 | 37 | 26 | 32 | 26 | 26 | 19 | 41 | 34 |
| 26 or Older | 126 | 117 | 152 | 151 | 94 | 87 | 177 | 180 |
| 26-49 | 92 | 89 | 94 | 94 | 65 | 64 | 117 | 118 |
| 26-29 | 37 | 46 | 31 | 43 | 22 | 35 | 45 | 53 |
| 30-34 | 54 | 41 | 45 | 42 | 36 | 31 | 62 | 53 |
| 35-39 | 51 | 47 | 52 | 39 | 36 | 25 | 63 | 60 |
| 40-44 | 28 | 35 | 34 | 40 | 22 | 31 | 41 | 45 |
| 45-49 | 34 | 23 | 35 | 35 | 25 | 14 | 43 | 41 |
| 50 or Older | 79 | 77 | 120 | 121 | 68 | 61 | 131 | 139 |
| 50-54 | 53 | 40 | 64 | 46 | 41 | 26 | 75 | 58 |
| 55-59 | 34 | 47 | 54 | 88 | 34 | 39 | 59 | 92 |
| 60-64 | 42 | 36 | 53 | 43 | 39 | 27 | 55 | 49 |
| 65 or Older | 23 | 23 | 73 | 50 | 13 | 22 | 76 | 68 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Received Substance Use Treatment includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.9D Received Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

| Age Category | Illicit Drugs (2017) | Illicit Drugs (2018) | Alcohol (2017) | Alcohol (2018) | Both Illicit Drugs and Alcohol (2017) | Both Illicit Drugs and Alcohol (2018) | Illicit Drugs or Alcohol ¹ (2017) | Illicit Drugs or Alcohol ¹ (2018) |
|--------------------|----------------------|----------------------|----------------|----------------|---------------------------------------|---------------------------------------|--|--|
| TOTAL | 0.05 | 0.04 | 0.06 | 0.06 | 0.04 | 0.03 | 0.07 | 0.07 |
| 12-20 | 0.06 | 0.06 | 0.05 | 0.06 | 0.04 | 0.04 | 0.08 | 0.08 |
| 21 or Older | 0.06 | 0.05 | 0.07 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| 12-17 | 0.07 | 0.08 | 0.06 | 0.06 | 0.05 | 0.05 | 0.08 | 0.08 |
| 12-13 | 0.08 | 0.03 | 0.04 | * | 0.04 | * | 0.09 | 0.03 |
| 14-15 | 0.13 | 0.12 | 0.10 | 0.09 | 0.09 | 0.07 | 0.15 | 0.14 |
| 16-17 | 0.15 | 0.18 | 0.14 | 0.14 | 0.12 | 0.14 | 0.16 | 0.18 |
| 16-25 | 0.09 | 0.08 | 0.08 | 0.08 | 0.07 | 0.06 | 0.11 | 0.10 |
| 18 or Older | 0.05 | 0.05 | 0.06 | 0.06 | 0.04 | 0.04 | 0.07 | 0.08 |
| 18-25 | 0.11 | 0.09 | 0.10 | 0.09 | 0.08 | 0.06 | 0.13 | 0.12 |
| 18-20 | 0.11 | 0.10 | 0.10 | 0.13 | 0.06 | 0.08 | 0.16 | 0.17 |
| 21-25 | 0.17 | 0.13 | 0.15 | 0.12 | 0.12 | 0.09 | 0.18 | 0.16 |
| 26 or Older | 0.06 | 0.05 | 0.07 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| 26-49 | 0.09 | 0.09 | 0.09 | 0.09 | 0.07 | 0.06 | 0.12 | 0.12 |
| 26-29 | 0.21 | 0.26 | 0.17 | 0.24 | 0.12 | 0.20 | 0.25 | 0.29 |
| 30-34 | 0.25 | 0.18 | 0.21 | 0.19 | 0.16 | 0.14 | 0.28 | 0.23 |
| 35-39 | 0.25 | 0.21 | 0.25 | 0.18 | 0.17 | 0.12 | 0.30 | 0.27 |
| 40-44 | 0.14 | 0.18 | 0.17 | 0.20 | 0.11 | 0.16 | 0.20 | 0.23 |
| 45-49 | 0.17 | 0.12 | 0.18 | 0.18 | 0.12 | 0.07 | 0.21 | 0.21 |
| 50 or Older | 0.07 | 0.07 | 0.11 | 0.11 | 0.06 | 0.05 | 0.12 | 0.12 |
| 50-54 | 0.25 | 0.19 | 0.30 | 0.22 | 0.20 | 0.13 | 0.35 | 0.28 |
| 55-59 | 0.16 | 0.22 | 0.25 | 0.40 | 0.15 | 0.18 | 0.27 | 0.42 |
| 60-64 | 0.21 | 0.18 | 0.26 | 0.21 | 0.20 | 0.13 | 0.28 | 0.24 |
| 65 or Older | 0.05 | 0.05 | 0.15 | 0.10 | 0.03 | 0.04 | 0.15 | 0.13 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Received Substance Use Treatment includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.9P Received Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

| Age Category | Illicit Drugs (2017) | Illicit Drugs (2018) | Alcohol (2017) | Alcohol (2018) | Both Illicit Drugs and Alcohol (2017) | Both Illicit Drugs and Alcohol (2018) | Illicit Drugs or Alcohol ¹ (2017) | Illicit Drugs or Alcohol ¹ (2018) |
|--------------------|----------------------|----------------------|----------------|----------------|---------------------------------------|---------------------------------------|--|--|
| TOTAL | 0.0500 | | 0.5433 | | 0.3522 | | 0.2447 | |
| 12-20 | 0.6406 | | 0.6775 | | 0.9020 | | 0.7501 | |
| 21 or Older | 0.0527 | | 0.5024 | | 0.3300 | | 0.2547 | |
| 12-17 | 0.6315 | | 0.3137 | | 0.4445 | | 0.3882 | |
| 12-13 | 0.0437 | | * | | * | | 0.0095 | |
| 14-15 | 0.7134 | | 0.5733 | | 0.5087 | | 0.6933 | |
| 16-17 | 0.7106 | | 0.6169 | | 0.8931 | | 0.9071 | |
| 16-25 | 0.0261 | | 0.3515 | | 0.2168 | | 0.1854 | |
| 18 or Older | 0.0531 | | 0.6033 | | 0.4022 | | 0.2769 | |
| 18-25 | 0.0093 | | 0.4156 | | 0.1812 | | 0.1425 | |
| 18-20 | 0.8808 | | 0.1135 | | 0.1681 | | 0.7210 | |
| 21-25 | 0.0068 | | 0.0888 | | 0.0528 | | 0.0659 | |
| 26 or Older | 0.2015 | | 0.7197 | | 0.6310 | | 0.4404 | |
| 26-49 | 0.2099 | | 0.7094 | | 0.8558 | | 0.4520 | |
| 26-29 | 0.4192 | | 0.0612 | | 0.0620 | | 0.4065 | |
| 30-34 | 0.0535 | | 0.9129 | | 0.7322 | | 0.1950 | |
| 35-39 | 0.2684 | | 0.0526 | | 0.1055 | | 0.2083 | |
| 40-44 | 0.3484 | | 0.2243 | | 0.1238 | | 0.4633 | |
| 45-49 | 0.1878 | | 0.7719 | | 0.2412 | | 0.6905 | |
| 50 or Older | 0.6185 | | 0.4664 | | 0.4026 | | 0.7318 | |
| 50-54 | 0.1917 | | 0.1007 | | 0.1909 | | 0.1037 | |
| 55-59 | 0.2263 | | 0.2935 | | 0.6335 | | 0.2753 | |
| 60-64 | 0.5268 | | 0.2913 | | 0.2371 | | 0.5186 | |
| 65 or Older | 0.8695 | | 0.7879 | | 0.3500 | | 0.7226 | |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Received Substance Use Treatment includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Estimates that are used in the comparisons include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.