

Table 6.1C Drugs Used with Alcohol or within 2 Hours of Alcohol Use on Most Recent Use of Alcohol in Past Month among Past Month Alcohol Users Aged 12 or Older, by Age Group and Underage and Legal Drinking Age Groups: Standard Errors of Numbers in Thousands, 2017 and 2018

Drug	AGE GROUP										UNDERAGE AND LEGAL DRINKING AGE GROUP			
	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)	Aged 21+ (2017)	Aged 21+ (2018)
Marijuana	278	315	34	30	276	312	118	125	252	278	78	76	263	294
Cocaine (Including Crack)	62	66	3	2	62	66	27	22	56	63	18	11	60	64
Heroin	24	29	*	3	24	29	6	3	23	29	*	3	24	29
Hallucinogens	28	27	4	5	27	27	15	17	25	21	11	8	27	26
Inhalants	18	13	*	2	18	13	7	6	17	12	3	3	18	13
Methamphetamine	44	53	4	1	43	53	16	6	40	53	14	1	41	53

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates are based on nonimputed responses to multiple questions; therefore, respondents with unknown responses to the questions about other drugs used with alcohol were excluded. Respondents could indicate multiple other drugs used with alcohol; thus, these response categories are not mutually exclusive.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 6.1D Drugs Used with Alcohol or within 2 Hours of Alcohol Use on Most Recent Use of Alcohol in Past Month among Past Month Alcohol Users Aged 12 or Older, by Age Group and Underage and Legal Drinking Age Groups: Standard Errors of Percentages, 2017 and 2018

Drug	AGE GROUP										UNDERAGE AND LEGAL DRINKING AGE GROUP			
	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)	Aged 21+ (2017)	Aged 21+ (2018)
Marijuana	0.19	0.22	1.29	1.26	0.19	0.22	0.55	0.55	0.20	0.23	0.91	0.91	0.19	0.22
Cocaine (Including Crack)	0.04	0.05	0.14	0.11	0.05	0.05	0.14	0.12	0.05	0.05	0.24	0.15	0.05	0.05
Heroin	0.02	0.02	*	0.12	0.02	0.02	0.03	0.02	0.02	0.02	*	0.04	0.02	0.02
Hallucinogens	0.02	0.02	0.15	0.22	0.02	0.02	0.08	0.09	0.02	0.02	0.15	0.12	0.02	0.02
Inhalants	0.01	0.01	*	0.10	0.01	0.01	0.03	0.03	0.01	0.01	0.03	0.04	0.01	0.01
Methamphetamine	0.03	0.04	0.14	0.03	0.03	0.04	0.09	0.03	0.03	0.04	0.19	0.01	0.03	0.04

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates are based on nonimputed responses to multiple questions; therefore, respondents with unknown responses to the questions about other drugs used with alcohol were excluded. Respondents could indicate multiple other drugs used with alcohol; thus, these response categories are not mutually exclusive.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 6.1P Drugs Used with Alcohol or within 2 Hours of Alcohol Use on Most Recent Use of Alcohol in Past Month among Past Month Alcohol Users Aged 12 or Older, by Age Group and Underage and Legal Drinking Age Groups: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Drug	AGE GROUP										UNDERAGE AND LEGAL DRINKING AGE GROUP			
	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)	Aged 21+ (2017)	Aged 21+ (2018)
Marijuana	0.1913		0.0233		0.1118		0.5104		0.0308		0.2207		0.0738	
Cocaine (Including Crack)	0.8342		0.6420		0.8216		0.1240		0.3399		0.2432		0.6143	
Heroin	0.7862		*		0.7307		0.4844		0.8198		*		0.6987	
Hallucinogens	0.6246		0.9499		0.6050		0.3481		0.9715		0.3638		0.3865	
Inhalants	0.6138		*		0.5056		0.4783		0.6816		0.6138		0.5522	
Methamphetamine	0.4859		0.3279		0.4568		0.1666		0.2573		0.0841		0.2823	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates that are used in the comparisons are based on nonimputed responses to multiple questions; therefore, respondents with unknown responses to the questions about other drugs used with alcohol were excluded. Respondents could indicate multiple other drugs used with alcohol; thus, these response categories are not mutually exclusive.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.