

Table 6.21C Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Females Aged 15 to 44, by Pregnancy Status: Standard Errors of Numbers in Thousands, 2017 and 2018

Substance	Total ¹		PREGNANCY STATUS			
			Pregnant		Not Pregnant	
	2017	2018	2017	2018	2017	2018
ILLCIT DRUGS	218	234	27	22	213	232
TOBACCO PRODUCTS	280	271	35	32	271	269
Cigarettes	269	261	34	31	261	259
Smokeless Tobacco	41	41	5	6	41	40
Cigars	94	101	14	11	92	100
Pipe Tobacco	44	45	*	9	44	45
ALCOHOL	487	507	35	36	482	502
Binge Alcohol Use ²	352	333	25	22	350	333
Heavy Alcohol Use	140	141	6	11	140	141
ILLCIT DRUGS, TOBACCO PRODUCTS, OR ALCOHOL	527	535	47	44	520	531
ILLCIT DRUGS OR ALCOHOL	497	516	40	40	490	511
TOBACCO PRODUCTS OR ALCOHOL	520	531	45	42	514	527

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The Total column includes respondents with unknown pregnancy status.

² Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 6.21D Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Females Aged 15 to 44, by Pregnancy Status: Standard Errors of Percentages, 2017 and 2018

Substance	Total ¹		PREGNANCY STATUS			
			Pregnant		Not Pregnant	
	2017	2018	2017	2018	2017	2018
ILLCIT DRUGS	0.31	0.33	1.16	0.94	0.32	0.34
TOBACCO PRODUCTS	0.38	0.39	1.45	1.34	0.38	0.40
Cigarettes	0.37	0.38	1.43	1.31	0.37	0.38
Smokeless Tobacco	0.06	0.06	0.20	0.25	0.07	0.07
Cigars	0.15	0.16	0.59	0.48	0.15	0.16
Pipe Tobacco	0.07	0.07	*	0.36	0.07	0.07
ALCOHOL	0.49	0.47	1.46	1.46	0.49	0.48
Binge Alcohol Use ²	0.45	0.40	1.09	0.93	0.46	0.42
Heavy Alcohol Use	0.21	0.21	0.25	0.46	0.21	0.22
ILLCIT DRUGS, TOBACCO PRODUCTS, OR ALCOHOL	0.48	0.46	1.86	1.77	0.48	0.47
ILLCIT DRUGS OR ALCOHOL	0.49	0.46	1.65	1.62	0.49	0.47
TOBACCO PRODUCTS OR ALCOHOL	0.48	0.46	1.78	1.70	0.48	0.47

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The Total column includes respondents with unknown pregnancy status.

² Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 6.21P Illicit Drug, Tobacco Product, and Alcohol Use in Past Month among Females Aged 15 to 44, by Pregnancy Status: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Substance	Total ¹		PREGNANCY STATUS			
			Pregnant		Not Pregnant	
	2017	2018	2017	2018	2017	2018
ILLCIT DRUGS	0.0053		0.0424		0.0019	
TOBACCO PRODUCTS	0.5087		0.1168		0.7449	
Cigarettes	0.2950		0.1526		0.4438	
Smokeless Tobacco	0.2165		0.8342		0.2205	
Cigars	0.3318		0.4822		0.2515	
Pipe Tobacco	0.4111		*		0.4585	
ALCOHOL	0.8439		0.4595		0.7114	
Binge Alcohol Use ²	0.6716		0.7339		0.7436	
Heavy Alcohol Use	0.9939		0.0653		0.8429	
ILLCIT DRUGS, TOBACCO PRODUCTS, OR ALCOHOL	0.6816		0.1377		0.4447	
ILLCIT DRUGS OR ALCOHOL	0.5203		0.1387		0.3424	
TOBACCO PRODUCTS OR ALCOHOL	0.8639		0.1503		0.6287	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ The Total column includes respondents with unknown pregnancy status.

² Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.