

Table 6.2C Cigarette Use and Nicotine (Cigarette) Dependence in Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2017 and 2018

Age Category	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
	2017	2018	2017	2018	2017	2018
TOTAL	673	677	524	497	0.72	0.66
12-20	102	89	58	54	1.50	1.64
21 or Older	732	726	547	522	0.75	0.69
12-17	43	39	23	22	2.55	2.67
12-13	7	9	2	4	*	*
14-15	20	21	11	10	4.94	4.61
16-17	38	32	20	19	3.03	3.46
16-25	186	166	113	97	1.00	1.04
18 or Older	666	672	520	495	0.73	0.67
18-25	150	133	107	88	1.07	1.07
18-20	92	80	54	49	1.91	1.92
21-25	156	132	94	79	1.22	1.27
26 or Older	631	644	496	484	0.83	0.75
26-49	380	381	285	300	0.84	0.84
26-29	185	187	120	124	1.79	1.80
30-34	185	195	131	140	1.59	1.72
35-39	195	192	130	147	1.74	1.70
40-44	166	171	119	130	2.02	2.04
45-49	172	167	136	124	1.92	2.10
50 or Older	474	470	401	363	1.51	1.44
50-54	251	257	193	207	2.96	3.19
55-59	265	243	223	195	2.78	2.81
60-64	208	208	158	173	3.37	3.19
65 or Older	270	269	228	204	2.87	2.93

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 6.2D Cigarette Use and Nicotine (Cigarette) Dependence in Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

Age Category	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
	2017	2018	2017	2018	2017	2018
TOTAL	0.25	0.25	0.19	0.18	0.72	0.66
12-20	0.25	0.22	0.15	0.14	1.50	1.64
21 or Older	0.28	0.28	0.22	0.21	0.75	0.69
12-17	0.17	0.16	0.09	0.09	2.55	2.67
12-13	0.08	0.11	0.02	0.05	*	*
14-15	0.23	0.25	0.12	0.12	4.94	4.61
16-17	0.42	0.36	0.24	0.23	3.03	3.46
16-25	0.36	0.33	0.25	0.21	1.00	1.04
18 or Older	0.27	0.27	0.21	0.20	0.73	0.67
18-25	0.44	0.39	0.31	0.26	1.07	1.07
18-20	0.62	0.54	0.41	0.36	1.91	1.92
21-25	0.59	0.53	0.40	0.36	1.22	1.27
26 or Older	0.30	0.30	0.23	0.23	0.83	0.75
26-49	0.38	0.38	0.28	0.30	0.84	0.84
26-29	0.86	0.89	0.64	0.64	1.79	1.80
30-34	0.74	0.75	0.57	0.58	1.59	1.72
35-39	0.80	0.79	0.59	0.62	1.74	1.70
40-44	0.77	0.78	0.58	0.63	2.02	2.04
45-49	0.78	0.75	0.64	0.60	1.92	2.10
50 or Older	0.42	0.41	0.36	0.32	1.51	1.44
50-54	1.08	1.11	0.86	0.93	2.96	3.19
55-59	1.09	1.03	0.96	0.84	2.78	2.81
60-64	0.96	0.96	0.76	0.82	3.37	3.19
65 or Older	0.54	0.53	0.46	0.40	2.87	2.93

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 6.2P Cigarette Use and Nicotine (Cigarette) Dependence in Past Month among Persons Aged 12 or Older, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Age Category	Cigarette Use in Past Month		Nicotine Dependence in Past Month		Percentage with Nicotine Dependence among Past Month Cigarette Smokers	
	2017	2018	2017	2018	2017	2018
TOTAL	0.0306		0.1013		0.9669	
12-20	0.0005		0.0325		0.9686	
21 or Older	0.0801		0.1508		0.8542	
12-17	0.0461		0.5837		0.4696	
12-13	0.4594		0.3262		*	
14-15	0.9410		0.6257		0.6058	
16-17	0.0107		0.3241		0.5174	
16-25	0.0000		0.0003		0.9455	
18 or Older	0.0364		0.0990		0.8966	
18-25	0.0000		0.0005		0.9193	
18-20	0.0011		0.0269		0.7587	
21-25	0.0000		0.0082		0.9322	
26 or Older	0.3338		0.3070		0.6630	
26-49	0.7742		0.7327		0.4267	
26-29	0.8195		0.8775		0.9890	
30-34	0.4396		0.8663		0.3381	
35-39	0.9057		0.4616		0.3629	
40-44	0.8218		0.4664		0.4161	
45-49	0.4742		0.2637		0.3965	
50 or Older	0.3171		0.1349		0.2616	
50-54	0.7530		0.7218		0.8688	
55-59	0.0849		0.1169		0.6622	
60-64	0.7900		0.7822		0.9224	
65 or Older	0.9335		0.2836		0.1018	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.