

Table 7.60C Classified as Needing Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Age Group: Standard Errors of Numbers in Thousands, 2015-2018

Substance for Which Treatment Was Needed/Age Group	2015	2016	2017	2018
ILLCIT DRUGS	240	238	231	277
12-17	43	44	39	40
18 or Older	235	232	227	274
18-25	92	93	92	93
26 or Older	216	207	204	247
ALCOHOL	360	354	346	362
12-17	38	34	32	35
18 or Older	355	354	344	361
18-25	113	111	106	105
26 or Older	329	333	324	342
ILLCIT DRUGS OR ALCOHOL¹	403	407	396	415
12-17	51	50	47	48
18 or Older	399	406	395	412
18-25	130	130	123	122
26 or Older	369	377	366	391

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.60D Classified as Needing Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Age Group: Standard Errors of Percentages, 2015-2018

Substance for Which Treatment Was Needed/Age Group	2015	2016	2017	2018
ILLCIT DRUGS	0.09	0.09	0.08	0.10
12-17	0.17	0.18	0.16	0.16
18 or Older	0.10	0.09	0.09	0.11
18-25	0.26	0.27	0.27	0.27
26 or Older	0.10	0.10	0.10	0.11
ALCOHOL	0.13	0.13	0.13	0.13
12-17	0.15	0.14	0.13	0.14
18 or Older	0.15	0.14	0.14	0.15
18-25	0.32	0.32	0.31	0.31
26 or Older	0.16	0.16	0.15	0.16
ILLCIT DRUGS OR ALCOHOL¹	0.15	0.15	0.15	0.15
12-17	0.20	0.20	0.19	0.19
18 or Older	0.16	0.17	0.16	0.17
18-25	0.37	0.37	0.36	0.36
26 or Older	0.18	0.18	0.17	0.18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.60P Classified as Needing Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Age Group: P Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Substance for Which Treatment Was Needed/Age Group	2015	2016	2017	2018
ILLCIT DRUGS	0.7329	0.1676	0.2242	
12-17	0.0041	0.1075	0.3461	
18 or Older	0.4014	0.0940	0.1700	
18-25	0.4516	0.1672	0.4494	
26 or Older	0.3639	0.1412	0.1911	
ALCOHOL	0.0164	0.5373	0.7311	
12-17	0.0000	0.0679	0.3459	
18 or Older	0.0423	0.6373	0.6762	
18-25	0.0422	0.2061	0.9611	
26 or Older	0.1790	0.9787	0.6361	
ILLCIT DRUGS OR ALCOHOL¹	0.1178	0.9302	0.4809	
12-17	0.0000	0.0443	0.2133	
18 or Older	0.2916	0.8988	0.4041	
18-25	0.6912	0.7979	0.6071	
26 or Older	0.4664	0.6955	0.4250	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Estimates that are used in the comparisons include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.61C Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older Classified as Needing Substance Use Treatment, by Age Group: Standard Errors of Numbers in Thousands, 2015-2018

Substance for Which Treatment Was Needed and Was or Was Not Received/Age Group	2015	2016	2017	2018
RECEIVED TREATMENT				
ILLICIT DRUGS	107	100	114	98
12-17	11	11	10	15
18 or Older	106	99	113	97
18-25	33	26	33	24
26 or Older	101	97	106	93
ALCOHOL	107	97	125	124
12-17	8	10	9	9
18 or Older	106	96	125	124
18-25	25	22	27	24
26 or Older	103	94	121	120
ILLICIT DRUGS OR ALCOHOL¹	136	133	152	148
12-17	12	13	14	15
18 or Older	135	131	151	148
18-25	38	34	38	31
26 or Older	128	128	144	143
DID NOT RECEIVE TREATMENT				
ILLICIT DRUGS	209	214	198	257
12-17	42	43	39	39
18 or Older	206	208	194	253
18-25	92	96	94	102
26 or Older	184	182	171	226
ALCOHOL	353	346	341	362
12-17	38	33	31	34
18 or Older	349	346	339	362
18-25	124	123	117	118
26 or Older	328	319	317	341
ILLICIT DRUGS OR ALCOHOL	385	388	384	415
12-17	51	50	46	47
18 or Older	379	387	382	412
18-25	145	148	141	147
26 or Older	353	354	351	388

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.61D Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older Classified as Needing Substance Use Treatment, by Age Group: Standard Errors of Percentages, 2015-2018

Substance for Which Treatment Was Needed and Was or Was Not Received/Age Group	2015	2016	2017	2018
RECEIVED TREATMENT				
ILLICIT DRUGS	1.10	1.10	1.19	1.01
12-17	1.19	1.35	1.31	2.03
18 or Older	1.22	1.20	1.29	1.08
18-25	1.17	1.02	1.15	0.89
26 or Older	1.73	1.76	1.82	1.58
ALCOHOL	0.62	0.59	0.77	0.76
12-17	1.23	1.81	1.88	2.09
18 or Older	0.64	0.61	0.79	0.78
18-25	0.63	0.59	0.72	0.66
26 or Older	0.82	0.79	1.01	0.99
ILLICIT DRUGS OR ALCOHOL¹	0.58	0.59	0.67	0.65
12-17	0.96	1.18	1.29	1.56
18 or Older	0.61	0.61	0.70	0.68
18-25	0.67	0.62	0.67	0.57
26 or Older	0.78	0.81	0.91	0.89
DID NOT RECEIVE TREATMENT				
ILLICIT DRUGS	1.10	1.10	1.19	1.01
12-17	1.19	1.35	1.31	2.03
18 or Older	1.22	1.20	1.29	1.08
18-25	1.17	1.02	1.15	0.89
26 or Older	1.73	1.76	1.82	1.58
ALCOHOL	0.62	0.59	0.77	0.76
12-17	1.23	1.81	1.88	2.09
18 or Older	0.64	0.61	0.79	0.78
18-25	0.63	0.59	0.72	0.66
26 or Older	0.82	0.79	1.01	0.99
ILLICIT DRUGS OR ALCOHOL	0.58	0.59	0.67	0.65
12-17	0.96	1.18	1.29	1.56
18 or Older	0.61	0.61	0.70	0.68
18-25	0.67	0.62	0.67	0.57
26 or Older	0.78	0.81	0.91	0.89

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 7.61P Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older Classified as Needing Substance Use Treatment, by Age Group: P Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Substance for Which Treatment Was Needed and Was or Was Not Received/Age Group	2015	2016	2017	2018
RECEIVED TREATMENT				
ILLICIT DRUGS	0.1125	0.3527	0.0048	
12-17	0.0793	0.1805	0.1069	
18 or Older	0.0448	0.2154	0.0014	
18-25	0.0167	0.0511	0.0008	
26 or Older	0.1511	0.4075	0.0137	
ALCOHOL	0.4852	0.2184	0.9955	
12-17	0.8741	0.2795	0.4348	
18 or Older	0.5132	0.1839	0.9535	
18-25	0.7900	0.5741	0.3360	
26 or Older	0.5114	0.2401	0.8136	
ILLICIT DRUGS OR ALCOHOL¹	0.7472	0.5968	0.2348	
12-17	0.1934	0.7916	0.9948	
18 or Older	0.9046	0.6295	0.2229	
18-25	0.1361	0.3036	0.0136	
26 or Older	0.6378	0.5045	0.4876	
DID NOT RECEIVE TREATMENT				
ILLICIT DRUGS	0.1125	0.3527	0.0048	
12-17	0.0793	0.1805	0.1069	
18 or Older	0.0448	0.2154	0.0014	
18-25	0.0167	0.0511	0.0008	
26 or Older	0.1511	0.4075	0.0137	
ALCOHOL	0.4852	0.2184	0.9955	
12-17	0.8741	0.2795	0.4348	
18 or Older	0.5132	0.1839	0.9535	
18-25	0.7900	0.5741	0.3360	
26 or Older	0.5114	0.2401	0.8136	
ILLICIT DRUGS OR ALCOHOL	0.7472	0.5968	0.2348	
12-17	0.1934	0.7916	0.9948	
18 or Older	0.9046	0.6295	0.2229	
18-25	0.1361	0.3036	0.0136	
26 or Older	0.6378	0.5045	0.4876	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Estimates that are used in the comparisons include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.