

Table 8.38C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Numbers in Thousands, 2017 and 2018

Gender/Age Group	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year	Received Treatment for Depression in Past Year
							among Persons with MDE with Severe Impairment ^{1,2} (2017)	among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	383	379	297	311	334	333	259	285
18-25	117	115	98	93	93	91	80	73
26 or Older	362	356	280	293	323	312	248	267
26-49	224	225	179	189	188	191	147	160
50 or Older	267	274	206	222	252	254	198	209
MALE	227	227	180	184	189	185	152	159
18-25	72	70	62	57	48	49	43	39
26 or Older	214	213	166	175	184	177	146	154
26-49	132	146	107	122	102	110	82	95
50 or Older	159	164	122	125	145	147	116	*
FEMALE	296	303	228	244	260	271	201	227
18-25	91	94	76	74	76	74	65	57
26 or Older	275	282	216	226	248	252	192	211
26-49	166	166	135	138	149	147	121	123
50 or Older	211	223	158	180	196	206	151	171

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.38D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Percentages, 2017 and 2018

Gender/Age Group	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment ¹ (2017)	Had MDE with Severe Impairment ¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2017)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year	Received Treatment for Depression in Past Year
							among Persons with MDE with Severe Impairment ^{1,2} (2017)	among Persons with MDE with Severe Impairment ^{1,2} (2018)
TOTAL	0.16	0.15	0.12	0.13	1.01	0.96	1.13	1.18
18-25	0.34	0.34	0.29	0.28	1.40	1.36	1.82	1.65
26 or Older	0.17	0.17	0.13	0.14	1.24	1.19	1.34	1.43
26-49	0.23	0.23	0.18	0.19	1.36	1.37	1.62	1.67
50 or Older	0.24	0.24	0.18	0.20	2.15	2.18	2.18	2.43
MALE	0.19	0.19	0.15	0.16	1.79	1.76	2.06	2.17
18-25	0.42	0.42	0.37	0.34	2.26	2.17	2.98	2.56
26 or Older	0.21	0.21	0.16	0.17	2.29	2.25	2.57	2.79
26-49	0.27	0.30	0.22	0.25	2.55	2.39	3.09	3.01
50 or Older	0.31	0.31	0.23	0.24	3.68	4.48	3.75	*
FEMALE	0.23	0.24	0.18	0.19	1.17	1.15	1.29	1.39
18-25	0.54	0.56	0.45	0.44	1.76	1.71	2.20	2.06
26 or Older	0.25	0.25	0.20	0.20	1.41	1.38	1.51	1.64
26-49	0.33	0.33	0.27	0.27	1.45	1.58	1.70	1.96
50 or Older	0.36	0.37	0.27	0.30	2.58	2.36	2.69	2.60

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 8.38P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Gender/Age Group	Had MDE (2017)	Had MDE (2018)	Had MDE with Severe Impairment¹ (2017)	Had MDE with Severe Impairment¹ (2018)	Received Treatment for Depression in Past Year among Persons with MDE² (2017)	Received Treatment for Depression in Past Year among Persons with MDE² (2018)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment^{1,2} (2017)	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment^{1,2} (2018)
TOTAL	0.5561		0.3331		0.1396		0.0319	
18-25	0.1538		0.4220		0.5822		0.1639	
26 or Older	0.8162		0.4136		0.1829		0.0655	
26-49	0.2796		0.3361		0.1453		0.1081	
50 or Older	0.6131		0.7593		0.7868		0.3345	
MALE	0.9272		0.4036		0.5382		0.4258	
18-25	0.5068		0.3434		0.3623		0.3792	
26 or Older	0.7891		0.5465		0.7818		0.6043	
26-49	0.2991		0.1118		0.6513		0.4179	
50 or Older	0.2335		0.5381		0.7089		*	
FEMALE	0.4104		0.5435		0.1233		0.0372	
18-25	0.1980		0.7901		0.9373		0.3019	
26 or Older	0.6044		0.5441		0.0981		0.0481	
26-49	0.5535		0.9875		0.0160		0.0061	
50 or Older	0.7881		0.4074		0.8751		0.7834	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.