

**Table 8.60C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month: Standard Errors of Numbers in Thousands, 2017 and 2018**

Substance	Had Serious Thoughts of Suicide (2017)	Had Serious Thoughts of Suicide (2018)	Made Any Suicide Plans <sup>1</sup> (2017)	Made Any Suicide Plans <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2017)	Attempted Suicide <sup>1</sup> (2018)
<b>TOTAL</b>	289	282	148	155	97	101
<b>ILLICIT DRUGS</b>	194	194	106	108	66	76
Marijuana	165	167	87	92	57	70
Cocaine	80	81	46	45	41	32
Crack	50	41	24	28	22	23
Heroin	43	40	24	25	13	19
Hallucinogens	66	78	41	43	29	27
LSD	40	54	25	33	17	18
PCP	*	*	*	*	*	*
Ecstasy	47	52	29	29	19	20
Inhalants	37	38	22	21	18	11
Methamphetamine	49	60	35	42	27	32
Misuse of Psychotherapeutics	133	136	74	74	46	46
Pain Relievers	113	110	66	64	40	40
Stimulants	70	73	41	37	24	21
Tranquilizers or Sedatives	88	87	48	49	34	35
Tranquilizers	76	83	43	48	34	34
Sedatives	53	37	32	21	24	16
Benzodiazepines	75	81	43	46	34	34
Opioids	118	114	71	67	40	44
Illicit Drugs Other Than Marijuana <sup>2</sup>	155	151	91	83	57	54
<b>PAST YEAR ALCOHOL</b>	256	265	124	137	68	83
<b>PAST YEAR ALCOHOL OR ILLICIT DRUGS</b>	272	270	136	142	77	87
<b>PAST YEAR ALCOHOL AND ILLICIT DRUGS</b>	176	185	92	100	54	72
<b>PAST MONTH ALCOHOL</b>	220	224	113	115	60	66
Binge Alcohol Use <sup>3</sup>	160	150	89	80	48	54
Heavy Alcohol Use	98	92	47	52	33	34

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>3</sup> Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 8.60D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month: Standard Errors of Percentages, 2017 and 2018**

Substance	Had Serious Thoughts of Suicide (2017)	Had Serious Thoughts of Suicide (2018)	Made Any Suicide Plans <sup>1</sup> (2017)	Made Any Suicide Plans <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2017)	Attempted Suicide <sup>1</sup> (2018)
<b>TOTAL</b>	0.12	0.11	0.06	0.06	0.04	0.04
<b>ILLICIT DRUGS</b>	0.39	0.36	0.22	0.21	0.14	0.16
Marijuana	0.42	0.37	0.23	0.22	0.15	0.17
Cocaine	1.35	1.38	0.79	0.81	0.71	0.61
Crack	4.91	4.75	2.59	3.51	2.42	2.90
Heroin	4.20	4.92	2.66	3.09	1.46	2.31
Hallucinogens	1.30	1.29	0.88	0.79	0.63	0.51
LSD	1.85	2.14	1.22	1.48	0.84	0.87
PCP	*	*	*	*	*	*
Ecstasy	1.82	1.94	1.20	1.15	0.81	0.85
Inhalants	2.78	2.71	1.78	1.52	1.53	0.82
Methamphetamine	2.87	2.89	2.10	2.17	1.66	1.70
Misuse of Psychotherapeutics	0.73	0.78	0.43	0.46	0.27	0.29
Pain Relievers	0.99	1.10	0.62	0.67	0.39	0.43
Stimulants	1.21	1.35	0.75	0.75	0.45	0.44
Tranquilizers or Sedatives	1.29	1.36	0.75	0.82	0.54	0.59
Tranquilizers	1.26	1.44	0.76	0.89	0.61	0.64
Sedatives	3.70	3.39	2.44	2.05	1.84	1.58
Benzodiazepines	1.33	1.50	0.79	0.91	0.64	0.67
Opioids	1.01	1.10	0.65	0.69	0.38	0.46
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.65	0.64	0.40	0.37	0.25	0.25
<b>PAST YEAR ALCOHOL</b>	0.14	0.14	0.07	0.08	0.04	0.05
<b>PAST YEAR ALCOHOL OR ILLICIT DRUGS</b>	0.15	0.14	0.08	0.08	0.04	0.05
<b>PAST YEAR ALCOHOL AND ILLICIT DRUGS</b>	0.40	0.38	0.22	0.22	0.13	0.16
<b>PAST MONTH ALCOHOL</b>	0.16	0.15	0.08	0.08	0.04	0.05
Binge Alcohol Use <sup>3</sup>	0.24	0.22	0.14	0.12	0.08	0.08
Heavy Alcohol Use	0.58	0.55	0.29	0.31	0.20	0.21

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>3</sup> Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 8.60P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in Past Year among Persons Aged 18 or Older, by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month: P Values from Tests of Differences of Percentages, 2018 Versus 2017**

Substance	Had Serious Thoughts of Suicide (2017)	Had Serious Thoughts of Suicide (2018)	Made Any Suicide Plans <sup>1</sup> (2017)	Made Any Suicide Plans <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2017)	Attempted Suicide <sup>1</sup> (2018)
<b>TOTAL</b>	0.9377		0.6434		0.7475	
<b>ILLICIT DRUGS</b>	0.1339		0.7784		0.5291	
Marijuana	0.0618		0.6716		0.4767	
Cocaine	0.0707		0.2278		0.7324	
Crack	0.8240		0.2298		0.5946	
Heroin	0.7180		0.4744		0.2736	
Hallucinogens	0.3266		0.7432		0.3673	
LSD	0.1522		0.7165		0.8288	
PCP	*		*		*	
Ecstasy	0.6279		0.6855		0.5439	
Inhalants	0.8921		1.0000		0.4042	
Methamphetamine	0.4241		0.4263		0.8717	
Misuse of Psychotherapeutics	0.0808		0.4386		0.7349	
Pain Relievers	0.4363		0.7429		0.9724	
Stimulants	0.0957		0.6850		0.7717	
Tranquilizers or Sedatives	0.1673		0.3462		0.5890	
Tranquilizers	0.1302		0.1772		0.5670	
Sedatives	0.8864		0.4320		0.7128	
Benzodiazepines	0.1743		0.2236		0.6393	
Opioids	0.4209		0.6144		0.5471	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.0559		0.8888		0.8663	
<b>PAST YEAR ALCOHOL</b>	0.5516		0.5764		0.3145	
<b>PAST YEAR ALCOHOL OR ILLICIT DRUGS</b>	0.7707		0.7062		0.6313	
<b>PAST YEAR ALCOHOL AND ILLICIT DRUGS</b>	0.0496		0.6267		0.2183	
<b>PAST MONTH ALCOHOL</b>	0.7630		0.7991		0.3877	
Binge Alcohol Use <sup>3</sup>	0.8033		0.8103		0.6354	
Heavy Alcohol Use	0.5067		0.2364		0.3422	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>3</sup> Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.