

**Table 8.62C Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older, by Past Year Suicide Behavior: Standard Errors of Numbers in Thousands, 2017 and 2018**

Substance Use Disorder Status	Had Serious Thoughts of Suicide (2017)	Had Serious Thoughts of Suicide (2018)	No Serious Thoughts of Suicide (2017)	No Serious Thoughts of Suicide (2018)	Made Any Suicide Plans <sup>1</sup> (2017)	Made Any Suicide Plans <sup>1</sup> (2018)	Did Not Make Any Suicide Plans <sup>1</sup> (2017)	Did Not Make Any Suicide Plans <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2017)	Attempted Suicide <sup>1</sup> (2018)	Did Not Attempt Suicide <sup>1</sup> (2017)	Did Not Attempt Suicide <sup>1</sup> (2018)
<b>TOTAL POPULATION</b>	298	294	1,984	1,945	148	156	2,029	1,995	97	101	2,032	2,006
<b>ILLICIT DRUGS</b>	94	110	189	230	54	65	201	255	40	46	205	263
Marijuana	63	64	130	150	33	42	143	162	25	31	146	167
Cocaine	45	58	74	71	25	27	81	88	21	17	85	91
Heroin	30	35	61	80	13	23	67	84	11	16	67	85
Hallucinogens	24	20	28	22	21	13	30	27	19	12	31	28
Inhalants	16	11	13	24	15	4	14	26	15	10	14	24
Methamphetamine	40	51	81	78	25	37	86	85	23	25	87	92
Misuse of Psychotherapeutics	67	66	109	132	39	39	123	145	28	30	127	146
Pain Relievers	56	52	91	122	33	30	103	131	24	28	106	131
Stimulants	31	33	44	42	18	21	51	49	17	10	51	53
Tranquilizers or Sedatives	42	37	56	61	29	28	63	66	25	21	63	68
Tranquilizers	38	36	51	56	29	27	57	61	25	19	56	64
Sedatives	27	15	29	25	21	14	33	25	21	14	34	26
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	60	61	106	142	35	36	118	151	26	30	120	151
Illicit Drugs Other Than Marijuana <sup>2</sup>	82	96	152	180	47	55	162	198	36	40	168	201
<b>ALCOHOL</b>	115	112	326	338	56	67	337	359	39	43	342	366
<b>BOTH ILLICIT DRUGS AND ALCOHOL</b>	56	69	102	124	32	45	106	138	25	34	108	143
<b>ILLICIT DRUGS OR ALCOHOL</b>	142	139	369	390	70	80	389	423	51	54	394	429
<b>ILLICIT DRUGS ONLY</b>	73	82	153	186	45	48	164	201	31	33	167	205
<b>ALCOHOL ONLY</b>	100	93	304	314	43	51	318	326	33	27	322	331
<b>NO SUBSTANCE USE DISORDER</b>	253	248	1,900	1,861	124	126	1,928	1,890	80	84	1,931	1,899

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 8.62D Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older, by Past Year Suicide Behavior: Standard Errors of Percentages, 2017 and 2018**

Substance Use Disorder Status	Had Serious Thoughts of Suicide (2017)	Had Serious Thoughts of Suicide (2018)	No Serious Thoughts of Suicide (2017)	No Serious Thoughts of Suicide (2018)	Made Any Suicide Plans <sup>1</sup> (2017)	Made Any Suicide Plans <sup>1</sup> (2018)	Did Not Make Any Suicide Plans <sup>1</sup> (2017)	Did Not Make Any Suicide Plans <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2017)	Attempted Suicide <sup>1</sup> (2018)	Did Not Attempt Suicide <sup>1</sup> (2017)	Did Not Attempt Suicide <sup>1</sup> (2018)
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>ILLCIT DRUGS</b>	0.82	0.92	0.08	0.10	1.52	1.73	0.08	0.10	2.65	2.77	0.08	0.10
Marijuana	0.58	0.58	0.06	0.06	1.02	1.22	0.06	0.07	1.77	2.05	0.06	0.07
Cocaine	0.42	0.53	0.03	0.03	0.77	0.79	0.03	0.04	1.46	1.19	0.03	0.04
Heroin	0.28	0.31	0.03	0.03	0.40	0.67	0.03	0.03	0.76	1.07	0.03	0.03
Hallucinogens	0.22	0.19	0.01	0.01	0.66	0.41	0.01	0.01	1.35	0.84	0.01	0.01
Inhalants	0.15	0.10	0.01	0.01	0.48	0.13	0.01	0.01	1.08	0.70	0.01	0.01
Methamphetamine	0.38	0.46	0.03	0.03	0.75	1.08	0.04	0.03	1.54	1.67	0.04	0.04
Misuse of Psychotherapeutics	0.61	0.60	0.05	0.06	1.16	1.12	0.05	0.06	1.92	1.97	0.05	0.06
Pain Relievers	0.51	0.47	0.04	0.05	0.99	0.86	0.04	0.05	1.61	1.83	0.04	0.05
Stimulants	0.28	0.30	0.02	0.02	0.56	0.64	0.02	0.02	1.21	0.70	0.02	0.02
Tranquilizers or Sedatives	0.39	0.34	0.02	0.03	0.91	0.82	0.03	0.03	1.72	1.44	0.03	0.03
Tranquilizers	0.36	0.33	0.02	0.02	0.90	0.78	0.02	0.03	1.71	1.31	0.02	0.03
Sedatives	0.25	0.14	0.01	0.01	0.65	0.41	0.01	0.01	1.45	0.93	0.01	0.01
Benzodiazepines	--	--	--	--	--	--	--	--	--	--	--	--
Opioids	0.54	0.55	0.05	0.06	1.05	1.02	0.05	0.06	1.75	1.96	0.05	0.06
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.73	0.83	0.06	0.08	1.38	1.51	0.07	0.08	2.37	2.48	0.07	0.08
<b>ALCOHOL</b>	0.95	0.94	0.13	0.14	1.61	1.75	0.13	0.14	2.57	2.70	0.13	0.14
<b>BOTH ILLICIT DRUGS AND ALCOHOL</b>	0.52	0.62	0.04	0.05	0.99	1.27	0.04	0.06	1.74	2.20	0.04	0.06
<b>ILLCIT DRUGS OR ALCOHOL</b>	1.13	1.09	0.15	0.16	1.85	1.96	0.15	0.16	3.07	3.12	0.15	0.16
<b>ILLCIT DRUGS ONLY</b>	0.65	0.72	0.06	0.08	1.32	1.39	0.07	0.08	2.12	2.14	0.07	0.08
<b>ALCOHOL ONLY</b>	0.86	0.82	0.12	0.13	1.27	1.45	0.12	0.13	2.20	1.84	0.12	0.13
<b>NO SUBSTANCE USE DISORDER</b>	1.13	1.09	0.15	0.16	1.85	1.96	0.15	0.16	3.07	3.12	0.15	0.16

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 8.62P Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year among Persons Aged 18 or Older, by Past Year Suicide Behavior: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017**

Substance Use Disorder Status	Had Serious Thoughts of Suicide (2017)	Had Serious Thoughts of Suicide (2018)	No Serious Thoughts of Suicide (2017)	No Serious Thoughts of Suicide (2018)	Made Any Suicide Plans <sup>1</sup> (2017)	Made Any Suicide Plans <sup>1</sup> (2018)	Did Not Make Any Suicide Plans <sup>1</sup> (2017)	Did Not Make Any Suicide Plans <sup>1</sup> (2018)	Attempted Suicide <sup>1</sup> (2017)	Attempted Suicide <sup>1</sup> (2018)	Did Not Attempt Suicide <sup>1</sup> (2017)	Did Not Attempt Suicide <sup>1</sup> (2018)
<b>TOTAL POPULATION</b>	da		da		da		da		da		da	
<b>ILLICIT DRUGS</b>	0.0496		0.3196		0.0943		0.2095		0.7739		0.1119	
Marijuana	0.2564		0.1592		0.1269		0.1783		0.7663		0.1033	
Cocaine	0.1747		0.5443		0.7423		0.9031		0.7340		0.7724	
Heroin	0.6701		0.1541		0.0870		0.1123		0.2236		0.1709	
Hallucinogens	0.9727		0.4757		0.4036		0.8672		0.5431		0.8028	
Inhalants	0.5782		0.1413		0.2643		0.1149		0.5613		0.1677	
Methamphetamine	0.2165		0.8179		0.0834		0.8223		0.8607		0.4395	
Misuse of Psychotherapeutics	0.9388		0.8707		0.8894		0.9614		0.8547		0.9613	
Pain Relievers	0.4336		0.7640		0.7481		0.9966		0.8275		0.8937	
Stimulants	0.6262		0.7485		0.3049		0.6909		0.4834		0.8358	
Tranquilizers or Sedatives	0.8251		0.5470		0.7806		0.5513		0.4290		0.6711	
Tranquilizers	0.9816		0.5137		0.6139		0.6795		0.3181		0.7886	
Sedatives	0.2513		0.1519		0.4913		0.0806		0.5036		0.0787	
Benzodiazepines	--		--		--		--		--		--	
Opioids	0.6258		0.6989		0.7434		0.5049		0.6863		0.5081	
Illicit Drugs Other Than Marijuana <sup>2</sup>	0.1985		0.9159		0.2826		0.8941		0.7888		0.7069	
<b>ALCOHOL</b>	0.5432		0.7766		0.1306		0.8470		0.9235		0.6620	
<b>BOTH ILLICIT DRUGS AND ALCOHOL</b>	0.1281		0.2606		0.1644		0.1831		0.6824		0.0967	
<b>ILLICIT DRUGS OR ALCOHOL</b>	0.2171		0.6319		0.0524		0.6205		0.9408		0.4231	
<b>ILLICIT DRUGS ONLY</b>	0.2420		0.6144		0.4071		0.4862		0.9918		0.3660	
<b>ALCOHOL ONLY</b>	0.7324		0.8957		0.4880		0.7413		0.7860		0.8356	
<b>NO SUBSTANCE USE DISORDER</b>	0.2171		0.6319		0.0524		0.6205		0.9408		0.4231	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents were asked whether they made any suicide plans or attempted suicide in the past 12 months only if they had serious thoughts of suicide in the past 12 months. Respondents who had no suicide thoughts were categorized as not making any suicide plans and not attempting suicide in the past 12 months.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.