

Table 1.108C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	604	589	226	224	227	228
Benzodiazepine Tranquilizers	562	527	219	212	220	216
Alprazolam Products	422	398	173	157	174	159
Lorazepam Products	293	307	97	102	97	102
Clonazepam Products	260	251	85	95	85	96
Diazepam Products	294	257	91	88	91	88
Muscle Relaxants	241	254	63	75	63	75
Cyclobenzaprine	217	220	54	59	54	59
Soma®	117	121	31	46	31	46
Any Other Prescription Tranquilizer ¹	261	243	21	22	21	22

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.108D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 or Older: Standard Errors of Percentages, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.22	0.21	0.08	0.08	0.57	0.58
Benzodiazepine Tranquilizers	0.21	0.19	0.08	0.08	0.71	0.70
Alprazolam Products	0.15	0.14	0.06	0.06	0.91	0.90
Lorazepam Products	0.11	0.11	0.04	0.04	1.22	1.23
Clonazepam Products	0.09	0.09	0.03	0.03	1.35	1.46
Diazepam Products	0.11	0.09	0.03	0.03	1.35	1.44
Muscle Relaxants	0.09	0.09	0.02	0.03	0.96	1.13
Cyclobenzaprine	0.08	0.08	0.02	0.02	1.04	1.11
Soma®	0.04	0.04	0.01	0.02	2.08	3.60
Any Other Prescription Tranquilizer ¹	0.10	0.09	0.01	0.01	0.35	0.38

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.108P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.0079		0.0810		0.4542	
Benzodiazepine Tranquilizers	0.0776		0.0526		0.2131	
Alprazolam Products	0.0770		0.0224		0.1799	
Lorazepam Products	0.7857		0.8967		0.9581	
Clonazepam Products	0.8310		0.9665		0.9516	
Diazepam Products	0.0723		0.3277		0.8211	
Muscle Relaxants	0.2585		0.9465		0.6555	
Cyclobenzaprine	0.6184		0.7295		0.6203	
Soma [®]	0.0691		0.8484		0.2693	
Any Other Prescription Tranquilizer ¹	0.3225		0.9450		0.8022	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.109C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 to 17: Standard Errors of Numbers in Thousands, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	48	51	33	35	33	35
Benzodiazepine Tranquilizers	40	44	32	34	32	34
Alprazolam Products	38	41	31	33	31	33
Lorazepam Products	15	16	7	4	*	*
Clonazepam Products	12	16	7	10	*	*
Diazepam Products	14	16	8	7	*	*
Muscle Relaxants	8	13	5	8	*	*
Cyclobenzaprine	6	10	2	3	*	*
Soma®	5	7	5	7	*	*
Any Other Prescription Tranquilizer ¹	27	32	5	5	5	5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.109D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 to 17: Standard Errors of Percentages, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.19	0.21	0.13	0.14	2.61	2.70
Benzodiazepine Tranquilizers	0.16	0.17	0.13	0.13	2.97	3.23
Alprazolam Products	0.15	0.16	0.12	0.13	3.21	3.32
Lorazepam Products	0.06	0.06	0.03	0.02	*	*
Clonazepam Products	0.05	0.06	0.03	0.04	*	*
Diazepam Products	0.05	0.06	0.03	0.03	*	*
Muscle Relaxants	0.03	0.05	0.02	0.03	*	*
Cyclobenzaprine	0.02	0.04	0.01	0.01	*	*
Soma®	0.02	0.03	0.02	0.03	*	*
Any Other Prescription Tranquilizer ¹	0.11	0.13	0.02	0.02	1.60	1.41

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.109P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 12 to 17: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.9011		0.5058		0.3634	
Benzodiazepine Tranquilizers	0.5816		0.5219		0.7065	
Alprazolam Products	0.8942		0.7847		0.7792	
Lorazepam Products	0.5486		0.0881		*	
Clonazepam Products	0.5360		0.5292		*	
Diazepam Products	0.8364		0.2703		*	
Muscle Relaxants	0.3460		0.6533		*	
Cyclobenzaprine	0.2411		0.5360		*	
Soma [®]	0.8660		0.9846		*	
Any Other Prescription Tranquilizer ¹	0.1101		0.7148		0.9629	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.110C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	599	581	223	219	225	223
Benzodiazepine Tranquilizers	556	520	218	207	219	212
Alprazolam Products	417	392	170	153	171	155
Lorazepam Products	294	307	97	102	97	102
Clonazepam Products	259	250	85	95	85	96
Diazepam Products	294	255	91	87	91	87
Muscle Relaxants	241	252	62	74	63	74
Cyclobenzaprine	217	220	54	59	54	59
Soma®	117	119	31	46	31	46
Any Other Prescription Tranquilizer ¹	261	244	21	21	21	21

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.110D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 or Older: Standard Errors of Percentages, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.24	0.23	0.09	0.09	0.58	0.59
Benzodiazepine Tranquilizers	0.22	0.21	0.09	0.08	0.72	0.70
Alprazolam Products	0.17	0.16	0.07	0.06	0.92	0.91
Lorazepam Products	0.12	0.12	0.04	0.04	1.23	1.25
Clonazepam Products	0.10	0.10	0.03	0.04	1.37	1.47
Diazepam Products	0.12	0.10	0.04	0.03	1.36	1.45
Muscle Relaxants	0.10	0.10	0.03	0.03	0.96	1.14
Cyclobenzaprine	0.09	0.09	0.02	0.02	1.04	1.11
Soma®	0.05	0.05	0.01	0.02	2.07	3.68
Any Other Prescription Tranquilizer ¹	0.10	0.10	0.01	0.01	0.36	0.40

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.110P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.0064		0.0942		0.4853	
Benzodiazepine Tranquilizers	0.0782		0.0614		0.2247	
Alprazolam Products	0.0730		0.0230		0.1672	
Lorazepam Products	0.7684		0.8190		0.8801	
Clonazepam Products	0.7974		0.9174		0.9884	
Diazepam Products	0.0719		0.3700		0.8866	
Muscle Relaxants	0.2373		0.9816		0.6832	
Cyclobenzaprine	0.5817		0.7484		0.6287	
Soma [®]	0.0667		0.8498		0.2895	
Any Other Prescription Tranquilizer ¹	0.2353		0.9869		0.8524	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.111C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 to 25: Standard Errors of Numbers in Thousands, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	102	103	72	65	77	69
Benzodiazepine Tranquilizers	98	95	71	64	76	68
Alprazolam Products	88	84	69	58	73	61
Lorazepam Products	44	44	20	20	20	20
Clonazepam Products	43	43	27	25	27	26
Diazepam Products	37	37	21	21	21	21
Muscle Relaxants	32	31	15	13	15	13
Cyclobenzaprine	26	29	9	10	9	10
Soma®	19	15	11	10	*	*
Any Other Prescription Tranquilizer ¹	45	44	10	12	10	12

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.111D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 to 25: Standard Errors of Percentages, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.30	0.30	0.21	0.19	1.53	1.55
Benzodiazepine Tranquilizers	0.29	0.28	0.21	0.19	1.66	1.71
Alprazolam Products	0.26	0.25	0.20	0.17	1.90	1.91
Lorazepam Products	0.13	0.13	0.06	0.06	3.00	3.04
Clonazepam Products	0.13	0.13	0.08	0.08	3.42	3.47
Diazepam Products	0.11	0.11	0.06	0.06	3.60	3.77
Muscle Relaxants	0.09	0.09	0.04	0.04	3.63	3.71
Cyclobenzaprine	0.08	0.09	0.03	0.03	3.51	3.73
Soma®	0.06	0.04	0.03	0.03	*	*
Any Other Prescription Tranquilizer ¹	0.13	0.13	0.03	0.03	1.86	2.18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.111P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 18 to 25: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.1050		0.0114		0.0530	
Benzodiazepine Tranquilizers	0.0774		0.0069		0.0364	
Alprazolam Products	0.0151		0.0012		0.0287	
Lorazepam Products	0.4910		0.8883		0.6037	
Clonazepam Products	0.5742		0.3633		0.4875	
Diazepam Products	0.9510		0.7464		0.6500	
Muscle Relaxants	0.2860		0.3919		0.6687	
Cyclobenzaprine	0.8478		0.9945		0.9308	
Soma [®]	0.0548		0.5477		*	
Any Other Prescription Tranquilizer ¹	0.8200		0.9619		0.9916	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.112C Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 26 or Older: Standard Errors of Numbers in Thousands, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	588	568	211	205	212	208
Benzodiazepine Tranquilizers	542	508	205	194	206	197
Alprazolam Products	401	388	153	138	154	140
Lorazepam Products	289	301	95	98	95	99
Clonazepam Products	256	243	79	91	79	92
Diazepam Products	291	249	88	84	88	84
Muscle Relaxants	240	252	62	73	63	73
Cyclobenzaprine	216	220	55	58	55	58
Soma [®]	114	118	29	45	29	45
Any Other Prescription Tranquilizer ¹	258	238	18	18	18	18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.112D Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 26 or Older: Standard Errors of Percentages, 2018 and 2019

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.27	0.26	0.10	0.09	0.61	0.61
Benzodiazepine Tranquilizers	0.25	0.23	0.10	0.09	0.77	0.73
Alprazolam Products	0.19	0.18	0.07	0.06	0.99	0.95
Lorazepam Products	0.13	0.14	0.04	0.05	1.31	1.31
Clonazepam Products	0.12	0.11	0.04	0.04	1.43	1.59
Diazepam Products	0.14	0.11	0.04	0.04	1.42	1.54
Muscle Relaxants	0.11	0.12	0.03	0.03	1.01	1.19
Cyclobenzaprine	0.10	0.10	0.03	0.03	1.11	1.16
Soma [®]	0.05	0.05	0.01	0.02	2.09	3.81
Any Other Prescription Tranquilizer ¹	0.12	0.11	0.01	0.01	0.34	0.37

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.112P Any Use and Misuse of Tranquilizer Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Tranquilizer Subtypes in Past Year among Past Year Any Users of Tranquilizer Subtypes Aged 26 or Older: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Tranquilizer Subtype	Any Use in Past Year (2018)	Any Use in Past Year (2019)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Total Population (2019)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2018)	Misuse in Past Year among Past Year Any Users of Tranquilizer Subtypes (2019)
ANY PRESCRIPTION TRANQUILIZER	0.0110		0.3604		0.8894	
Benzodiazepine Tranquilizers	0.1282		0.2991		0.5775	
Alprazolam Products	0.1772		0.2951		0.6301	
Lorazepam Products	0.8559		0.7917		0.8188	
Clonazepam Products	0.8661		0.8577		0.7951	
Diazepam Products	0.0635		0.4007		0.8864	
Muscle Relaxants	0.2801		0.8408		0.5915	
Cyclobenzaprine	0.5491		0.7489		0.6261	
Soma [®]	0.1100		0.7111		0.2921	
Any Other Prescription Tranquilizer ¹	0.2370		0.9797		0.8595	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes use or misuse of tranquilizers containing other active ingredients. Reports of misuse of "any other prescription tranquilizer" that correspond only to the specific tranquilizer categories shown in the table are excluded from estimates for Any Other Prescription Tranquilizer and are included instead in the relevant tranquilizer category.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.