

**Table 1.66A Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	43,486 <sup>a</sup>	48,242	3,110	3,284	40,377 <sup>a</sup>	44,958	11,829	11,952	28,548 <sup>a</sup>	33,007
<b>GEOGRAPHIC REGION</b>										
Northeast	8,067	8,724	560	563	7,507	8,162	2,300	2,217	5,207 <sup>a</sup>	5,945
Midwest	8,802 <sup>a</sup>	9,678	647	670	8,154 <sup>a</sup>	9,008	2,520	2,634	5,634 <sup>a</sup>	6,374
South	13,494 <sup>a</sup>	15,583	1,056	1,101	12,438 <sup>a</sup>	14,482	3,727	3,913	8,712 <sup>a</sup>	10,569
West	13,123 <sup>a</sup>	14,257	846	950	12,277	13,307	3,281	3,188	8,996 <sup>a</sup>	10,119
<b>COUNTY TYPE</b>										
Large Metro	25,560 <sup>a</sup>	28,739	1,798	1,791	23,762 <sup>a</sup>	26,948	6,900	7,084	16,861 <sup>a</sup>	19,864
Small Metro	13,043 <sup>a</sup>	14,087	937 <sup>a</sup>	1,093	12,106	12,994	3,656	3,551	8,450 <sup>a</sup>	9,443
Nonmetro	4,883	5,416	374	400	4,509	5,017	1,272	1,317	3,237	3,700
Urbanized	2,434	2,612	160	197	2,274	2,415	638	682	1,637	1,732
Less Urbanized	2,095	2,280	186	165	1,909	2,116	563	519	1,346	1,596
Completely Rural	355	524	28	38	326	486	72	115	254	371
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	7,850	8,006	663	678	7,187	7,328	3,017	2,767	4,170	4,561
100-199%	8,751 <sup>a</sup>	9,818	582 <sup>a</sup>	740	8,169 <sup>a</sup>	9,077	2,806	2,642	5,363 <sup>a</sup>	6,435
200% or More	26,572 <sup>a</sup>	30,047	1,865	1,865	24,707 <sup>a</sup>	28,182	5,692 <sup>a</sup>	6,171	19,015 <sup>a</sup>	22,011
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	25,802 <sup>a</sup>	28,599	1,728	1,757	24,075 <sup>a</sup>	26,842	7,227	7,468	16,848 <sup>a</sup>	19,373
Medicaid/CHIP	9,099 <sup>a</sup>	10,686	1,242	1,350	7,856 <sup>a</sup>	9,336	2,505	2,461	5,352 <sup>a</sup>	6,874
Other <sup>3</sup>	5,800 <sup>a</sup>	6,961	130	153	5,670 <sup>a</sup>	6,809	799	873	4,871 <sup>a</sup>	5,936
No Coverage	6,102	6,612	143	185	5,959	6,427	1,639	1,583	4,321	4,844

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.66B Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	15.9 <sup>a</sup>	17.5	12.5	13.2	16.2 <sup>a</sup>	18.0	34.8	35.4	13.3 <sup>a</sup>	15.2
<b>GEOGRAPHIC REGION</b>										
Northeast	16.9	18.3	14.0	14.2	17.1	18.6	39.2	38.5	13.7 <sup>a</sup>	15.6
Midwest	15.4 <sup>a</sup>	16.9	12.3	12.7	15.7 <sup>a</sup>	17.3	34.8	36.8	12.6 <sup>a</sup>	14.2
South	13.0 <sup>a</sup>	14.9	11.0	11.4	13.2 <sup>a</sup>	15.3	29.2	30.8	10.7 <sup>a</sup>	12.9
West	20.2	21.7	14.1	15.8	20.8	22.3	40.2	39.4	17.7 <sup>a</sup>	19.7
<b>COUNTY TYPE</b>										
Large Metro	16.8 <sup>a</sup>	18.7	12.9	13.2	17.1 <sup>a</sup>	19.2	36.3	37.7	14.1 <sup>a</sup>	16.4
Small Metro	16.0	16.9	12.6	14.1	16.3	17.2	34.3	33.5	13.3	14.5
Nonmetro	12.4 <sup>a</sup>	14.2	10.6	11.1	12.5 <sup>a</sup>	14.6	29.1	30.4	10.3 <sup>a</sup>	12.3
Urbanized	13.8 <sup>a</sup>	16.4	11.1	12.8	14.0	16.8	33.0	33.7	11.5	14.1
Less Urbanized	11.6	12.8	10.9	9.9	11.7	13.1	26.8	26.9	9.4	11.2
Completely Rural	9.5	12.1	7.7	9.4	9.7	12.3	21.2	30.7	8.4	10.4
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	19.6 <sup>a</sup>	21.4	12.1	13.3	20.8	22.7	36.2	35.0	15.9 <sup>a</sup>	18.7
100-199%	16.1 <sup>a</sup>	18.5	11.2 <sup>a</sup>	13.9	16.6 <sup>a</sup>	19.1	34.0	34.2	13.1 <sup>a</sup>	16.1
200% or More	14.9 <sup>a</sup>	16.4	13.1	12.9	15.0 <sup>a</sup>	16.7	34.1 <sup>a</sup>	36.4	12.9 <sup>a</sup>	14.5
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	14.4 <sup>a</sup>	15.9	12.2	12.3	14.5 <sup>a</sup>	16.2	35.3	36.6	11.6 <sup>a</sup>	13.3
Medicaid/CHIP	19.6 <sup>a</sup>	23.7	13.1	14.4	21.3 <sup>a</sup>	26.1	34.6	34.0	18.1 <sup>a</sup>	24.1
Other <sup>3</sup>	8.4 <sup>a</sup>	9.9	11.0	12.4	8.3 <sup>a</sup>	9.9	31.1	34.4	7.4 <sup>a</sup>	8.9
No Coverage	23.7	24.5	12.9	15.9	24.2	24.8	34.0	32.8	21.9	23.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.67A Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	27,667 <sup>a</sup>	31,606	1,658	1,837	26,009 <sup>a</sup>	29,769	7,528	7,749	18,481 <sup>a</sup>	22,020
<b>GEOGRAPHIC REGION</b>										
Northeast	4,990 <sup>a</sup>	5,803	285	341	4,704 <sup>a</sup>	5,461	1,408	1,502	3,296 <sup>a</sup>	3,960
Midwest	5,464 <sup>a</sup>	6,188	346	359	5,118 <sup>a</sup>	5,829	1,592	1,701	3,526 <sup>a</sup>	4,127
South	8,405 <sup>a</sup>	10,021	577	584	7,828 <sup>a</sup>	9,437	2,350	2,398	5,478 <sup>a</sup>	7,039
West	8,808	9,595	450 <sup>a</sup>	553	8,359	9,042	2,177	2,149	6,182	6,893
<b>COUNTY TYPE</b>										
Large Metro	16,223 <sup>a</sup>	18,846	949	1,030	15,273 <sup>a</sup>	17,816	4,370	4,623	10,904 <sup>a</sup>	13,193
Small Metro	8,307 <sup>a</sup>	9,166	503	594	7,804	8,572	2,354	2,282	5,450 <sup>a</sup>	6,290
Nonmetro	3,137	3,595	205	213	2,932	3,381	804	845	2,128	2,536
Urbanized	1,623	1,837	97	103	1,526	1,734	417	489	1,109	1,245
Less Urbanized	1,343	1,425	91	87	1,253	1,338	355	296	898	1,042
Completely Rural	171 <sup>a</sup>	333	18	24	153 <sup>a</sup>	309	32	60	121 <sup>a</sup>	250
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	5,314	5,527	370	418	4,944	5,109	1,959	1,845	2,985	3,265
100-199%	5,874 <sup>a</sup>	6,684	307 <sup>a</sup>	422	5,567 <sup>a</sup>	6,262	1,856	1,740	3,711 <sup>a</sup>	4,522
200% or More	16,288 <sup>a</sup>	19,168	981	998	15,307 <sup>a</sup>	18,170	3,523 <sup>a</sup>	3,937	11,785 <sup>a</sup>	14,233
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	15,472 <sup>a</sup>	17,794	918	956	14,554 <sup>a</sup>	16,838	4,418	4,661	10,137 <sup>a</sup>	12,177
Medicaid/CHIP	6,253 <sup>a</sup>	7,314	663	767	5,591 <sup>a</sup>	6,546	1,667	1,700	3,924 <sup>a</sup>	4,846
Other <sup>3</sup>	3,731 <sup>a</sup>	4,762	68	86	3,663 <sup>a</sup>	4,676	532	559	3,131 <sup>a</sup>	4,117
No Coverage	4,282	4,770	81	108	4,201	4,662	1,132	1,105	3,070	3,557

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.67B Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	10.1 <sup>a</sup>	11.5	6.7	7.4	10.5 <sup>a</sup>	11.9	22.1	23.0	8.6 <sup>a</sup>	10.2
<b>GEOGRAPHIC REGION</b>										
Northeast	10.4 <sup>a</sup>	12.1	7.1	8.6	10.7 <sup>a</sup>	12.5	24.0	26.0	8.7 <sup>a</sup>	10.4
Midwest	9.6 <sup>a</sup>	10.8	6.5	6.8	9.9 <sup>a</sup>	11.2	22.0	23.7	7.9 <sup>a</sup>	9.2
South	8.1 <sup>a</sup>	9.6	6.0	6.0	8.3 <sup>a</sup>	9.9	18.4	18.9	6.7 <sup>a</sup>	8.6
West	13.5	14.6	7.5 <sup>a</sup>	9.2	14.1	15.2	26.7	26.6	12.1	13.4
<b>COUNTY TYPE</b>										
Large Metro	10.6 <sup>a</sup>	12.3	6.8	7.6	11.0 <sup>a</sup>	12.7	23.0	24.6	9.1 <sup>a</sup>	10.9
Small Metro	10.2	11.0	6.8	7.7	10.5	11.3	22.1	21.5	8.6 <sup>a</sup>	9.7
Nonmetro	7.9 <sup>a</sup>	9.4	5.8	5.9	8.2 <sup>a</sup>	9.8	18.4	19.5	6.7 <sup>a</sup>	8.4
Urbanized	9.2 <sup>a</sup>	11.6	6.7	6.7	9.4 <sup>a</sup>	12.1	21.6	24.1	7.8	10.1
Less Urbanized	7.4	8.0	5.3	5.2	7.7	8.3	16.9	15.3	6.3	7.3
Completely Rural	4.6 <sup>a</sup>	7.7	4.9	5.8	4.6 <sup>a</sup>	7.9	9.4	15.9	4.0 <sup>a</sup>	7.0
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	13.3 <sup>a</sup>	14.8	6.7	8.2	14.3	15.8	23.5	23.4	11.4 <sup>a</sup>	13.4
100-199%	10.8 <sup>a</sup>	12.6	5.9 <sup>a</sup>	7.9	11.3 <sup>a</sup>	13.2	22.5	22.5	9.0 <sup>a</sup>	11.3
200% or More	9.1 <sup>a</sup>	10.4	6.9	6.9	9.3 <sup>a</sup>	10.7	21.1 <sup>a</sup>	23.2	8.0 <sup>a</sup>	9.3
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	8.6 <sup>a</sup>	9.9	6.5	6.7	8.8 <sup>a</sup>	10.2	21.6	22.8	7.0 <sup>a</sup>	8.4
Medicaid/CHIP	13.5 <sup>a</sup>	16.2	7.0	8.2	15.2 <sup>a</sup>	18.3	23.0	23.4	13.3 <sup>a</sup>	17.0
Other <sup>3</sup>	5.4 <sup>a</sup>	6.8	5.7	7.0	5.4 <sup>a</sup>	6.8	20.7	22.0	4.8 <sup>a</sup>	6.2
No Coverage	16.7	17.6	7.3	9.3	17.1	18.0	23.5	22.9	15.5	16.9

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.