

Table 1.70C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	330	328	85	100	72	62
GEOGRAPHIC REGION						
Northeast	145	116	51	36	46	26
Midwest	143	165	32	72	27	25
South	194	190	50	56	40	49
West	187	184	36	31	25	13
COUNTY TYPE						
Large Metro	274	256	70	74	62	57
Small Metro	179	184	45	69	34	23
Nonmetro	119	124	22	18	13	12
Urbanized	63	86	12	13	5	6
Less Urbanized	87	84	19	12	12	10
Completely Rural	40	39	1	5	1	4
POVERTY LEVEL¹						
Less Than 100%	181	156	52	53	45	40
100-199%	128	158	37	69	25	25
200% or More	262	237	55	47	49	36
HEALTH INSURANCE²						
Private	239	229	56	50	51	38
Medicaid/CHIP	196	177	52	83	38	37
Other ³	165	181	29	66	20	21
No Coverage	127	118	36	40	31	35

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.70D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.12	0.12	0.03	0.04	0.03	0.02
GEOGRAPHIC REGION						
Northeast	0.30	0.24	0.11	0.08	0.10	0.05
Midwest	0.25	0.29	0.06	0.12	0.05	0.04
South	0.19	0.18	0.05	0.05	0.04	0.05
West	0.29	0.28	0.06	0.05	0.04	0.02
COUNTY TYPE						
Large Metro	0.17	0.17	0.05	0.05	0.04	0.04
Small Metro	0.21	0.21	0.05	0.08	0.04	0.03
Nonmetro	0.28	0.31	0.06	0.05	0.03	0.03
Urbanized	0.34	0.51	0.07	0.08	0.03	0.04
Less Urbanized	0.43	0.45	0.10	0.06	0.07	0.06
Completely Rural	0.95	0.79	0.02	0.11	0.02	0.08
POVERTY LEVEL¹						
Less Than 100%	0.43	0.39	0.13	0.14	0.11	0.11
100-199%	0.23	0.29	0.07	0.13	0.05	0.05
200% or More	0.14	0.13	0.03	0.03	0.03	0.02
HEALTH INSURANCE²						
Private	0.13	0.13	0.03	0.03	0.03	0.02
Medicaid/CHIP	0.41	0.37	0.11	0.18	0.08	0.08
Other ³	0.23	0.25	0.04	0.09	0.03	0.03
No Coverage	0.47	0.42	0.14	0.15	0.12	0.13

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.70P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
TOTAL	0.7450		0.8969		0.5240	
GEOGRAPHIC REGION						
Northeast	0.9463		0.3837		0.2976	
Midwest	0.2297		0.1169		0.4001	
South	0.5955		0.7428		0.8209	
West	0.9406		0.5469		0.4666	
COUNTY TYPE						
Large Metro	0.7307		0.8513		0.8698	
Small Metro	0.5628		0.9892		0.2274	
Nonmetro	0.3016		0.9561		0.8888	
Urbanized	0.0669		0.3388		0.9375	
Less Urbanized	0.6576		0.2918		0.9687	
Completely Rural	0.6502		0.2384		0.5138	
POVERTY LEVEL¹						
Less Than 100%	0.7906		0.9848		0.6509	
100-199%	0.1075		0.3408		0.5181	
200% or More	0.7402		0.6555		0.4791	
HEALTH INSURANCE²						
Private	0.7813		0.7767		0.5411	
Medicaid/CHIP	0.6247		0.2468		0.4864	
Other ³	0.3910		0.3153		0.6490	
No Coverage	0.2053		0.5870		0.4239	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.