

Table 1.72A Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	2,003	2,142	662	743	1,341	1,399	495	577	846	822
GEOGRAPHIC REGION										
Northeast	330	356	99	111	231	245	93	107	138	138
Midwest	416	412	159	153	258	260	102	108	156	151
South	668	729	255	292	414	437	150	188	264	248
West	589	645	150	187	439	458	150	173	289	285
COUNTY TYPE										
Large Metro	1,261	1,354	355	392	906	962	314	376	592	586
Small Metro	555	578	213	254	342	324	136	139	206	184
Nonmetro	186	211	93	97	93	114	46	62	48	52
Urbanized	79	103	37	40	41	63	22	34	19	29
Less Urbanized	95	81	49	45	46	37	22	20	24	17
Completely Rural	13	27	7	12	6	14	1	8	5	6
POVERTY LEVEL¹										
Less Than 100%	388	408	138	162	250	246	127	143	123	103
100-199%	319	376	133	147	186	229	93	108	92	121
200% or More	1,281	1,326	390	434	891	892	261	294	630	599
HEALTH INSURANCE²										
Private	1,207	1,342	369	418	838	923	357	388	481	535
Medicaid/CHIP	480	488	246	282	234	207	74	99	160	107
Other ³	266	248	49	36	217	212	50	46	167	166
No Coverage	178	162	30	25	147	137	38	64	110	73

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.72B Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.7	0.8	2.7	3.0	0.5	0.6	1.5	1.7	0.4	0.4
GEOGRAPHIC REGION										
Northeast	0.7	0.7	2.5	2.8	0.5	0.6	1.6	1.9	0.4	0.4
Midwest	0.7	0.7	3.0	2.9	0.5	0.5	1.4	1.5	0.3	0.3
South	0.6	0.7	2.6	3.0	0.4	0.5	1.2	1.5	0.3	0.3
West	0.9	1.0	2.5	3.1	0.7	0.8	1.8	2.1	0.6	0.6
COUNTY TYPE										
Large Metro	0.8	0.9	2.5	2.9	0.7	0.7	1.7	2.0	0.5	0.5
Small Metro	0.7	0.7	2.9	3.3	0.5	0.4	1.3	1.3	0.3	0.3
Nonmetro	0.5	0.6	2.6	2.7	0.3	0.3	1.0	1.4	0.2	0.2
Urbanized	0.4	0.6	2.6	2.6	0.3	0.4	1.2	1.7	0.1	0.2
Less Urbanized	0.5	0.5	2.8	2.7	0.3	0.2	1.0	1.0	0.2	0.1
Completely Rural	0.3	0.6	1.8	3.0	0.2	0.4	0.4	2.2	0.2	0.2
POVERTY LEVEL¹										
Less Than 100%	1.0	1.1	2.5	3.2	0.7	0.8	1.5	1.8	0.5	0.4
100-199%	0.6	0.7	2.6	2.8	0.4	0.5	1.1	1.4	0.2	0.3
200% or More	0.7	0.7	2.7	3.0	0.5	0.5	1.6	1.7	0.4	0.4
HEALTH INSURANCE²										
Private	0.7	0.7	2.6	2.9	0.5	0.6	1.7	1.9	0.3	0.4
Medicaid/CHIP	1.0	1.1	2.6	3.0	0.6	0.6	1.0	1.4	0.5	0.4
Other ³	0.4	0.4	4.1	2.9	0.3	0.3	1.9	1.8	0.3	0.3
No Coverage	0.7	0.6	2.7	2.1	0.6	0.5	0.8	1.3	0.6	0.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.73A Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	612	807	184	216	428	591	128	157	300	434
GEOGRAPHIC REGION										
Northeast	115	151	26	37	89	114	26	32	64	82
Midwest	140	155	55	49	84	106	21	31	63	76
South	214	259	64	78	149	180	48	37	101	143
West	143	242	39	52	105	190	33	57	72	133
COUNTY TYPE										
Large Metro	426	592	107	125	319	467	86	111	233	356
Small Metro	131	162	50	70	81	92	37	36	44	56
Nonmetro	55	53	28	21	28	32	5	10	23	22
Urbanized	23	26	10	9	13	17	*	8	13	9
Less Urbanized	26	25	16	10	10	15	5	1	5	13
Completely Rural	6	2	1	2	5	*	*	*	5	*
POVERTY LEVEL¹										
Less Than 100%	123	106	37	40	86	66	27	38	60	29
100-199%	90 ^a	174	39 ^a	71	51	103	11	39	40	64
200% or More	394	522	108	106	286	417	86	76	200	341
HEALTH INSURANCE²										
Private	391	488	107	116	284	372	100	108	184	264
Medicaid/CHIP	143	174	67	90	76	84	21	25	55	59
Other ³	69	124	8	9	61	115	9	8	52	107
No Coverage	51	60	7	5	43	54	8	17	35	37

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.73B Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.2	0.3	0.7	0.9	0.2	0.2	0.4	0.5	0.1	0.2
GEOGRAPHIC REGION										
Northeast	0.2	0.3	0.6	0.9	0.2	0.3	0.4	0.6	0.2	0.2
Midwest	0.2	0.3	1.0	0.9	0.2	0.2	0.3	0.4	0.1	0.2
South	0.2	0.2	0.7	0.8	0.2	0.2	0.4	0.3	0.1	0.2
West	0.2	0.4	0.6	0.9	0.2	0.3	0.4	0.7	0.1	0.3
COUNTY TYPE										
Large Metro	0.3	0.4	0.8	0.9	0.2	0.3	0.5	0.6	0.2	0.3
Small Metro	0.2	0.2	0.7	0.9	0.1	0.1	0.3	0.3	0.1	0.1
Nonmetro	0.1	0.1	0.8	0.6	0.1	0.1	0.1	0.2	0.1	0.1
Urbanized	0.1	0.2	0.7	0.6	0.1	0.1	*	0.4	0.1	0.1
Less Urbanized	0.1	0.1	0.9	0.6	0.1	0.1	0.2	0.1	0.0	0.1
Completely Rural	0.2	0.1	0.4	0.6	0.1	*	*	*	0.2	*
POVERTY LEVEL¹										
Less Than 100%	0.3	0.3	0.7	0.8	0.2	0.2	0.3	0.5	0.2	0.1
100-199%	0.2 ^a	0.3	0.8 ^a	1.3	0.1	0.2	0.1 ^a	0.5	0.1	0.2
200% or More	0.2	0.3	0.8	0.7	0.2	0.2	0.5	0.4	0.1	0.2
HEALTH INSURANCE²										
Private	0.2	0.3	0.8	0.8	0.2	0.2	0.5	0.5	0.1	0.2
Medicaid/CHIP	0.3	0.4	0.7	1.0	0.2	0.2	0.3	0.3	0.2	0.2
Other ³	0.1	0.2	0.7	0.7	0.1	0.2	0.3	0.3	0.1	0.2
No Coverage	0.2	0.2	0.7	0.5	0.2	0.2	0.2	0.4	0.2	0.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.