

**Table 1.74A Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	1,867	1,999	43	41	1,824	1,958	273	275	1,551	1,682
<b>GEOGRAPHIC REGION</b>										
Northeast	150	145	2	7	148	138	28	28	120	110
Midwest	416	448	14	8	402	441	70	70	332	371
South	569	691	25	12	543	679	81	101	462	578
West	732	715	2 <sup>a</sup>	14	731	701	94	77	637	624
<b>COUNTY TYPE</b>										
Large Metro	855	941	17	21	838	920	121	132	717	788
Small Metro	652	586	15	13	638	572	91	84	547	489
Nonmetro	359	473	11	8	348	465	61	60	287	405
Urbanized	155	226	3	6	152	220	30	29	122	191
Less Urbanized	179	205	7	1	171	204	28	26	144	178
Completely Rural	26	41	1	*	25	41	3	5	21	36
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	651	599	10	7	641	592	94	69	548	523
100-199%	471	655	11	7	461 <sup>a</sup>	649	62	96	399	552
200% or More	744	744	22	27	722	717	118	109	604	607
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	585	553	14	27	571	526	105	119	465	407
Medicaid/CHIP	741	810	21	14	720	797	98	80	622	717
Other <sup>3</sup>	256	323	0	4	256	320	9	19	247	300
No Coverage	465	545	8	*	458	545	70	67	388	478

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.74B Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.7	0.7	0.2	0.2	0.7	0.8	0.8	0.8	0.7	0.8
<b>GEOGRAPHIC REGION</b>										
Northeast	0.3	0.3	0.0	0.2	0.3	0.3	0.5	0.5	0.3	0.3
Midwest	0.7	0.8	0.3	0.1	0.8	0.8	1.0	1.0	0.7	0.8
South	0.5	0.7	0.3	0.1	0.6	0.7	0.6	0.8	0.6	0.7
West	1.1	1.1	0.0 <sup>a</sup>	0.2	1.2	1.2	1.1	1.0	1.3	1.2
<b>COUNTY TYPE</b>										
Large Metro	0.6	0.6	0.1	0.2	0.6	0.7	0.6	0.7	0.6	0.6
Small Metro	0.8	0.7	0.2	0.2	0.9	0.8	0.9	0.8	0.9	0.8
Nonmetro	0.9	1.2	0.3	0.2	1.0	1.3	1.4	1.4	0.9	1.3
Urbanized	0.9	1.4	0.2	0.4	0.9	1.5	1.5	1.4	0.9	1.5
Less Urbanized	1.0	1.2	0.4	0.1	1.0	1.3	1.3	1.4	1.0	1.2
Completely Rural	0.7	0.9	0.3	*	0.7	1.0	1.0	1.3	0.7	1.0
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	1.6	1.6	0.2	0.1	1.9	1.8	1.1	0.9	2.1	2.1
100-199%	0.9 <sup>a</sup>	1.2	0.2	0.1	0.9 <sup>a</sup>	1.4	0.7	1.2	1.0	1.4
200% or More	0.4	0.4	0.2	0.2	0.4	0.4	0.7	0.6	0.4	0.4
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.3	0.3	0.1	0.2	0.3	0.3	0.5	0.6	0.3	0.3
Medicaid/CHIP	1.6	1.8	0.2	0.1	2.0	2.2	1.3	1.1	2.1	2.5
Other <sup>3</sup>	0.4	0.5	0.0	0.3	0.4	0.5	0.3	0.8	0.4	0.5
No Coverage	1.8	2.0	0.7	*	1.9	2.1	1.5	1.4	2.0	2.3

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.75A Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	1,001	1,173	17	11	984	1,161	90	110	894	1,051
<b>GEOGRAPHIC REGION</b>										
Northeast	94	53	1	3	93	50	15	6	78	44
Midwest	244	276	6	3	238	274	23	33	215	240
South	280	363	9	5	271	359	27	46	244	313
West	383	480	*	1	383	479	24	25	358	454
<b>COUNTY TYPE</b>										
Large Metro	461	633	5	7	456	626	30	48	426	578
Small Metro	339	311	7	4	332	306	34	38	299	268
Nonmetro	201	229	5	0	196	229	27	24	169	205
Urbanized	91	132	2	0	90	132	9	12	80	120
Less Urbanized	89	91	2	*	87	91	14	12	73	79
Completely Rural	20	6	1	*	19	6	3	*	16	6
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	342	379	7	4	335	376	28	31	307	345
100-199%	232 <sup>a</sup>	378	0	*	232 <sup>a</sup>	378	21 <sup>a</sup>	51	211	328
200% or More	427	414	10	7	417	406	42	28	376	378
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	313	246	8	8	305	238	42	41	264	197
Medicaid/CHIP	393	495	9	3	385	491	39	38	346	453
Other <sup>3</sup>	141	177	0	0	141	177	2	12	139	164
No Coverage	256	351	*	*	256	351	12	27	244	324

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.75B Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.4	0.4	0.1	0.0	0.4	0.5	0.3	0.3	0.4	0.5
<b>GEOGRAPHIC REGION</b>										
Northeast	0.2	0.1	0.0	0.1	0.2	0.1	0.3	0.1	0.2	0.1
Midwest	0.4	0.5	0.1	0.1	0.5	0.5	0.3	0.5	0.5	0.5
South	0.3	0.3	0.1	0.0	0.3	0.4	0.2	0.4	0.3	0.4
West	0.6	0.7	*	0.0	0.6	0.8	0.3	0.3	0.7	0.9
<b>COUNTY TYPE</b>										
Large Metro	0.3	0.4	0.0	0.0	0.3	0.4	0.2	0.3	0.4	0.5
Small Metro	0.4	0.4	0.1	0.1	0.4	0.4	0.3	0.4	0.5	0.4
Nonmetro	0.5	0.6	0.1	0.0	0.5	0.7	0.6	0.6	0.5	0.7
Urbanized	0.5	0.8	0.1	0.0	0.6	0.9	0.5	0.6	0.6	1.0
Less Urbanized	0.5	0.5	0.1	*	0.5	0.6	0.7	0.6	0.5	0.6
Completely Rural	0.5	0.1	0.3	*	0.6	0.1	0.9	*	0.5	0.2
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.9	1.0	0.1	0.1	1.0	1.2	0.3	0.4	1.2	1.4
100-199%	0.4 <sup>a</sup>	0.7	0.0	*	0.5 <sup>a</sup>	0.8	0.3 <sup>a</sup>	0.7	0.5	0.8
200% or More	0.2	0.2	0.1	0.1	0.3	0.2	0.2	0.2	0.3	0.2
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.1
Medicaid/CHIP	0.8	1.1	0.1	0.0	1.0	1.4	0.5	0.5	1.2	1.6
Other <sup>3</sup>	0.2	0.3	0.0	0.0	0.2	0.3	0.1	0.5	0.2	0.2
No Coverage	1.0	1.3	*	*	1.0	1.4	0.2	0.6	1.2	1.5

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.