

Table 1.74C Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	123	133	9	10	122	134	30	31	118	129
GEOGRAPHIC REGION										
Northeast	35	32	1	4	35	32	7	11	34	28
Midwest	58	52	5	4	59	52	15	15	57	49
South	61	75	8	5	60	75	15	18	57	73
West	82	91	1	6	82	92	19	18	79	90
COUNTY TYPE										
Large Metro	91	101	7	7	91	101	21	25	88	98
Small Metro	77	63	5	5	76	63	17	16	74	61
Nonmetro	42	57	4	4	42	57	11	11	40	55
Urbanized	25	44	2	4	25	43	8	9	24	42
Less Urbanized	32	37	4	1	31	37	8	6	30	36
Completely Rural	12	13	1	*	12	13	2	3	12	12
POVERTY LEVEL¹										
Less Than 100%	73	74	4	3	73	74	18	15	70	72
100-199%	57	74	6	4	56	74	12	19	56	73
200% or More	82	81	7	8	82	80	20	20	79	77
HEALTH INSURANCE²										
Private	75	67	5	8	74	66	17	21	72	63
Medicaid/CHIP	75	85	6	5	74	85	18	17	72	84
Other ³	51	71	0	2	51	71	4	9	50	70
No Coverage	56	68	6	*	55	68	15	14	53	66

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.74D Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.04	0.05	0.04	0.04	0.05	0.05	0.09	0.09	0.05	0.06
GEOGRAPHIC REGION										
Northeast	0.07	0.07	0.03	0.10	0.08	0.07	0.12	0.19	0.09	0.07
Midwest	0.10	0.09	0.10	0.08	0.11	0.10	0.20	0.21	0.13	0.11
South	0.06	0.07	0.09	0.05	0.06	0.08	0.12	0.14	0.07	0.09
West	0.13	0.14	0.02	0.10	0.14	0.15	0.23	0.23	0.15	0.18
COUNTY TYPE										
Large Metro	0.06	0.07	0.05	0.05	0.07	0.07	0.11	0.13	0.07	0.08
Small Metro	0.09	0.07	0.07	0.06	0.10	0.08	0.16	0.15	0.12	0.09
Nonmetro	0.10	0.15	0.12	0.11	0.11	0.16	0.26	0.25	0.12	0.19
Urbanized	0.14	0.26	0.13	0.23	0.16	0.29	0.41	0.44	0.17	0.33
Less Urbanized	0.17	0.21	0.22	0.09	0.19	0.23	0.37	0.33	0.20	0.25
Completely Rural	0.33	0.27	0.30	*	0.36	0.30	0.49	0.74	0.39	0.32
POVERTY LEVEL¹										
Less Than 100%	0.18	0.20	0.08	0.06	0.21	0.23	0.22	0.19	0.26	0.30
100-199%	0.10	0.14	0.12	0.07	0.11	0.15	0.15	0.24	0.13	0.18
200% or More	0.05	0.04	0.05	0.06	0.05	0.05	0.12	0.12	0.05	0.05
HEALTH INSURANCE²										
Private	0.04	0.04	0.04	0.06	0.04	0.04	0.08	0.10	0.05	0.04
Medicaid/CHIP	0.16	0.19	0.06	0.05	0.20	0.24	0.25	0.23	0.24	0.29
Other ³	0.07	0.10	0.01	0.20	0.07	0.10	0.14	0.36	0.08	0.11
No Coverage	0.22	0.25	0.53	*	0.23	0.26	0.32	0.29	0.27	0.31

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.74P Methamphetamine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.5017		0.9133		0.5025		0.9115		0.5011	
GEOGRAPHIC REGION										
Northeast	0.9254		0.1826		0.8407		0.9893		0.8191	
Midwest	0.6827		0.3444		0.6282		0.9742		0.6180	
South	0.2163		0.1726		0.1738		0.4063		0.2320	
West	0.8587		0.0444		0.7821		0.5596		0.8749	
COUNTY TYPE										
Large Metro	0.5687		0.6707		0.6051		0.7183		0.6539	
Small Metro	0.4196		0.7626		0.4417		0.7713		0.4722	
Nonmetro	0.0764		0.4905		0.0645		0.9725		0.0594	
Urbanized	0.0724		0.4575		0.0759		0.8689		0.0645	
Less Urbanized	0.5423		0.1459		0.4701		0.9659		0.4625	
Completely Rural	0.5652		*		0.5257		0.7729		0.5496	
POVERTY LEVEL¹										
Less Than 100%	0.9179		0.7139		0.9256		0.3890		0.9054	
100-199%	0.0326		0.5692		0.0266		0.0759		0.0672	
200% or More	0.8424		0.6608		0.8073		0.7168		0.8837	
HEALTH INSURANCE²										
Private	0.7434		0.1974		0.6547		0.6248		0.5344	
Medicaid/CHIP	0.4436		0.3778		0.3940		0.4728		0.2950	
Other ³	0.4275		0.1761		0.4529		0.2666		0.5331	
No Coverage	0.5187		*		0.4586		0.8869		0.4355	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.75C Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	100	108	6	5	100	108	15	19	98	106
GEOGRAPHIC REGION										
Northeast	31	16	1	2	31	16	5	4	30	18
Midwest	51	43	4	2	51	43	8	12	51	41
South	45	55	4	3	45	55	8	13	42	54
West	66	79	*	0	66	79	7	9	65	80
COUNTY TYPE										
Large Metro	75	88	3	4	75	88	9	15	73	88
Small Metro	58	47	3	2	58	46	9	12	57	45
Nonmetro	33	41	3	0	33	41	7	8	32	40
Urbanized	20	35	2	0	20	35	4	6	19	34
Less Urbanized	24	21	2	*	24	21	5	5	23	20
Completely Rural	12	2	1	*	12	2	2	*	12	2
POVERTY LEVEL¹										
Less Than 100%	58	65	4	2	58	65	8	10	57	63
100-199%	42	61	0	*	42	61	7	13	41	60
200% or More	68	58	4	4	68	58	10	10	67	57
HEALTH INSURANCE²										
Private	62	40	4	4	62	39	10	12	61	39
Medicaid/CHIP	61	73	4	2	61	72	9	12	60	72
Other ³	38	58	0	0	38	58	2	8	38	57
No Coverage	46	55	*	*	46	55	5	11	45	53

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.75D Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.04	0.04	0.02	0.02	0.04	0.04	0.04	0.06	0.05	0.05
GEOGRAPHIC REGION										
Northeast	0.06	0.03	0.02	0.06	0.07	0.04	0.09	0.07	0.08	0.05
Midwest	0.09	0.07	0.07	0.04	0.10	0.08	0.11	0.17	0.11	0.09
South	0.04	0.05	0.04	0.04	0.05	0.06	0.06	0.11	0.05	0.07
West	0.10	0.12	*	0.01	0.11	0.13	0.09	0.12	0.13	0.16
COUNTY TYPE										
Large Metro	0.05	0.06	0.02	0.03	0.05	0.06	0.05	0.08	0.06	0.07
Small Metro	0.07	0.06	0.05	0.03	0.08	0.06	0.09	0.11	0.09	0.07
Nonmetro	0.08	0.11	0.08	0.01	0.09	0.12	0.15	0.18	0.10	0.13
Urbanized	0.11	0.22	0.11	0.02	0.12	0.24	0.18	0.31	0.14	0.27
Less Urbanized	0.13	0.12	0.13	*	0.14	0.13	0.26	0.24	0.16	0.14
Completely Rural	0.31	0.06	0.30	*	0.35	0.06	0.48	*	0.38	0.07
POVERTY LEVEL¹										
Less Than 100%	0.14	0.17	0.07	0.05	0.17	0.20	0.10	0.13	0.22	0.26
100-199%	0.08	0.11	0.00	*	0.09	0.13	0.08	0.16	0.10	0.15
200% or More	0.04	0.03	0.03	0.03	0.04	0.03	0.06	0.06	0.05	0.04
HEALTH INSURANCE²										
Private	0.03	0.02	0.03	0.03	0.04	0.02	0.05	0.06	0.04	0.03
Medicaid/CHIP	0.13	0.16	0.04	0.02	0.16	0.20	0.13	0.16	0.20	0.25
Other ³	0.06	0.08	0.01	0.03	0.06	0.08	0.07	0.31	0.06	0.09
No Coverage	0.18	0.20	*	*	0.19	0.21	0.09	0.23	0.23	0.25

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 1.75P Methamphetamine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.2593		0.4492		0.2450		0.3759		0.2957	
GEOGRAPHIC REGION										
Northeast	0.1930		0.3381		0.1663		0.1691		0.2370	
Midwest	0.6399		0.3741		0.6014		0.4807		0.7024	
South	0.2481		0.3972		0.2248		0.2255		0.3260	
West	0.3769		*		0.3803		0.9258		0.3878	
COUNTY TYPE										
Large Metro	0.1414		0.7882		0.1485		0.2849		0.1974	
Small Metro	0.6393		0.5584		0.6691		0.7456		0.6086	
Nonmetro	0.5017		0.1121		0.4365		0.8163		0.3972	
Urbanized	0.1972		0.3936		0.1763		0.7616		0.1803	
Less Urbanized	0.9320		*		0.8844		0.8691		0.8463	
Completely Rural	0.1839		*		0.2147		*		0.3167	
POVERTY LEVEL¹										
Less Than 100%	0.4583		0.5677		0.4433		0.7290		0.4623	
100-199%	0.0372		*		0.0344		0.0313		0.0874	
200% or More	0.7754		0.6724		0.7940		0.3225		0.9140	
HEALTH INSURANCE²										
Private	0.3606		0.9406		0.3623		0.9588		0.3468	
Medicaid/CHIP	0.2267		0.2502		0.1984		0.9568		0.1854	
Other ³	0.6056		0.6600		0.6067		0.1905		0.7214	
No Coverage	0.2413		*		0.2417		0.1951		0.3547	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.