

**Table 1.88C Any Use of Sedatives in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	442	427	32	37	437	427	58	59	430	423
<b>GEOGRAPHIC REGION</b>										
Northeast	149	179	11	12	148	178	22	24	148	176
Midwest	164	174	13	16	164	172	24	24	162	169
South	287	274	23	27	284	273	36	31	282	270
West	280	222	18	17	276	221	30	33	267	219
<b>COUNTY TYPE</b>										
Large Metro	396	374	27	29	393	372	48	50	386	369
Small Metro	249	234	18	21	248	233	29	30	245	227
Nonmetro	174	155	11	16	174	153	19	18	172	151
Urbanized	124	100	6	10	124	99	13	13	124	97
Less Urbanized	119	110	8	10	118	108	14	12	116	107
Completely Rural	38	51	3	6	38	50	4	6	37	49
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	159	128	18	21	157	126	29	29	154	125
100-199%	188	179	14	14	187	178	27	28	187	175
200% or More	405	407	27	28	402	406	41	45	398	401
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	365	380	27	29	362	380	50	48	357	375
Medicaid/CHIP	185	170	20	23	185	169	27	28	183	165
Other <sup>3</sup>	329	327	7	12	329	327	13	18	330	326
No Coverage	87	70	3	7	87	70	19	20	85	66

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.88D Any Use of Sedatives in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	0.16	0.16	0.13	0.15	0.18	0.17	0.17	0.17	0.20	0.20
<b>GEOGRAPHIC REGION</b>										
Northeast	0.31	0.37	0.29	0.30	0.34	0.41	0.38	0.42	0.39	0.46
Midwest	0.29	0.30	0.25	0.31	0.32	0.33	0.33	0.34	0.36	0.38
South	0.28	0.26	0.24	0.27	0.30	0.29	0.28	0.25	0.35	0.33
West	0.43	0.34	0.31	0.28	0.47	0.37	0.37	0.40	0.52	0.43
<b>COUNTY TYPE</b>										
Large Metro	0.24	0.23	0.19	0.20	0.26	0.25	0.25	0.26	0.30	0.28
Small Metro	0.28	0.25	0.23	0.26	0.30	0.28	0.27	0.27	0.35	0.32
Nonmetro	0.39	0.35	0.29	0.41	0.43	0.39	0.43	0.40	0.49	0.44
Urbanized	0.64	0.53	0.42	0.64	0.70	0.58	0.68	0.57	0.80	0.66
Less Urbanized	0.58	0.54	0.44	0.60	0.64	0.59	0.62	0.59	0.73	0.66
Completely Rural	0.90	1.01	0.80	1.23	0.99	1.09	1.07	1.59	1.10	1.20
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.38	0.34	0.32	0.39	0.44	0.38	0.34	0.36	0.56	0.50
100-199%	0.33	0.32	0.27	0.26	0.36	0.36	0.32	0.36	0.44	0.42
200% or More	0.21	0.20	0.18	0.19	0.23	0.22	0.25	0.27	0.25	0.24
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.19	0.19	0.19	0.20	0.20	0.21	0.24	0.23	0.23	0.24
Medicaid/CHIP	0.38	0.36	0.21	0.24	0.47	0.45	0.37	0.38	0.58	0.55
Other <sup>3</sup>	0.43	0.43	0.60	0.94	0.44	0.44	0.49	0.70	0.45	0.46
No Coverage	0.34	0.25	0.29	0.57	0.35	0.26	0.39	0.40	0.43	0.31

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.88P Any Use of Sedatives in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	0.0419		0.3908		0.0334		0.8920		0.0268	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.7289		0.3107		0.7885		0.9521		0.7907	
Midwest	0.7140		0.9348		0.7206		0.5654		0.7915	
South	0.0513		0.3650		0.0396		0.2685		0.0500	
West	0.0552		0.7203		0.0553		0.3277		0.0338	
<b>COUNTY TYPE</b>										
Large Metro	0.2578		0.4532		0.2153		0.5890		0.1686	
Small Metro	0.0271		0.6353		0.0304		0.8720		0.0267	
Nonmetro	0.9679		0.1510		0.9664		0.4520		0.9407	
Urbanized	0.6533		0.8019		0.6906		0.4549		0.8184	
Less Urbanized	0.7759		0.2288		0.8639		0.4346		0.8213	
Completely Rural	0.4626		0.1706		0.5512		0.3230		0.6384	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.4481		0.0337		0.2875		0.4180		0.3665	
100-199%	0.4058		0.9495		0.4248		0.5474		0.3512	
200% or More	0.0848		0.7719		0.0839		0.9485		0.0739	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.2098		0.9592		0.2098		0.9231		0.2046	
Medicaid/CHIP	0.4784		0.4178		0.4313		0.7934		0.4711	
Other <sup>3</sup>	0.4750		0.3599		0.4601		0.2611		0.4173	
No Coverage	0.0981		0.1657		0.0767		0.9346		0.0621	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.89C Misuse of Sedatives in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	96	102	13	17	94	100	24	24	89	98
<b>GEOGRAPHIC REGION</b>										
Northeast	34	51	4	6	33	50	10	7	32	49
Midwest	36	32	5	8	35	31	11	9	33	29
South	49	54	8	13	48	53	18	17	44	50
West	63	60	8	5	62	60	7	14	61	60
<b>COUNTY TYPE</b>										
Large Metro	73	86	11	11	72	84	19	20	68	83
Small Metro	39	51	6	12	38	50	11	12	36	48
Nonmetro	45	18	4	4	45	18	10	8	44	16
Urbanized	33	14	3	3	33	14	7	7	32	12
Less Urbanized	27	11	3	3	27	11	7	3	26	10
Completely Rural	15	4	*	*	15	4	*	0	15	4
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	22	41	6	7	21	40	10	10	18	39
100-199%	37	35	2	6	37	35	11	13	34	36
200% or More	85	86	12	14	83	84	19	18	81	82
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	80	78	11	14	80	77	19	21	76	74
Medicaid/CHIP	30	42	7	9	29	41	10	11	27	40
Other <sup>3</sup>	57	54	3	2	57	54	7	8	57	53
No Coverage	22	28	*	4	22	28	11	7	19	25

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.89D Misuse of Sedatives in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.04	0.04	0.05	0.07	0.04	0.04	0.07	0.07	0.04	0.05
<b>GEOGRAPHIC REGION</b>										
Northeast	0.07	0.11	0.09	0.15	0.08	0.11	0.17	0.12	0.08	0.13
Midwest	0.06	0.06	0.10	0.15	0.07	0.06	0.16	0.12	0.07	0.06
South	0.05	0.05	0.09	0.13	0.05	0.06	0.14	0.13	0.05	0.06
West	0.10	0.09	0.14	0.08	0.11	0.10	0.08	0.17	0.12	0.12
<b>COUNTY TYPE</b>										
Large Metro	0.05	0.06	0.08	0.08	0.05	0.06	0.10	0.11	0.06	0.07
Small Metro	0.05	0.06	0.08	0.16	0.05	0.07	0.10	0.11	0.06	0.07
Nonmetro	0.11	0.05	0.10	0.12	0.12	0.05	0.23	0.18	0.14	0.05
Urbanized	0.19	0.09	0.18	0.20	0.20	0.10	0.34	0.34	0.22	0.10
Less Urbanized	0.15	0.06	0.15	0.17	0.16	0.06	0.35	0.17	0.18	0.07
Completely Rural	0.41	0.09	*	*	0.45	0.10	*	0.04	0.50	0.11
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.06	0.11	0.11	0.14	0.06	0.12	0.12	0.12	0.07	0.16
100-199%	0.07	0.07	0.04	0.12	0.07	0.07	0.13	0.16	0.08	0.09
200% or More	0.05	0.05	0.08	0.10	0.05	0.05	0.11	0.10	0.05	0.05
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.04	0.04	0.08	0.10	0.05	0.05	0.09	0.10	0.05	0.05
Medicaid/CHIP	0.07	0.09	0.08	0.10	0.08	0.12	0.14	0.15	0.09	0.14
Other <sup>3</sup>	0.08	0.08	0.23	0.20	0.08	0.08	0.28	0.32	0.09	0.08
No Coverage	0.09	0.10	*	0.31	0.09	0.11	0.22	0.15	0.10	0.12

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.89P Misuse of Sedatives in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.9551		0.3952		0.9360		0.6052		0.9566	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.9534		0.5830		0.9963		0.0579		0.6944	
Midwest	0.5909		0.2227		0.3929		0.3001		0.5688	
South	0.6039		0.5133		0.6983		0.6038		0.5537	
West	0.9417		0.3908		0.9874		0.0365		0.7284	
<b>COUNTY TYPE</b>										
Large Metro	0.7617		0.6925		0.8057		0.9918		0.7985	
Small Metro	0.2990		0.3376		0.3823		0.9076		0.3771	
Nonmetro	0.0522		0.9950		0.0501		0.1176		0.1088	
Urbanized	0.1594		0.9708		0.1592		0.5390		0.1800	
Less Urbanized	0.3234		0.9614		0.3157		0.0719		0.6097	
Completely Rural	0.3684		*		0.3682		*		0.3617	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.0402		0.3235		0.0572		0.4062		0.0234	
100-199%	0.5362		0.0263		0.7264		0.8012		0.7784	
200% or More	0.2721		0.8021		0.2808		0.4585		0.3481	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.3019		0.9875		0.2962		0.7952		0.2534	
Medicaid/CHIP	0.2456		0.2773		0.3372		0.9970		0.3125	
Other <sup>3</sup>	0.7089		0.7460		0.7199		0.7658		0.6896	
No Coverage	0.5488		*		0.6439		0.2622		0.3259	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.90C Misuse of Sedatives in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	43	52	4	13	43	51	11	13	41	49
<b>GEOGRAPHIC REGION</b>										
Northeast	15	29	0	2	15	29	5	4	12	29
Midwest	17	16	2	6	17	15	5	4	18	14
South	25	25	*	11	25	23	8	9	24	20
West	26	31	3	1	26	31	3	8	25	30
<b>COUNTY TYPE</b>										
Large Metro	25	46	2	7	25	46	8	12	25	44
Small Metro	19	24	2	11	19	21	6	6	16	20
Nonmetro	29	8	3	*	29	8	4	1	28	8
Urbanized	25	7	0	*	25	7	2	1	25	7
Less Urbanized	14	4	3	*	14	4	4	*	13	4
Completely Rural	2	*	*	*	2	*	*	*	2	*
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	14	24	2	2	14	24	3	1	13	24
100-199%	16	22	*	4	16	22	7	7	15	20
200% or More	38	41	3	12	38	39	8	11	36	38
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	37	32	3	12	37	30	8	12	36	28
Medicaid/CHIP	12	24	3	4	12	24	4	6	11	23
Other <sup>3</sup>	31	35	2	*	31	35	3	6	31	35
No Coverage	12	14	*	*	12	14	7	*	10	14

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.90D Misuse of Sedatives in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019**

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
<b>TOTAL</b>	0.02	0.02	0.02	0.05	0.02	0.02	0.03	0.04	0.02	0.02
<b>GEOGRAPHIC REGION</b>										
Northeast	0.03	0.06	0.01	0.04	0.03	0.07	0.09	0.07	0.03	0.08
Midwest	0.03	0.03	0.05	0.12	0.03	0.03	0.07	0.06	0.04	0.03
South	0.02	0.02	*	0.12	0.03	0.02	0.06	0.07	0.03	0.02
West	0.04	0.05	0.05	0.02	0.04	0.05	0.04	0.09	0.05	0.06
<b>COUNTY TYPE</b>										
Large Metro	0.02	0.03	0.02	0.05	0.02	0.03	0.04	0.06	0.02	0.04
Small Metro	0.02	0.03	0.03	0.14	0.02	0.03	0.06	0.05	0.03	0.03
Nonmetro	0.07	0.02	0.07	*	0.08	0.02	0.10	0.01	0.09	0.03
Urbanized	0.14	0.05	0.01	*	0.16	0.05	0.09	0.03	0.18	0.06
Less Urbanized	0.08	0.02	0.15	*	0.08	0.03	0.19	*	0.09	0.03
Completely Rural	0.06	*	*	*	0.06	*	*	*	0.07	*
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.03	0.06	0.05	0.03	0.04	0.07	0.04	0.01	0.05	0.10
100-199%	0.03	0.04	*	0.08	0.03	0.05	0.08	0.09	0.04	0.05
200% or More	0.02	0.02	0.02	0.08	0.02	0.02	0.05	0.07	0.02	0.02
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.02	0.02	0.02	0.09	0.02	0.02	0.04	0.06	0.02	0.02
Medicaid/CHIP	0.03	0.05	0.04	0.04	0.03	0.07	0.05	0.09	0.04	0.08
Other <sup>3</sup>	0.05	0.05	0.19	*	0.05	0.05	0.10	0.22	0.05	0.05
No Coverage	0.05	0.05	*	*	0.05	0.05	0.14	*	0.05	0.06

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 1.90P Misuse of Sedatives in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	0.3844		0.1738		0.5484		0.9138		0.5521	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.3167		0.5516		0.3310		0.5171		0.2540	
Midwest	0.6908		0.3256		0.4332		0.6296		0.5209	
South	0.9729		*		0.6301		0.8126		0.5446	
West	0.3569		0.2020		0.3024		0.4492		0.3708	
<b>COUNTY TYPE</b>										
Large Metro	0.1013		0.2046		0.1392		0.4779		0.1854	
Small Metro	0.5152		0.2186		0.8359		0.9813		0.8144	
Nonmetro	0.1241		*		0.1505		0.0554		0.2425	
Urbanized	0.3297		*		0.3369		0.3143		0.3764	
Less Urbanized	0.2124		*		0.2884		*		0.5338	
Completely Rural	*		*		*		*		*	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.4224		0.8371		0.4077		0.1471		0.3187	
100-199%	0.7158		*		0.8686		0.8680		0.8035	
200% or More	0.6355		0.2414		0.8264		0.6267		0.9198	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.9093		0.2190		0.8336		0.6538		0.7200	
Medicaid/CHIP	0.3238		0.7258		0.3363		0.6127		0.3915	
Other <sup>3</sup>	0.7820		*		0.7440		0.4127		0.8258	
No Coverage	0.9254		*		0.9250		*		0.5641	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.