

**Table 2.2A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	168,310	167,786	73,167	71,977	58,775	58,074
12-20	9,125 <sup>a</sup>	8,599	6,275	6,062	3,834 <sup>a</sup>	3,457
21 or Older	159,184	159,187	66,893	65,915	54,941	54,616
<b>12-17</b>	3,328	3,177	2,072	2,072	1,052	947
12-13	312	341	151 <sup>a</sup>	208	63	82
14-15	1,027	959	621	586	274	235
16-17	1,989	1,877	1,301	1,278	716	630
16-25	20,693 <sup>a</sup>	19,654	13,789	13,152	9,508 <sup>a</sup>	8,833
<b>18 or Older</b>	164,981	164,609	71,095	69,905	57,723	57,127
<b>18-25</b>	18,704 <sup>a</sup>	17,776	12,488 <sup>a</sup>	11,874	8,792 <sup>a</sup>	8,203
18-20	5,797	5,422	4,202	3,990	2,782 <sup>a</sup>	2,510
21-25	12,907	12,355	8,286	7,883	6,010	5,693
<b>26 or Older</b>	146,277	146,833	58,606	58,032	48,931	48,924
26-49	69,515	69,033	34,991	34,230	28,750	28,188
26-29	12,244	12,080	7,396	7,267	5,735	5,617
30-34	15,554	15,170	8,304	7,959	6,713	6,406
35-39	15,308	15,013	7,786 <sup>a</sup>	7,124	6,449	6,043
40-44	13,243	13,325	5,902	6,012	5,130	5,134
45-49	13,165	13,444	5,603	5,868	4,724	4,988
50 or Older	76,762	77,800	23,615	23,802	20,181	20,736
50-54	13,909	13,874	6,022	5,953	5,070	5,083
55-59	14,952	15,022	5,859	6,213	5,024	5,487
60-64	14,244	14,436	4,547	5,026	3,883	4,536
65 or Older	33,658	34,468	7,186	6,610	6,203	5,631

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.2B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	61.5	61.0	26.7	26.2	21.5	21.1
12-20	24.0 <sup>a</sup>	22.6	16.5	15.9	10.1 <sup>a</sup>	9.1
21 or Older	67.5	67.1	28.4	27.8	23.3	23.0
<b>12-17</b>	13.4	12.8	8.3	8.3	4.2	3.8
12-13	4.0	4.2	1.9	2.5	0.8	1.0
14-15	12.2	11.3	7.4	6.9	3.3	2.8
16-17	23.1	22.7	15.1	15.5	8.3	7.6
16-25	48.5 <sup>a</sup>	46.8	32.3	31.3	22.3 <sup>a</sup>	21.0
<b>18 or Older</b>	66.3	65.8	28.6	27.9	23.2	22.8
<b>18-25</b>	55.0 <sup>a</sup>	52.7	36.7 <sup>a</sup>	35.2	25.8 <sup>a</sup>	24.3
18-20	44.4 <sup>a</sup>	41.2	32.2	30.3	21.3 <sup>a</sup>	19.1
21-25	61.5	60.1	39.5	38.3	28.7	27.7
<b>26 or Older</b>	68.1	67.8	27.3	26.8	22.8	22.6
26-49	68.9	68.2	34.7	33.8	28.5	27.8
26-29	68.7	66.9	41.5	40.3	32.2	31.1
30-34	70.1	68.1	37.4	35.7	30.2	28.8
35-39	69.8	70.1	35.5	33.3	29.4	28.2
40-44	67.7	69.1	30.1	31.2	26.2	26.6
45-49	67.8	66.4	28.9	29.0	24.3	24.6
50 or Older	67.4	67.5	20.7	20.6	17.7	18.0
50-54	67.6	67.3	29.3	28.9	24.6	24.7
55-59	68.8	70.6	27.0	29.2	23.1	25.8
60-64	69.9	70.2	22.3	24.4	19.1 <sup>a</sup>	22.0
65 or Older	65.7	65.2	14.0	12.5	12.1	10.7

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.3A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	152,480	151,235	57,443	55,551	46,956	45,885
12-20	7,002 <sup>a</sup>	6,413	4,457 <sup>a</sup>	4,067	2,590 <sup>a</sup>	2,281
21 or Older	145,478	144,821	52,986	51,485	44,366	43,604
<b>12-17</b>	2,397	2,253	1,365	1,333	672	572
12-13	205	237	93	132	38	45
14-15	741	677	417	366	184	150
16-17	1,451	1,339	855	835	450	377
16-25	17,060 <sup>a</sup>	16,025	10,357 <sup>a</sup>	9,555	6,965 <sup>a</sup>	6,294
<b>18 or Older</b>	150,083	148,982	56,078	54,218	46,284	45,313
<b>18-25</b>	15,609 <sup>a</sup>	14,686	9,501 <sup>a</sup>	8,720	6,514 <sup>a</sup>	5,917
18-20	4,605 <sup>a</sup>	4,160	3,092 <sup>a</sup>	2,734	1,918	1,709
21-25	11,005	10,525	6,409	5,986	4,596 <sup>a</sup>	4,207
<b>26 or Older</b>	134,473	134,296	46,577	45,498	39,770	39,396
26-49	63,475	62,495	28,273 <sup>a</sup>	26,852	23,603	22,628
26-29	10,849	10,629	6,015	5,777	4,731	4,432
30-34	14,195	13,667	6,767	6,196	5,561	5,174
35-39	14,268	13,816	6,410 <sup>a</sup>	5,608	5,369	4,912
40-44	12,273	12,140	4,694	4,729	4,122	4,100
45-49	11,890	12,242	4,387	4,543	3,820	4,011
50 or Older	70,998	71,801	18,304	18,647	16,166	16,768
50-54	12,769	12,376	4,596	4,355	4,034	3,910
55-59	13,854	13,816	4,758	5,111	4,252	4,629
60-64	13,206	13,407	3,660	4,023	3,204	3,775
65 or Older	31,170	32,201	5,290	5,158	4,676	4,453

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.3B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	55.7	55.0	21.0 <sup>a</sup>	20.2	17.2	16.7
12-20	18.4 <sup>a</sup>	16.8	11.7 <sup>a</sup>	10.7	6.8 <sup>a</sup>	6.0
21 or Older	61.7	61.1	22.5	21.7	18.8	18.4
<b>12-17</b>	9.6	9.0	5.5	5.4	2.7	2.3
12-13	2.6	2.9	1.2	1.6	0.5	0.5
14-15	8.8	8.0	4.9	4.3	2.2	1.8
16-17	16.9	16.2	9.9	10.1	5.2	4.6
16-25	40.0 <sup>a</sup>	38.2	24.3 <sup>a</sup>	22.8	16.3 <sup>a</sup>	15.0
<b>18 or Older</b>	60.3	59.5	22.5 <sup>a</sup>	21.7	18.6	18.1
<b>18-25</b>	45.9 <sup>a</sup>	43.5	27.9 <sup>a</sup>	25.8	19.1 <sup>a</sup>	17.5
18-20	35.2 <sup>a</sup>	31.6	23.7 <sup>a</sup>	20.8	14.7 <sup>a</sup>	13.0
21-25	52.5	51.2	30.6	29.1	21.9 <sup>a</sup>	20.5
<b>26 or Older</b>	62.6	62.0	21.7	21.0	18.5	18.2
26-49	62.9 <sup>a</sup>	61.7	28.0 <sup>a</sup>	26.5	23.4 <sup>a</sup>	22.3
26-29	60.9	58.9	33.7	32.0	26.5	24.6
30-34	64.0 <sup>a</sup>	61.4	30.5 <sup>a</sup>	27.8	25.1	23.2
35-39	65.1	64.5	29.2 <sup>a</sup>	26.2	24.5	22.9
40-44	62.7	63.0	24.0	24.5	21.1	21.3
45-49	61.3	60.4	22.6	22.4	19.7	19.8
50 or Older	62.3	62.3	16.1	16.2	14.2	14.5
50-54	62.0	60.0	22.3	21.1	19.6	19.0
55-59	63.8	65.0	21.9	24.0	19.6	21.8
60-64	64.8	65.2	18.0	19.5	15.7	18.3
65 or Older	60.9	60.9	10.3	9.8	9.1	8.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.4A Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	42,599	42,585	10,936	11,478	7,972	8,516
12-20	2,903	2,725	1,581	1,598	832	796
21 or Older	39,696	39,860	9,355	9,880	7,140	7,719
<b>12-17</b>	1,086	1,003	625	620	278	248
12-13	102	95	55	58	24	22
14-15	345 <sup>a</sup>	255	202	147	69	44
16-17	639	654	369	415	185	182
16-25	6,327	6,272	2,770	3,001	1,679	1,841
<b>18 or Older</b>	41,513	41,582	10,310	10,857	7,694	8,268
<b>18-25</b>	5,688	5,618	2,402	2,586	1,494	1,660
18-20	1,817	1,722	955	977	554	548
21-25	3,871	3,896	1,446	1,609	940 <sup>a</sup>	1,111
<b>26 or Older</b>	35,825	35,964	7,909	8,271	6,200	6,608
26-49	21,289	20,873	5,384	5,435	4,106	4,239
26-29	3,685	3,733	1,074	1,122	782	803
30-34	4,384	4,800	1,215	1,376	881	976
35-39	4,560	4,081	1,301 <sup>a</sup>	1,024	923	850
40-44	4,172	3,893	954	936	830	812
45-49	4,487	4,366	841	977	689	799
50 or Older	14,536	15,091	2,525	2,835	2,094	2,369
50-54	3,860	4,524	669 <sup>a</sup>	1,047	610	860
55-59	3,496	3,304	605	592	455	528
60-64	2,758	2,829	423	511	319	401
65 or Older	4,421	4,434	827	686	711	580

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.4B Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	15.6	15.5	4.0	4.2	2.9	3.1
12-20	7.6	7.2	4.2	4.2	2.2	2.1
21 or Older	16.8	16.8	4.0	4.2	3.0	3.3
<b>12-17</b>	4.4	4.0	2.5	2.5	1.1	1.0
12-13	1.3	1.2	0.7	0.7	0.3	0.3
14-15	4.1 <sup>a</sup>	3.0	2.4	1.7	0.8	0.5
16-17	7.4	7.9	4.3	5.0	2.1	2.2
16-25	14.8	14.9	6.5 <sup>a</sup>	7.1	3.9	4.4
<b>18 or Older</b>	16.7	16.6	4.1	4.3	3.1	3.3
<b>18-25</b>	16.7	16.7	7.1	7.7	4.4	4.9
18-20	13.9	13.1	7.3	7.4	4.2	4.2
21-25	18.5	18.9	6.9 <sup>a</sup>	7.8	4.5 <sup>a</sup>	5.4
<b>26 or Older</b>	16.7	16.6	3.7	3.8	2.9	3.1
26-49	21.1	20.6	5.3	5.4	4.1	4.2
26-29	20.7	20.7	6.0	6.2	4.4	4.4
30-34	19.8	21.6	5.5	6.2	4.0	4.4
35-39	20.8	19.0	5.9 <sup>a</sup>	4.8	4.2	4.0
40-44	21.3	20.2	4.9	4.9	4.2	4.2
45-49	23.1	21.6	4.3	4.8	3.6	3.9
50 or Older	12.8	13.1	2.2	2.5	1.8	2.1
50-54	18.8	21.9	3.3 <sup>a</sup>	5.1	3.0	4.2
55-59	16.1	15.5	2.8	2.8	2.1	2.5
60-64	13.5	13.7	2.1	2.5	1.6	1.9
65 or Older	8.6	8.4	1.6	1.3	1.4	1.1

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.5A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	86,513	85,919	22,950	22,225	12,211	11,697
12-20	4,568	4,310	3,131	2,970	1,537 <sup>a</sup>	1,266
21 or Older	81,944	81,608	19,820	19,255	10,674	10,431
<b>12-17</b>	1,325	1,261	928	896	411	353
12-13	80	92	45	62	15	17
14-15	354	359	248	255	82	82
16-17	892	811	634	579	314	254
16-25	11,995 <sup>a</sup>	11,256	6,452	6,074	3,234 <sup>a</sup>	2,864
<b>18 or Older</b>	85,187	84,657	22,023	21,329	11,800	11,344
<b>18-25</b>	11,104 <sup>a</sup>	10,446	5,818	5,495	2,920 <sup>a</sup>	2,610
18-20	3,243	3,049	2,203	2,074	1,126 <sup>a</sup>	913
21-25	7,860	7,397	3,615	3,421	1,794	1,697
<b>26 or Older</b>	74,084	74,212	16,205	15,834	8,879	8,734
26-49	40,025 <sup>a</sup>	38,886	10,640	10,309	5,669	5,355
26-29	7,267	7,150	2,586	2,617	1,253	1,404
30-34	9,695	9,120	2,824	2,643	1,424	1,252
35-39	9,051	8,534	2,324	2,130	1,289	1,157
40-44	7,215	7,170	1,496	1,489	903	813
45-49	6,797	6,912	1,410	1,431	799	729
50 or Older	34,059	35,326	5,564	5,525	3,211	3,379
50-54	6,715	6,822	1,536	1,458	815	849
55-59	6,618	6,826	1,315	1,441	703	874
60-64	6,756	6,641	1,089	1,085	661	713
65 or Older	13,969	15,036	1,624	1,540	1,032	942

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.5B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	31.6	31.2	8.4	8.1	4.5	4.3
12-20	12.0	11.3	8.2	7.8	4.0 <sup>a</sup>	3.3
21 or Older	34.8	34.4	8.4	8.1	4.5	4.4
<b>12-17</b>	5.3	5.1	3.7	3.6	1.7	1.4
12-13	1.0	1.1	0.6	0.8	0.2	0.2
14-15	4.2	4.2	2.9	3.0	1.0	1.0
16-17	10.4	9.8	7.4	7.0	3.7	3.1
16-25	28.1 <sup>a</sup>	26.8	15.1	14.5	7.6 <sup>a</sup>	6.8
<b>18 or Older</b>	34.2	33.8	8.8	8.5	4.7	4.5
<b>18-25</b>	32.6 <sup>a</sup>	31.0	17.1	16.3	8.6 <sup>a</sup>	7.7
18-20	24.8	23.2	16.9	15.7	8.6 <sup>a</sup>	6.9
21-25	37.5	36.0	17.2	16.6	8.6	8.3
<b>26 or Older</b>	34.5	34.3	7.5	7.3	4.1	4.0
26-49	39.7 <sup>a</sup>	38.4	10.5	10.2	5.6	5.3
26-29	40.8	39.6	14.5	14.5	7.0	7.8
30-34	43.7 <sup>a</sup>	40.9	12.7	11.9	6.4	5.6
35-39	41.3	39.8	10.6	9.9	5.9	5.4
40-44	36.9	37.2	7.6	7.7	4.6	4.2
45-49	35.0	34.1	7.3	7.1	4.1	3.6
50 or Older	29.9	30.6	4.9	4.8	2.8	2.9
50-54	32.6	33.1	7.5	7.1	4.0	4.1
55-59	30.5	32.1	6.1	6.8	3.2	4.1
60-64	33.2	32.3	5.3	5.3	3.2	3.5
65 or Older	27.3	28.5	3.2	2.9	2.0	1.8

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.6A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	221,220	220,958	179,278	179,144	139,835	139,727
12-20	15,120	15,099	12,819	12,765	7,146	7,046
21 or Older	206,099	205,859	166,459	166,379	132,688	132,681
<b>12-17</b>	6,551	6,641	5,191	5,274	2,233	2,346
12-13	616 <sup>a</sup>	735	352	429	75 <sup>a</sup>	135
14-15	2,127	2,086	1,699	1,620	620	619
16-17	3,809	3,819	3,140	3,225	1,538	1,592
16-25	30,919	30,441	28,007	27,504	20,295	19,914
<b>18 or Older</b>	214,668	214,317	174,087	173,870	137,602	137,381
<b>18-25</b>	27,110 <sup>a</sup>	26,622	24,866 <sup>a</sup>	24,279	18,757	18,323
18-20	8,569	8,458	7,629	7,491	4,913	4,700
21-25	18,541	18,164	17,238	16,788	13,844	13,622
<b>26 or Older</b>	187,558	187,695	149,221	149,591	118,844	119,058
26-49	90,230	90,020	77,275	77,609	61,713	62,340
26-29	16,206	16,187	14,422	14,528	11,546	11,717
30-34	19,833	19,983	17,300	17,640	13,768	14,204
35-39	19,559	18,972	16,753	16,305	13,273	13,221
40-44	17,383	17,207	14,682	14,620	11,809	11,668
45-49	17,249	17,670	14,117	14,516	11,317	11,530
50 or Older	97,328	97,675	71,946	71,982	57,131	56,719
50-54	18,254	18,083	15,083	14,435	12,290	11,567
55-59	18,978	18,387	14,643	14,277	11,540	11,111
60-64	17,706	17,928	13,374	13,602	10,827	10,858
65 or Older	42,390	43,278	28,846	29,668	22,474	23,182

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.6B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019**

Age Category	Lifetime (2018)	Lifetime (2019)	Past Year (2018)	Past Year (2019)	Past Month (2018)	Past Month (2019)
<b>TOTAL</b>	80.8	80.3	65.5	65.1	51.1	50.8
12-20	39.8	39.7	33.8	33.5	18.8	18.5
21 or Older	87.4	86.8	70.6	70.2	56.3	55.9
<b>12-17</b>	26.3	26.7	20.8	21.2	9.0	9.4
12-13	7.8	9.0	4.5	5.3	1.0 <sup>a</sup>	1.7
14-15	25.3	24.6	20.2	19.1	7.4	7.3
16-17	44.3	46.2	36.5 <sup>a</sup>	39.0	17.9	19.3
16-25	72.5	72.5	65.7	65.5	47.6	47.4
<b>18 or Older</b>	86.3	85.6	70.0	69.5	55.3	54.9
<b>18-25</b>	79.7	78.9	73.1	72.0	55.1	54.3
18-20	65.6	64.2	58.4	56.9	37.6	35.7
21-25	88.4	88.3	82.2	81.6	66.0	66.2
<b>26 or Older</b>	87.3	86.7	69.5	69.1	55.3	55.0
26-49	89.4	88.9	76.6	76.6	61.1	61.6
26-29	90.9	89.7	80.9	80.5	64.8	64.9
30-34	89.4	89.7	77.9	79.2	62.0	63.8
35-39	89.2	88.6	76.4	76.1	60.5	61.7
40-44	88.8	89.2	75.0	75.8	60.3	60.5
45-49	88.9	87.2	72.7	71.7	58.3	56.9
50 or Older	85.5	84.7	63.2	62.4	50.2	49.2
50-54	88.7	87.7	73.3	70.0	59.7	56.1
55-59	87.4	86.5	67.4	67.1	53.1	52.2
60-64	86.9	87.1	65.7	66.1	53.1	52.8
65 or Older	82.8	81.9	56.3	56.1	43.9	43.9

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.7A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2018 and 2019**

Age Category	Alcohol Use (2018)	Alcohol Use (2019)	Binge Alcohol Use (2018)	Binge Alcohol Use (2019)	Heavy Alcohol Use (2018)	Heavy Alcohol Use (2019)
<b>TOTAL</b>	139,835	139,727	67,059	65,845	16,569	16,044
12-20	7,146	7,046	4,322	4,222	861	825
21 or Older	132,688	132,681	62,737	61,623	15,708	15,218
<b>12-17</b>	2,233	2,346	1,168	1,212	131 <sup>a</sup>	208
12-13	75 <sup>a</sup>	135	25	45	5	*
14-15	620	619	303	272	22	45
16-17	1,538	1,592	840	896	104 <sup>a</sup>	163
16-25	20,295	19,914	12,715	12,455	3,178	3,008
<b>18 or Older</b>	137,602	137,381	65,891	64,633	16,437	15,835
<b>18-25</b>	18,757	18,323	11,876	11,559	3,074	2,844
18-20	4,913	4,700	3,154	3,010	729	617
21-25	13,844	13,622	8,722	8,550	2,345	2,228
<b>26 or Older</b>	118,844	119,058	54,015	53,073	13,363	12,991
26-49	61,713	62,340	33,381	33,413	8,072	7,816
26-29	11,546	11,717	6,824	6,968	1,557	1,709
30-34	13,768	14,204	7,890	8,124	1,976	1,797
35-39	13,273	13,221	6,997	6,925	1,812	1,594
40-44	11,809	11,668	5,990	5,812	1,421	1,298
45-49	11,317	11,530	5,679	5,584	1,306	1,418
50 or Older	57,131	56,719	20,634	19,660	5,291	5,174
50-54	12,290	11,567	5,861	5,293	1,417	1,580
55-59	11,540	11,111	5,171	4,684	1,419	1,215
60-64	10,827	10,858	4,129	4,044	1,179	922
65 or Older	22,474	23,182	5,472	5,639	1,276	1,458

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 2.7B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019**

Age Category	Alcohol Use (2018)	Alcohol Use (2019)	Binge Alcohol Use (2018)	Binge Alcohol Use (2019)	Heavy Alcohol Use (2018)	Heavy Alcohol Use (2019)
<b>TOTAL</b>	51.1	50.8	24.5	23.9	6.1	5.8
12-20	18.8	18.5	11.4	11.1	2.3	2.2
21 or Older	56.3	55.9	26.6	26.0	6.7	6.4
<b>12-17</b>	9.0	9.4	4.7	4.9	0.5 <sup>a</sup>	0.8
12-13	1.0 <sup>a</sup>	1.7	0.3	0.5	0.1	*
14-15	7.4	7.3	3.6	3.2	0.3	0.5
16-17	17.9	19.3	9.8	10.8	1.2 <sup>a</sup>	2.0
16-25	47.6	47.4	29.8	29.7	7.5	7.2
<b>18 or Older</b>	55.3	54.9	26.5	25.8	6.6	6.3
<b>18-25</b>	55.1	54.3	34.9	34.3	9.0	8.4
18-20	37.6	35.7	24.1	22.9	5.6	4.7
21-25	66.0	66.2	41.6	41.6	11.2	10.8
<b>26 or Older</b>	55.3	55.0	25.1	24.5	6.2	6.0
26-49	61.1	61.6	33.1	33.0	8.0	7.7
26-29	64.8	64.9	38.3	38.6	8.7	9.5
30-34	62.0	63.8	35.6	36.5	8.9	8.1
35-39	60.5	61.7	31.9	32.3	8.3	7.4
40-44	60.3	60.5	30.6	30.1	7.3	6.7
45-49	58.3	56.9	29.3	27.6	6.7	7.0
50 or Older	50.2	49.2	18.1	17.1	4.6	4.5
50-54	59.7	56.1	28.5	25.7	6.9	7.7
55-59	53.1	52.2	23.8	22.0	6.5	5.7
60-64	53.1	52.8	20.3	19.7	5.8	4.5
65 or Older	43.9	43.9	10.7	10.7	2.5	2.8

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

<sup>a</sup> The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.