

Table 5.32A Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands and Percentages, 2018 and 2019

| Age Category | Classified as Needing Treatment (Tx) (2018) | Classified as Needing Treatment (Tx) (2019) | Classified as Needing Tx and Received Tx at a Specialty Facility (2018) | Classified as Needing Tx and Received Tx at a Specialty Facility (2019) | Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019) | % Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018) | % Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019) | % Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018) | % Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019) |
|--------------------|---|---|---|---|--|--|---|---|--|--|
| TOTAL | 8,743 | 9,114 | 1,392 | 1,624 | 7,351 | 7,490 | 15.9 | 17.8 | 84.1 | 82.2 |
| 12-20 | 1,741 | 1,847 | 124 | 125 | 1,616 | 1,722 | 7.1 | 6.8 | 92.9 | 93.2 |
| 21 or Older | 7,002 | 7,267 | 1,268 | 1,499 | 5,734 | 5,768 | 18.1 | 20.6 | 81.9 | 79.4 |
| 12-17 | 711 ^a | 911 | 80 | 53 | 631 ^a | 858 | 11.3 ^a | 5.8 | 88.7 ^a | 94.2 |
| 12-13 | 61 | 63 | 1 | 1 | 60 | 62 | * | * | * | * |
| 14-15 | 182 ^a | 335 | 25 | 15 | 156 ^a | 320 | * | * | * | * |
| 16-17 | 468 | 513 | 54 | 37 | 414 | 476 | 11.5 | 7.2 | 88.5 | 92.8 |
| 16-25 | 3,132 | 3,083 | 255 | 268 | 2,877 | 2,815 | 8.1 | 8.7 | 91.9 | 91.3 |
| 18 or Older | 8,031 | 8,204 | 1,312 | 1,572 | 6,720 | 6,632 | 16.3 | 19.2 | 83.7 | 80.8 |
| 18-25 | 2,664 | 2,570 | 201 | 231 | 2,463 | 2,339 | 7.6 | 9.0 | 92.4 | 91.0 |
| 18-20 | 1,030 | 937 | 44 | 73 | 985 | 864 | 4.3 | 7.8 | 95.7 | 92.2 |
| 21-25 | 1,634 | 1,634 | 157 | 158 | 1,477 | 1,475 | 9.6 | 9.7 | 90.4 | 90.3 |
| 26 or Older | 5,368 | 5,633 | 1,111 | 1,341 | 4,257 | 4,293 | 20.7 | 23.8 | 79.3 | 76.2 |
| 26-49 | 3,996 | 4,234 | 868 | 1,044 | 3,128 | 3,189 | 21.7 | 24.7 | 78.3 | 75.3 |
| 26-29 | 1,150 | 1,202 | 216 | 191 | 934 | 1,011 | 18.8 | 15.9 | 81.2 | 84.1 |
| 30-34 | 1,073 | 1,125 | 190 | 288 | 883 | 837 | 17.7 | 25.6 | 82.3 | 74.4 |
| 35-39 | 722 | 899 | 253 | 224 | 469 ^a | 675 | 35.1 | 24.9 | 64.9 | 75.1 |
| 40-44 | 619 | 551 | 133 | 204 | 486 | 347 | 21.5 ^a | 37.1 | 78.5 ^a | 62.9 |
| 45-49 | 431 | 456 | 75 | 137 | 356 | 319 | 17.4 | 30.0 | 82.6 | 70.0 |
| 50 or Older | 1,372 | 1,400 | 243 | 296 | 1,129 | 1,103 | 17.7 | 21.2 | 82.3 | 78.8 |
| 50-54 | 447 | 469 | 62 | 96 | 385 | 373 | * | * | * | * |
| 55-59 | 364 | 360 | 121 | 113 | 243 | 247 | * | * | * | * |
| 60-64 | 356 | 336 | 60 | 66 | 296 | 270 | * | * | * | * |
| 65 or Older | 205 | 235 | * | 21 | 205 | 214 | * | * | * | * |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.32B Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2018 and 2019

| Age Category | Classified as Needing Treatment (Tx) (2018) | Classified as Needing Treatment (Tx) (2019) | Classified as Needing Tx and Received Tx at a Specialty Facility (2018) | Classified as Needing Tx and Received Tx at a Specialty Facility (2019) | Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018) | Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019) | % Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018) | % Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019) | % Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018) | % Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019) |
|--------------------|---|---|---|---|--|--|---|---|--|--|
| TOTAL | 3.2 | 3.3 | 0.5 | 0.6 | 2.7 | 2.7 | 15.9 | 17.8 | 84.1 | 82.2 |
| 12-20 | 4.6 | 4.9 | 0.3 | 0.3 | 4.3 | 4.5 | 7.1 | 6.8 | 92.9 | 93.2 |
| 21 or Older | 3.0 | 3.1 | 0.5 | 0.6 | 2.4 | 2.4 | 18.1 | 20.6 | 81.9 | 79.4 |
| 12-17 | 2.9 ^a | 3.7 | 0.3 | 0.2 | 2.5 ^a | 3.4 | 11.3 ^a | 5.8 | 88.7 ^a | 94.2 |
| 12-13 | 0.8 | 0.8 | 0.0 | 0.0 | 0.8 | 0.8 | * | * | * | * |
| 14-15 | 2.2 ^a | 3.9 | 0.3 | 0.2 | 1.9 ^a | 3.8 | * | * | * | * |
| 16-17 | 5.4 | 6.2 | 0.6 | 0.4 | 4.8 | 5.8 | 11.5 | 7.2 | 88.5 | 92.8 |
| 16-25 | 7.3 | 7.3 | 0.6 | 0.6 | 6.7 | 6.7 | 8.1 | 8.7 | 91.9 | 91.3 |
| 18 or Older | 3.2 | 3.3 | 0.5 | 0.6 | 2.7 | 2.6 | 16.3 | 19.2 | 83.7 | 80.8 |
| 18-25 | 7.8 | 7.6 | 0.6 | 0.7 | 7.2 | 6.9 | 7.6 | 9.0 | 92.4 | 91.0 |
| 18-20 | 7.9 | 7.1 | 0.3 | 0.6 | 7.5 | 6.6 | 4.3 | 7.8 | 95.7 | 92.2 |
| 21-25 | 7.8 | 7.9 | 0.7 | 0.8 | 7.0 | 7.2 | 9.6 | 9.7 | 90.4 | 90.3 |
| 26 or Older | 2.5 | 2.6 | 0.5 | 0.6 | 2.0 | 2.0 | 20.7 | 23.8 | 79.3 | 76.2 |
| 26-49 | 4.0 | 4.2 | 0.9 | 1.0 | 3.1 | 3.1 | 21.7 | 24.7 | 78.3 | 75.3 |
| 26-29 | 6.5 | 6.7 | 1.2 | 1.1 | 5.2 | 5.6 | 18.8 | 15.9 | 81.2 | 84.1 |
| 30-34 | 4.8 | 5.1 | 0.9 | 1.3 | 4.0 | 3.8 | 17.7 | 25.6 | 82.3 | 74.4 |
| 35-39 | 3.3 | 4.2 | 1.2 | 1.0 | 2.1 ^a | 3.1 | 35.1 | 24.9 | 64.9 | 75.1 |
| 40-44 | 3.2 | 2.9 | 0.7 | 1.1 | 2.5 | 1.8 | 21.5 ^a | 37.1 | 78.5 ^a | 62.9 |
| 45-49 | 2.2 | 2.3 | 0.4 | 0.7 | 1.8 | 1.6 | 17.4 | 30.0 | 82.6 | 70.0 |
| 50 or Older | 1.2 | 1.2 | 0.2 | 0.3 | 1.0 | 1.0 | 17.7 | 21.2 | 82.3 | 78.8 |
| 50-54 | 2.2 | 2.3 | 0.3 | 0.5 | 1.9 | 1.8 | * | * | * | * |
| 55-59 | 1.7 | 1.7 | 0.6 | 0.5 | 1.1 | 1.2 | * | * | * | * |
| 60-64 | 1.7 | 1.6 | 0.3 | 0.3 | 1.5 | 1.3 | * | * | * | * |
| 65 or Older | 0.4 | 0.4 | * | 0.0 | 0.4 | 0.4 | * | * | * | * |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.