

Table 5.33C Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	277	265	97	111	252	234	1.01	1.08	1.01	1.08
AGE GROUP										
12-17	40	51	15	13	38	48	2.03	1.37	2.03	1.37
18 or Older	274	256	96	109	248	227	1.08	1.18	1.08	1.18
18-25	93	88	24	28	91	86	0.89	1.07	0.89	1.07
26 or Older	247	228	93	105	223	200	1.58	1.64	1.58	1.64
GENDER										
Male	222	202	80	88	201	180	1.35	1.44	1.35	1.44
Female	148	151	57	64	136	139	1.53	1.60	1.53	1.60
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	249	239	93	108	221	205	1.12	1.22	1.12	1.22
White	210	203	88	97	184	170	1.40	1.43	1.40	1.43
Black or African American	105	95	31	39	99	83	2.58	2.82	2.58	2.82
AIAN	15	15	1	5	15	14	*	*	*	*
NHOPI	22	13	1	10	22	9	*	*	*	*
Asian	41	50	15	1	39	50	*	*	*	*
Two or More Races	36	42	5	20	35	36	2.08	*	2.08	*
Hispanic or Latino	117	100	29	29	117	96	2.09	1.85	2.09	1.85

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.33D Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	0.10	0.10	0.04	0.04	0.09	0.09	1.01	1.08	1.01	1.08
AGE GROUP										
12-17	0.16	0.20	0.06	0.05	0.15	0.19	2.03	1.37	2.03	1.37
18 or Older	0.11	0.10	0.04	0.04	0.10	0.09	1.08	1.18	1.08	1.18
18-25	0.27	0.26	0.07	0.08	0.27	0.26	0.89	1.07	0.89	1.07
26 or Older	0.11	0.11	0.04	0.05	0.10	0.09	1.58	1.64	1.58	1.64
GENDER										
Male	0.17	0.15	0.06	0.07	0.15	0.13	1.35	1.44	1.35	1.44
Female	0.10	0.11	0.04	0.05	0.10	0.10	1.53	1.60	1.53	1.60
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.11	0.10	0.04	0.05	0.10	0.09	1.12	1.22	1.12	1.22
White	0.12	0.12	0.05	0.06	0.11	0.10	1.40	1.43	1.40	1.43
Black or African American	0.32	0.29	0.09	0.12	0.30	0.25	2.58	2.82	2.58	2.82
AIAN	0.86	0.98	0.08	0.33	0.85	0.91	*	*	*	*
NHOPI	2.09	1.16	0.12	0.86	2.08	0.79	*	*	*	*
Asian	0.26	0.31	0.10	0.01	0.25	0.31	*	*	*	*
Two or More Races	0.69	0.75	0.11	0.38	0.68	0.65	2.08	*	2.08	*
Hispanic or Latino	0.25	0.21	0.06	0.06	0.25	0.20	2.09	1.85	2.09	1.85

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.33P Classified as Needing Illicit Drug Use Treatment and Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	0.3932		0.1256		0.7681		0.1905		0.1905	
AGE GROUP										
12-17	0.0025		0.1703		0.0002		0.0226		0.0226	
18 or Older	0.7383		0.0808		0.7029		0.0728		0.0728	
18-25	0.5829		0.4135		0.4067		0.3154		0.3154	
26 or Older	0.5122		0.1114		1.0000		0.1714		0.1714	
GENDER										
Male	0.7791		0.1739		0.7721		0.1648		0.1648	
Female	0.2530		0.4670		0.3470		0.7957		0.7957	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.3896		0.0939		0.8548		0.1310		0.1310	
White	0.5264		0.2109		0.9506		0.2517		0.2517	
Black or African American	0.6793		0.5711		0.8125		0.6451		0.6451	
AIAN	0.4884		0.3190		0.6532		*		*	
NHOPI	0.5799		0.1249		0.2328		*		*	
Asian	0.9010		0.1566		0.8256		*		*	
Two or More Races	0.2236		0.0170		0.7883		*		*	
Hispanic or Latino	0.8349		0.7440		0.7646		0.6876		0.6876	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.36C Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	362	352	124	123	344	330	0.76	0.76	0.76	0.76
AGE GROUP										
12-17	35	31	9	6	34	30	2.09	1.39	2.09	1.39
18 or Older	361	349	124	123	343	327	0.78	0.78	0.78	0.78
18-25	105	98	24	27	103	93	0.66	0.82	0.66	0.82
26 or Older	342	331	120	121	327	305	0.99	0.97	0.99	0.97
GENDER										
Male	296	287	109	106	277	271	1.05	1.04	1.05	1.04
Female	204	186	56	61	198	179	0.94	1.03	0.94	1.03
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	327	324	104	119	315	301	0.77	0.86	0.77	0.86
White	293	282	94	111	281	259	0.87	1.01	0.87	1.01
Black or African American	106	103	24	33	105	99	1.58	1.95	1.58	1.95
AIAN	39	18	*	8	21	15	*	*	*	*
NHOPI	26	16	*	9	25	13	*	*	*	*
Asian	80	83	2	8	80	83	*	1.59	*	1.59
Two or More Races	39	58	16	22	35	53	*	*	*	*
Hispanic or Latino	154	128	66	37	142	127	2.47	1.59	2.47	1.59

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.36D Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	0.13	0.13	0.05	0.04	0.13	0.12	0.76	0.76	0.76	0.76
AGE GROUP										
12-17	0.14	0.12	0.04	0.02	0.14	0.12	2.09	1.39	2.09	1.39
18 or Older	0.15	0.14	0.05	0.05	0.14	0.13	0.78	0.78	0.78	0.78
18-25	0.31	0.29	0.07	0.08	0.30	0.28	0.66	0.82	0.66	0.82
26 or Older	0.16	0.15	0.06	0.06	0.15	0.14	0.99	0.97	0.99	0.97
GENDER										
Male	0.22	0.22	0.08	0.08	0.21	0.20	1.05	1.04	1.05	1.04
Female	0.14	0.13	0.04	0.04	0.14	0.13	0.94	1.03	0.94	1.03
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.14	0.14	0.05	0.05	0.14	0.13	0.77	0.86	0.77	0.86
White	0.17	0.17	0.06	0.07	0.16	0.15	0.87	1.01	0.87	1.01
Black or African American	0.32	0.31	0.07	0.10	0.32	0.30	1.58	1.95	1.58	1.95
AIAN	2.14	1.21	*	0.55	1.18	1.05	*	*	*	*
NHOPI	2.35	1.37	*	0.82	2.26	1.12	*	*	*	*
Asian	0.50	0.51	0.02	0.05	0.50	0.51	*	1.59	*	1.59
Two or More Races	0.76	1.03	0.31	0.41	0.69	0.96	*	*	*	*
Hispanic or Latino	0.33	0.27	0.14	0.08	0.30	0.27	2.47	1.59	2.47	1.59

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.36P Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	0.5196		0.7700		0.4277		0.6137		0.6137	
AGE GROUP										
12-17	0.9922		0.5356		0.8882		0.5250		0.5250	
18 or Older	0.5129		0.7420		0.4136		0.5825		0.5825	
18-25	0.0532		0.8375		0.0401		0.5245		0.5245	
26 or Older	0.9441		0.7744		0.8560		0.7405		0.7405	
GENDER										
Male	0.5808		0.6820		0.4568		0.5507		0.5507	
Female	0.7133		0.8868		0.7345		0.9658		0.9658	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.9582		0.7002		0.8491		0.6698		0.6698	
White	0.9926		0.9470		0.9882		0.9455		0.9455	
Black or African American	0.6377		0.1998		0.9115		0.2498		0.2498	
AIAN	0.2840		*		0.6135		*		*	
NHOPI	0.3299		*		0.2182		*		*	
Asian	0.4660		0.1336		0.3896		*		*	
Two or More Races	0.3825		0.6616		0.4554		*		*	
Hispanic or Latino	0.1437		0.9154		0.1269		0.8438		0.8438	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.38C Classified as Needing Substance Use Treatment and Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	415	415	148	149	390	395	0.65	0.66	0.65	0.66
AGE GROUP										
12-17	48	55	15	14	46	52	1.56	1.19	1.56	1.19
18 or Older	412	406	148	148	387	387	0.68	0.69	0.68	0.69
18-25	122	112	31	37	119	108	0.57	0.73	0.57	0.73
26 or Older	391	381	143	143	368	360	0.89	0.87	0.89	0.87
GENDER										
Male	342	328	126	128	318	315	0.89	0.91	0.89	0.91
Female	235	224	74	80	227	216	0.90	0.95	0.90	0.95
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	375	378	128	148	353	354	0.68	0.76	0.68	0.76
White	333	326	115	133	316	303	0.78	0.87	0.78	0.87
Black or African American	134	133	37	48	130	122	1.52	1.74	1.52	1.74
AIAN	42	23	33	8	26	21	*	*	*	*
NHOPI	28	21	8	13	26	16	*	*	*	*
Asian	88	91	15	9	86	90	1.94	1.31	1.94	1.31
Two or More Races	49	69	17	31	46	61	3.35	4.26	3.35	4.26
Hispanic or Latino	179	160	71	40	169	156	1.98	1.18	1.98	1.18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.38D Classified as Needing Substance Use Treatment and Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	0.15	0.15	0.05	0.05	0.14	0.14	0.65	0.66	0.65	0.66
AGE GROUP										
12-17	0.19	0.22	0.06	0.06	0.18	0.21	1.56	1.19	1.56	1.19
18 or Older	0.17	0.16	0.06	0.06	0.16	0.15	0.68	0.69	0.68	0.69
18-25	0.36	0.33	0.09	0.11	0.35	0.32	0.57	0.73	0.57	0.73
26 or Older	0.18	0.18	0.07	0.07	0.17	0.17	0.89	0.87	0.89	0.87
GENDER										
Male	0.26	0.25	0.10	0.10	0.24	0.24	0.89	0.91	0.89	0.91
Female	0.17	0.16	0.05	0.06	0.16	0.15	0.90	0.95	0.90	0.95
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.17	0.17	0.06	0.06	0.16	0.16	0.68	0.76	0.68	0.76
White	0.19	0.19	0.07	0.08	0.19	0.18	0.78	0.87	0.78	0.87
Black or African American	0.41	0.40	0.11	0.14	0.39	0.37	1.52	1.74	1.52	1.74
AIAN	2.31	1.58	1.92	0.55	1.50	1.45	*	*	*	*
NHOPI	2.49	1.78	0.74	1.20	2.40	1.34	*	*	*	*
Asian	0.54	0.55	0.10	0.06	0.53	0.55	1.94	1.31	1.94	1.31
Two or More Races	0.94	1.20	0.33	0.57	0.89	1.07	3.35	4.26	3.35	4.26
Hispanic or Latino	0.38	0.34	0.15	0.08	0.36	0.33	1.98	1.18	1.98	1.18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.38P Classified as Needing Substance Use Treatment and Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Treatment (Tx) (2019)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2019)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2019)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2019)
TOTAL	0.7449		0.1906		0.8897		0.2001		0.2001	
AGE GROUP										
12-17	0.0080		0.4795		0.0025		0.1490		0.1490	
18 or Older	0.9891		0.1658		0.5964		0.1390		0.1390	
18-25	0.0495		0.5445		0.0251		0.2705		0.2705	
26 or Older	0.5173		0.2020		0.8365		0.2738		0.2738	
GENDER										
Male	0.8214		0.2498		0.8325		0.2532		0.2532	
Female	0.7961		0.5657		0.9505		0.6085		0.6085	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.4785		0.0803		0.9353		0.1049		0.1049	
White	0.6486		0.1893		0.9686		0.2134		0.2134	
Black or African American	0.3928		0.2844		0.5873		0.4063		0.4063	
AIAN	0.4212		0.2814		0.9497		*		*	
NHOPI	0.8184		0.1434		0.3159		*		*	
Asian	0.3855		0.7376		0.4097		0.8625		0.8625	
Two or More Races	0.0468		0.0689		0.2020		0.1581		0.1581	
Hispanic or Latino	0.4779		0.4295		0.6254		0.4972		0.4972	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.