

Table 5.6C Illicit Drug Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	266	250	39	50	263	242	92	88	236	213
GEOGRAPHIC REGION										
Northeast	122	95	13	16	120	92	38	37	107	82
Midwest	102	108	20	20	102	106	42	38	89	94
South	148	142	23	32	145	138	53	54	135	120
West	151	149	21	27	150	145	53	51	132	127
COUNTY TYPE										
Large Metro	221	205	33	42	217	198	80	83	199	172
Small Metro	151	133	20	25	150	130	62	51	129	116
Nonmetro	78	81	11	14	76	77	29	30	66	69
Urbanized	52	61	7	11	51	57	23	24	40	50
Less Urbanized	55	51	8	7	54	51	17	15	49	46
Completely Rural	12	21	4	3	11	21	4	9	10	18
POVERTY LEVEL¹										
Less Than 100%	139	117	16	24	137	111	55	51	124	97
100-199%	125	105	19	23	124	101	46	43	113	91
200% or More	186	187	31	37	181	183	65	67	166	163
HEALTH INSURANCE²										
Private	178	169	29	35	173	164	83	80	146	138
Medicaid/CHIP	142	131	24	35	140	122	43	42	132	115
Other ³	104	89	9	12	104	91	20	29	102	86
No Coverage	96	103	10	11	95	102	34	36	88	97

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.6D Illicit Drug Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.10	0.09	0.16	0.20	0.11	0.10	0.27	0.26	0.11	0.10
GEOGRAPHIC REGION										
Northeast	0.26	0.20	0.33	0.41	0.27	0.21	0.65	0.64	0.28	0.21
Midwest	0.18	0.19	0.37	0.38	0.20	0.20	0.58	0.53	0.20	0.21
South	0.14	0.14	0.24	0.33	0.15	0.14	0.42	0.42	0.17	0.15
West	0.23	0.23	0.35	0.46	0.25	0.24	0.65	0.63	0.26	0.25
COUNTY TYPE										
Large Metro	0.14	0.13	0.23	0.30	0.15	0.14	0.38	0.38	0.16	0.14
Small Metro	0.18	0.15	0.27	0.32	0.19	0.16	0.51	0.43	0.20	0.17
Nonmetro	0.18	0.21	0.30	0.39	0.20	0.22	0.58	0.63	0.20	0.23
Urbanized	0.27	0.35	0.48	0.70	0.29	0.36	1.02	1.05	0.27	0.39
Less Urbanized	0.28	0.28	0.44	0.41	0.31	0.31	0.73	0.74	0.34	0.32
Completely Rural	0.32	0.46	0.89	0.83	0.34	0.51	1.09	2.23	0.33	0.48
POVERTY LEVEL¹										
Less Than 100%	0.33	0.30	0.29	0.46	0.38	0.34	0.57	0.52	0.46	0.39
100-199%	0.23	0.20	0.36	0.43	0.25	0.21	0.53	0.52	0.27	0.23
200% or More	0.10	0.10	0.21	0.25	0.11	0.11	0.37	0.39	0.11	0.10
HEALTH INSURANCE²										
Private	0.10	0.09	0.20	0.24	0.10	0.10	0.36	0.35	0.10	0.09
Medicaid/CHIP	0.30	0.29	0.25	0.36	0.38	0.34	0.55	0.56	0.44	0.40
Other ³	0.15	0.13	0.72	0.93	0.15	0.13	0.80	1.09	0.15	0.13
No Coverage	0.37	0.37	0.90	0.94	0.38	0.39	0.68	0.69	0.44	0.45

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.6P Illicit Drug Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.6293		0.0009		0.9189		0.6241		0.8716	
GEOGRAPHIC REGION										
Northeast	0.7936		0.0003		0.4477		0.7121		0.5068	
Midwest	0.4499		0.9171		0.4313		0.3794		0.2013	
South	0.5041		0.4095		0.3991		0.9460		0.3624	
West	0.2326		0.0011		0.4983		0.9631		0.4211	
COUNTY TYPE										
Large Metro	0.3263		0.0039		0.6238		0.8494		0.5782	
Small Metro	0.2802		0.0796		0.1621		0.1026		0.4287	
Nonmetro	0.5104		0.6210		0.5498		0.4934		0.7580	
Urbanized	0.0418		0.4458		0.0496		0.5575		0.0932	
Less Urbanized	0.1589		0.8978		0.1491		0.8103		0.1695	
Completely Rural	0.2377		0.4939		0.1900		0.2569		0.2970	
POVERTY LEVEL¹										
Less Than 100%	0.8058		0.0080		0.4745		0.1647		0.8072	
100-199%	0.8346		0.0091		0.4803		0.5447		0.6467	
200% or More	0.1750		0.2182		0.2501		0.4229		0.3132	
HEALTH INSURANCE²										
Private	0.9603		0.0666		0.6859		0.7717		0.7669	
Medicaid/CHIP	0.5411		0.0031		0.9751		0.6214		0.9189	
Other ³	0.6213		0.2925		0.5433		0.1642		0.3342	
No Coverage	0.3797		0.9318		0.3805		0.8766		0.2957	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.7C Alcohol Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)	Aged 12-20 (2018)	Aged 12-20 (2019)	Aged 21+ (2018)	Aged 21+ (2019)
TOTAL	353	337	34	31	352	334	104	97	333	312	73	69	366	348
GEOGRAPHIC REGION														
Northeast	151	133	12	11	150	132	47	40	144	120	35	25	153	134
Midwest	151	132	13	14	150	132	45	43	138	124	33	33	157	134
South	202	206	18	19	202	203	59	57	190	192	39	45	208	209
West	196	196	22	18	197	195	57	54	185	182	38	33	203	203
COUNTY TYPE														
Large Metro	306	296	28	25	305	294	88	87	289	273	49	51	301	290
Small Metro	194	197	14	17	194	195	76	59	171	178	45	40	185	189
Nonmetro	110	126	11	10	110	125	34	35	106	117	26	24	108	122
Urbanized	82	108	5	7	82	107	25	27	77	100	16	16	80	105
Less Urbanized	73	68	10	7	72	67	25	18	67	64	20	14	70	66
Completely Rural	31	31	2	4	31	29	6	12	31	24	5	11	31	26
POVERTY LEVEL¹														
Less Than 100%	148	129	15	13	146	128	60	49	131	119	36	28	140	124
100-199%	145	134	14	14	144	134	47	46	132	126	30	26	139	130
200% or More	306	307	26	26	305	306	79	81	292	288	47	48	304	302
HEALTH INSURANCE²														
Private	307	290	28	24	307	289	101	91	287	273	57	54	301	286
Medicaid/CHIP	152	137	18	19	150	135	44	45	144	125	33	36	149	129
Other ³	144	168	6	7	144	167	29	29	142	165	16	15	143	167
No Coverage	110	124	6	5	110	124	34	33	107	119	17	16	108	122

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.7D Alcohol Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)	Aged 12-20 (2018)	Aged 12-20 (2019)	Aged 21+ (2018)	Aged 21+ (2019)
TOTAL	0.13	0.12	0.14	0.12	0.14	0.13	0.31	0.29	0.16	0.14	0.19	0.17	0.15	0.14
GEOGRAPHIC REGION														
Northeast	0.32	0.28	0.30	0.28	0.34	0.30	0.80	0.69	0.38	0.32	0.53	0.40	0.36	0.30
Midwest	0.26	0.23	0.24	0.27	0.29	0.25	0.62	0.60	0.31	0.28	0.38	0.38	0.30	0.26
South	0.20	0.20	0.19	0.19	0.22	0.21	0.46	0.45	0.23	0.23	0.26	0.28	0.22	0.22
West	0.30	0.30	0.36	0.29	0.33	0.33	0.69	0.67	0.36	0.35	0.41	0.35	0.35	0.34
COUNTY TYPE														
Large Metro	0.18	0.18	0.20	0.18	0.20	0.20	0.41	0.43	0.23	0.21	0.22	0.24	0.21	0.20
Small Metro	0.23	0.21	0.19	0.21	0.25	0.23	0.59	0.45	0.26	0.25	0.36	0.30	0.25	0.24
Nonmetro	0.25	0.31	0.31	0.28	0.28	0.34	0.68	0.70	0.31	0.37	0.47	0.42	0.29	0.35
Urbanized	0.41	0.58	0.36	0.43	0.45	0.64	1.08	1.11	0.49	0.70	0.70	0.65	0.46	0.67
Less Urbanized	0.36	0.36	0.53	0.40	0.39	0.40	1.00	0.80	0.44	0.44	0.73	0.53	0.41	0.41
Completely Rural	0.78	0.65	0.62	0.96	0.86	0.69	1.78	2.54	0.94	0.67	1.09	1.77	0.89	0.67
POVERTY LEVEL¹														
Less Than 100%	0.36	0.34	0.27	0.26	0.41	0.39	0.61	0.58	0.49	0.48	0.39	0.32	0.44	0.42
100-199%	0.26	0.25	0.27	0.26	0.29	0.27	0.53	0.56	0.32	0.31	0.36	0.32	0.30	0.29
200% or More	0.16	0.16	0.18	0.17	0.17	0.17	0.44	0.45	0.19	0.18	0.23	0.23	0.18	0.17
HEALTH INSURANCE²														
Private	0.16	0.15	0.19	0.17	0.18	0.16	0.42	0.39	0.19	0.18	0.26	0.23	0.18	0.17
Medicaid/CHIP	0.32	0.30	0.19	0.20	0.40	0.37	0.56	0.58	0.48	0.43	0.25	0.27	0.44	0.39
Other ³	0.21	0.23	0.47	0.60	0.21	0.24	1.08	1.09	0.22	0.24	0.72	0.67	0.21	0.24
No Coverage	0.42	0.44	0.57	0.47	0.44	0.46	0.69	0.65	0.53	0.54	0.58	0.53	0.47	0.48

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.7P Alcohol Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)	Aged 12-20 (2018)	Aged 12-20 (2019)	Aged 21+ (2018)	Aged 21+ (2019)
TOTAL	0.4302		0.7722		0.4077		0.0688		0.7899		0.1772		0.5844	
GEOGRAPHIC REGION														
Northeast	0.1328		0.6166		0.1176		0.0450		0.3173		0.3409		0.1739	
Midwest	0.1446		0.3319		0.1715		0.8621		0.1661		0.7386		0.1625	
South	0.8334		0.9198		0.8353		0.3821		0.9490		0.5605		0.9232	
West	0.2580		0.7083		0.2721		0.3195		0.4049		0.1562		0.3661	
COUNTY TYPE														
Large Metro	0.1958		0.9675		0.1748		0.9859		0.1684		0.7868		0.1909	
Small Metro	0.6914		0.6960		0.6977		0.0128		0.1991		0.0986		0.4513	
Nonmetro	0.8902		0.8404		0.8731		0.1177		0.5717		0.4669		0.7484	
Urbanized	0.2540		0.3351		0.2443		0.1690		0.1647		0.8897		0.2271	
Less Urbanized	0.1859		0.3059		0.2256		0.0430		0.5907		0.0522		0.4006	
Completely Rural	0.6203		0.1876		0.7231		0.0536		0.8458		0.2021		0.9024	
POVERTY LEVEL¹														
Less Than 100%	0.3638		0.7609		0.3359		0.3155		0.5149		0.3034		0.5011	
100-199%	0.8195		0.7293		0.8008		0.2501		0.4652		0.2601		0.6134	
200% or More	0.5149		0.9801		0.5053		0.2697		0.7156		0.6367		0.5504	
HEALTH INSURANCE²														
Private	0.5689		0.6617		0.5969		0.1119		0.9519		0.0613		0.8196	
Medicaid/CHIP	0.1808		0.1798		0.1367		0.9868		0.1132		0.2975		0.1121	
Other ³	0.1299		0.8020		0.1317		0.8893		0.1170		0.6052		0.1189	
No Coverage	0.7240		0.7179		0.7368		0.2508		0.9944		0.4261		0.7772	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.8C Substance Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	409	407	47	54	407	398	122	112	385	369
GEOGRAPHIC REGION										
Northeast	183	160	17	17	181	158	56	47	174	142
Midwest	167	168	21	23	166	165	52	51	150	153
South	236	233	27	34	235	227	75	66	221	211
West	228	236	27	29	230	232	70	64	213	215
COUNTY TYPE										
Large Metro	369	351	40	45	366	344	111	110	346	315
Small Metro	234	229	23	28	233	223	95	75	203	201
Nonmetro	134	156	14	17	132	151	43	44	124	137
Urbanized	96	130	8	12	96	126	33	36	86	114
Less Urbanized	91	83	12	9	89	82	29	22	83	76
Completely Rural	34	42	4	5	33	40	7	14	32	34
POVERTY LEVEL¹										
Less Than 100%	184	162	20	27	181	157	80	64	163	141
100-199%	178	169	22	25	177	166	59	60	164	154
200% or More	350	350	38	41	345	347	94	94	331	326
HEALTH INSURANCE²										
Private	347	333	37	39	345	329	123	110	317	306
Medicaid/CHIP	189	171	27	38	187	163	58	54	178	153
Other ³	176	182	9	13	175	182	32	38	174	179
No Coverage	138	154	11	12	137	154	45	47	131	147

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.8D Substance Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.15	0.15	0.19	0.22	0.16	0.16	0.36	0.33	0.18	0.17
GEOGRAPHIC REGION										
Northeast	0.38	0.34	0.42	0.43	0.41	0.36	0.95	0.82	0.46	0.37
Midwest	0.29	0.29	0.40	0.43	0.32	0.32	0.72	0.71	0.34	0.34
South	0.23	0.22	0.28	0.35	0.25	0.24	0.59	0.52	0.27	0.26
West	0.35	0.36	0.45	0.49	0.39	0.39	0.86	0.78	0.42	0.42
COUNTY TYPE										
Large Metro	0.22	0.21	0.28	0.32	0.24	0.23	0.49	0.48	0.27	0.25
Small Metro	0.26	0.24	0.30	0.35	0.29	0.26	0.69	0.56	0.30	0.28
Nonmetro	0.29	0.38	0.39	0.43	0.32	0.41	0.80	0.86	0.35	0.43
Urbanized	0.47	0.67	0.52	0.74	0.51	0.72	1.29	1.40	0.54	0.78
Less Urbanized	0.42	0.44	0.63	0.54	0.47	0.48	1.10	0.93	0.53	0.51
Completely Rural	0.82	0.87	0.91	1.22	0.90	0.93	2.04	2.99	0.97	0.92
POVERTY LEVEL¹										
Less Than 100%	0.43	0.41	0.36	0.51	0.49	0.47	0.74	0.64	0.59	0.57
100-199%	0.32	0.31	0.42	0.46	0.35	0.34	0.64	0.70	0.39	0.38
200% or More	0.18	0.18	0.26	0.27	0.19	0.19	0.50	0.51	0.21	0.20
HEALTH INSURANCE²										
Private	0.18	0.17	0.25	0.26	0.19	0.19	0.48	0.44	0.21	0.20
Medicaid/CHIP	0.40	0.37	0.28	0.39	0.50	0.44	0.71	0.69	0.59	0.53
Other ³	0.25	0.25	0.75	1.07	0.26	0.26	1.18	1.41	0.26	0.26
No Coverage	0.53	0.54	0.94	1.00	0.55	0.56	0.89	0.86	0.65	0.66

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 5.8P Substance Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2019 Versus 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2018)	Aged 12+ (2019)	Aged 12-17 (2018)	Aged 12-17 (2019)	Aged 18+ (2018)	Aged 18+ (2019)	Aged 18-25 (2018)	Aged 18-25 (2019)	Aged 26+ (2018)	Aged 26+ (2019)
TOTAL	0.9499		0.0048		0.7661		0.0674		0.7517	
GEOGRAPHIC REGION										
Northeast	0.1948		0.0182		0.1234		0.0890		0.2740	
Midwest	0.0639		0.6681		0.0696		0.8575		0.0454	
South	0.5636		0.3418		0.4705		0.3122		0.6806	
West	0.7008		0.0191		0.9232		0.4596		0.7045	
COUNTY TYPE										
Large Metro	0.8189		0.0366		0.5954		0.9762		0.6310	
Small Metro	0.9257		0.0391		0.9000		0.0037		0.3572	
Nonmetro	0.5689		0.5802		0.5810		0.4464		0.4617	
Urbanized	0.0454		0.4810		0.0412		0.5259		0.0345	
Less Urbanized	0.0746		0.7873		0.0768		0.1091		0.2025	
Completely Rural	0.3726		0.2916		0.4288		0.0612		0.7693	
POVERTY LEVEL¹										
Less Than 100%	0.6565		0.0156		0.4082		0.0348		0.9210	
100-199%	0.5083		0.0278		0.6897		0.6171		0.4980	
200% or More	0.9288		0.3712		0.9789		0.4621		0.8237	
HEALTH INSURANCE²										
Private	0.7700		0.2445		0.6717		0.1454		0.9785	
Medicaid/CHIP	0.8649		0.0055		0.5148		0.6256		0.5786	
Other ³	0.3118		0.1396		0.3585		0.4891		0.4149	
No Coverage	0.7675		0.7668		0.7859		0.2291		0.4882	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.