

**Table 6.4C Nicotine (Cigarette) Dependence in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	497	495	22	21	495	491	88	88	484	480
<b>GEOGRAPHIC REGION</b>										
Northeast	193	198	7	8	192	198	37	38	186	188
Midwest	235	214	10	11	237	213	49	40	226	207
South	319	343	17	14	315	341	58	54	310	328
West	233	226	9	8	233	224	40	39	228	223
<b>COUNTY TYPE</b>										
Large Metro	383	384	17	11	382	384	67	67	370	377
Small Metro	303	342	13	14	302	341	56	55	290	321
Nonmetro	266	252	10	11	264	251	44	38	249	241
Urbanized	176	190	4	7	175	189	29	29	166	178
Less Urbanized	185	167	8	6	184	166	29	25	173	160
Completely Rural	101	79	3	6	100	78	16	11	90	74
<b>POVERTY<sup>1</sup></b>										
Less Than 100%	270	258	13	11	269	258	49	52	260	247
100-199%	258	283	11	10	256	282	53	47	251	277
200% or More	350	355	15	14	351	355	59	60	348	348
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	349	347	15	13	349	347	59	58	343	345
Medicaid/CHIP	274	276	14	15	273	276	55	47	264	271
Other <sup>3</sup>	285	274	5	4	284	274	21	26	283	273
No Coverage	200	221	8	7	200	220	47	46	194	213

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 6.4D Nicotine (Cigarette) Dependence in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2018 and 2019**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	0.18	0.18	0.09	0.08	0.20	0.20	0.26	0.26	0.23	0.22
<b>GEOGRAPHIC REGION</b>										
Northeast	0.40	0.42	0.18	0.21	0.44	0.45	0.63	0.66	0.49	0.50
Midwest	0.41	0.37	0.19	0.20	0.46	0.41	0.67	0.56	0.51	0.46
South	0.31	0.33	0.18	0.14	0.33	0.36	0.46	0.42	0.38	0.40
West	0.36	0.35	0.15	0.13	0.39	0.38	0.49	0.49	0.45	0.43
<b>COUNTY TYPE</b>										
Large Metro	0.24	0.23	0.12	0.08	0.26	0.25	0.33	0.33	0.29	0.28
Small Metro	0.33	0.36	0.18	0.18	0.37	0.40	0.50	0.49	0.41	0.44
Nonmetro	0.55	0.57	0.28	0.30	0.60	0.63	0.89	0.79	0.66	0.71
Urbanized	0.82	0.99	0.29	0.44	0.89	1.08	1.24	1.24	0.98	1.23
Less Urbanized	0.79	0.76	0.47	0.37	0.87	0.84	1.30	1.15	0.96	0.95
Completely Rural	1.67	1.26	0.85	1.31	1.84	1.37	3.54	2.70	1.91	1.46
<b>POVERTY<sup>1</sup></b>										
Less Than 100%	0.58	0.59	0.24	0.22	0.67	0.68	0.57	0.58	0.85	0.86
100-199%	0.45	0.49	0.20	0.19	0.49	0.54	0.58	0.59	0.58	0.64
200% or More	0.19	0.19	0.10	0.10	0.21	0.20	0.33	0.34	0.23	0.22
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.19	0.19	0.10	0.09	0.21	0.20	0.28	0.27	0.23	0.23
Medicaid/CHIP	0.52	0.52	0.15	0.15	0.65	0.64	0.68	0.59	0.79	0.80
Other <sup>3</sup>	0.39	0.39	0.40	0.30	0.40	0.39	0.81	0.96	0.41	0.41
No Coverage	0.68	0.71	0.74	0.58	0.71	0.74	0.84	0.86	0.86	0.89

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 6.4P Nicotine (Cigarette) Dependence in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+ (2018)</b>	<b>Aged 12+ (2019)</b>	<b>Aged 12-17 (2018)</b>	<b>Aged 12-17 (2019)</b>	<b>Aged 18+ (2018)</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18-25 (2018)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 26+ (2018)</b>	<b>Aged 26+ (2019)</b>
<b>TOTAL</b>	0.6433		0.4485		0.6521		0.0420		0.9100	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.4918		0.5151		0.4696		0.3219		0.5671	
Midwest	0.2488		0.7564		0.2604		0.1306		0.1474	
South	0.2569		0.0957		0.2823		0.1017		0.4011	
West	0.9460		0.8930		0.9537		0.7579		0.9969	
<b>COUNTY TYPE</b>										
Large Metro	0.6618		0.1569		0.6475		0.2037		0.7887	
Small Metro	0.9782		0.9523		0.9450		0.7702		0.9191	
Nonmetro	0.8752		0.9040		0.9471		0.0115		0.7289	
Urbanized	0.5016		0.3680		0.4224		0.0374		0.2375	
Less Urbanized	0.6970		0.2705		0.7228		0.4325		0.7978	
Completely Rural	0.1015		0.3653		0.0814		0.0852		0.1615	
<b>POVERTY<sup>1</sup></b>										
Less Than 100%	0.8818		0.4476		0.8873		0.9908		0.9124	
100-199%	0.2085		0.7411		0.1642		0.0277		0.0780	
200% or More	0.5231		0.8901		0.5120		0.4307		0.5957	
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.9208		0.8252		0.9331		0.3942		0.9559	
Medicaid/CHIP	0.7750		0.6386		0.6847		0.0042		0.2930	
Other <sup>3</sup>	0.6738		0.4457		0.6873		0.1046		0.5875	
No Coverage	0.9713		0.2571		0.9950		0.5300		0.9299	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.