

**Table 7.62C Classified as Needing Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Age Group: Standard Errors of Numbers in Thousands, 2015-2019**

<b>Substance for Which Treatment Was Needed/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>ILLCIT DRUGS</b>	240	238	231	277	265
12-17	43	44	39	40	51
18 or Older	235	232	227	274	256
18-25	92	93	92	93	88
26 or Older	216	207	204	247	228
<b>ALCOHOL</b>	360	354	346	362	352
12-17	38	34	32	35	31
18 or Older	355	354	344	361	349
18-25	113	111	106	105	98
26 or Older	329	333	324	342	331
<b>ILLCIT DRUGS OR ALCOHOL<sup>1</sup></b>	403	407	396	415	415
12-17	51	50	47	48	55
18 or Older	399	406	395	412	406
18-25	130	130	123	122	112
26 or Older	369	377	366	391	381

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.62D Classified as Needing Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Age Group: Standard Errors of Percentages, 2015-2019**

<b>Substance for Which Treatment Was Needed/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>ILLCIT DRUGS</b>	0.09	0.09	0.08	0.10	0.10
12-17	0.17	0.18	0.16	0.16	0.20
18 or Older	0.10	0.09	0.09	0.11	0.10
18-25	0.26	0.27	0.27	0.27	0.26
26 or Older	0.10	0.10	0.10	0.11	0.11
<b>ALCOHOL</b>	0.13	0.13	0.13	0.13	0.13
12-17	0.15	0.14	0.13	0.14	0.12
18 or Older	0.15	0.14	0.14	0.15	0.14
18-25	0.32	0.32	0.31	0.31	0.29
26 or Older	0.16	0.16	0.15	0.16	0.15
<b>ILLCIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.15	0.15	0.15	0.15	0.15
12-17	0.20	0.20	0.19	0.19	0.22
18 or Older	0.16	0.17	0.16	0.17	0.16
18-25	0.37	0.37	0.36	0.36	0.33
26 or Older	0.18	0.18	0.17	0.18	0.18

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.62P Classified as Needing Substance Use Treatment in Past Year among Persons Aged 12 or Older, by Age Group: P Values from Tests of Differences of Percentages, 2019 Versus 2015-2018**

<b>Substance for Which Treatment Was Needed/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>ILLCIT DRUGS</b>	0.2192	0.0230	0.0271	0.3932	
12-17	0.6795	0.1167	0.0231	0.0025	
18 or Older	0.2328	0.0418	0.0649	0.7383	
18-25	0.8171	0.3906	0.8357	0.5829	
26 or Older	0.1199	0.0269	0.0313	0.5122	
<b>ALCOHOL</b>	0.0018	0.2006	0.7470	0.5196	
12-17	0.0000	0.0527	0.2999	0.9922	
18 or Older	0.0054	0.2522	0.7942	0.5129	
18-25	0.0000	0.0011	0.0553	0.0532	
26 or Older	0.1498	0.9641	0.6759	0.9441	
<b>ILLCIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.2165	0.8099	0.3054	0.7449	
12-17	0.0887	0.4506	0.1391	0.0080	
18 or Older	0.2828	0.9102	0.4043	0.9891	
18-25	0.0166	0.0275	0.1403	0.0495	
26 or Older	0.9483	0.2919	0.1337	0.5173	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Estimates that are used in the comparisons include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.63C Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older Classified as Needing Substance Use Treatment, by Age Group: Standard Errors of Numbers in Thousands, 2015-2019**

<b>Substance for Which Treatment Was Needed and Was or Was Not Received/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>RECEIVED TREATMENT</b>					
<b>ILLICIT DRUGS</b>	107	100	114	98	111
12-17	11	11	10	15	13
18 or Older	106	99	113	97	109
18-25	33	26	33	24	28
26 or Older	101	97	106	93	105
<b>ALCOHOL</b>	107	97	125	124	124
12-17	8	10	9	9	6
18 or Older	106	96	125	124	124
18-25	25	22	27	24	27
26 or Older	103	94	121	120	122
<b>ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	136	133	152	148	150
12-17	12	13	14	15	14
18 or Older	135	131	151	148	149
18-25	38	34	38	31	37
26 or Older	128	128	144	143	144
<b>DID NOT RECEIVE TREATMENT</b>					
<b>ILLICIT DRUGS</b>	209	214	198	257	240
12-17	42	43	39	39	49
18 or Older	206	208	194	253	232
18-25	92	96	94	102	98
26 or Older	184	182	171	226	203
<b>ALCOHOL</b>	353	346	341	362	348
12-17	38	33	31	34	31
18 or Older	349	346	339	362	346
18-25	124	123	117	118	105
26 or Older	328	319	317	341	320
<b>ILLICIT DRUGS OR ALCOHOL</b>	385	388	384	415	418
12-17	51	50	46	47	54
18 or Older	379	387	382	412	410
18-25	145	148	141	147	132
26 or Older	353	354	351	388	377

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.63D Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older Classified as Needing Substance Use Treatment, by Age Group: Standard Errors of Percentages, 2015-2019**

<b>Substance for Which Treatment Was Needed and Was or Was Not Received/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>RECEIVED TREATMENT</b>					
<b>ILLICIT DRUGS</b>	1.10	1.10	1.19	1.01	1.08
12-17	1.19	1.35	1.31	2.03	1.37
18 or Older	1.22	1.20	1.29	1.08	1.18
18-25	1.17	1.02	1.15	0.89	1.07
26 or Older	1.73	1.76	1.82	1.58	1.64
<b>ALCOHOL</b>	0.62	0.59	0.77	0.76	0.76
12-17	1.23	1.81	1.88	2.09	1.39
18 or Older	0.64	0.61	0.79	0.78	0.78
18-25	0.63	0.59	0.72	0.66	0.82
26 or Older	0.82	0.79	1.01	0.99	0.97
<b>ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.58	0.59	0.67	0.65	0.66
12-17	0.96	1.18	1.29	1.56	1.19
18 or Older	0.61	0.61	0.70	0.68	0.69
18-25	0.67	0.62	0.67	0.57	0.73
26 or Older	0.78	0.81	0.91	0.89	0.87
<b>DID NOT RECEIVE TREATMENT</b>					
<b>ILLICIT DRUGS</b>	1.10	1.10	1.19	1.01	1.08
12-17	1.19	1.35	1.31	2.03	1.37
18 or Older	1.22	1.20	1.29	1.08	1.18
18-25	1.17	1.02	1.15	0.89	1.07
26 or Older	1.73	1.76	1.82	1.58	1.64
<b>ALCOHOL</b>	0.62	0.59	0.77	0.76	0.76
12-17	1.23	1.81	1.88	2.09	1.39
18 or Older	0.64	0.61	0.79	0.78	0.78
18-25	0.63	0.59	0.72	0.66	0.82
26 or Older	0.82	0.79	1.01	0.99	0.97
<b>ILLICIT DRUGS OR ALCOHOL</b>	0.58	0.59	0.67	0.65	0.66
12-17	0.96	1.18	1.29	1.56	1.19
18 or Older	0.61	0.61	0.70	0.68	0.69
18-25	0.67	0.62	0.67	0.57	0.73
26 or Older	0.78	0.81	0.91	0.89	0.87

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.63P Receipt of Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older Classified as Needing Substance Use Treatment, by Age Group: P Values from Tests of Differences of Percentages, 2019 Versus 2015-2018**

<b>Substance for Which Treatment Was Needed and Was or Was Not Received/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>RECEIVED TREATMENT</b>					
<b>ILLICIT DRUGS</b>	0.7675	0.7505	0.1267	0.1905	
12-17	0.4531	0.2751	0.4284	0.0226	
18 or Older	0.8040	0.6409	0.1626	0.0728	
18-25	0.1358	0.3893	0.0376	0.3154	
26 or Older	0.9170	0.6267	0.2636	0.1714	
<b>ALCOHOL</b>	0.2024	0.0707	0.6213	0.6137	
12-17	0.5265	0.0326	0.1069	0.5250	
18 or Older	0.2015	0.0507	0.5558	0.5825	
18-25	0.6688	0.2437	0.8268	0.5245	
26 or Older	0.2941	0.1162	0.5725	0.7405	
<b>ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.1047	0.0602	0.9750	0.2001	
12-17	0.8116	0.1760	0.1135	0.1490	
18 or Older	0.1041	0.0421	0.8401	0.1390	
18-25	0.7491	0.8317	0.2577	0.2705	
26 or Older	0.1102	0.0656	0.7240	0.2738	
<b>DID NOT RECEIVE TREATMENT</b>					
<b>ILLICIT DRUGS</b>	0.7675	0.7505	0.1267	0.1905	
12-17	0.4531	0.2751	0.4284	0.0226	
18 or Older	0.8040	0.6409	0.1626	0.0728	
18-25	0.1358	0.3893	0.0376	0.3154	
26 or Older	0.9170	0.6267	0.2636	0.1714	
<b>ALCOHOL</b>	0.2024	0.0707	0.6213	0.6137	
12-17	0.5265	0.0326	0.1069	0.5250	
18 or Older	0.2015	0.0507	0.5558	0.5825	
18-25	0.6688	0.2437	0.8268	0.5245	
26 or Older	0.2941	0.1162	0.5725	0.7405	
<b>ILLICIT DRUGS OR ALCOHOL</b>	0.1047	0.0602	0.9750	0.2001	
12-17	0.8116	0.1760	0.1135	0.1490	
18 or Older	0.1041	0.0421	0.8401	0.1390	
18-25	0.7491	0.8317	0.2577	0.2705	
26 or Older	0.1102	0.0656	0.7240	0.2738	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing the specific substance use treatment if they met the DSM-IV criteria for the specific illicit drug or alcohol use disorder or received treatment for the specific illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Estimates that are used in the comparisons include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment for unspecified substance(s).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.