

**Table 7.64C Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Numbers in Thousands, 2015-2019**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	67	57	56	59	56
12-17	4	7	3	5	5
18 or Older	67	56	56	58	56
18-25	15	17	20	17	15
26 or Older	65	53	53	56	55
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	42	44	37	44	33
12-17	3	5	2	2	4
18 or Older	42	44	37	44	33
18-25	12	8	14	12	6
26 or Older	40	42	35	42	34
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	53	37	44	38	44
12-17	4	5	2	5	4
18 or Older	53	36	44	38	44
18-25	10	14	15	13	13
26 or Older	52	33	42	36	42
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	198	208	189	249	231
12-17	42	43	39	38	49
18 or Older	194	201	185	245	223
18-25	91	94	92	101	96
26 or Older	172	175	162	218	196

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.64D Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Percentages, 2015-2019**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	0.93	0.82	0.82	0.78	0.72
12-17	0.53	0.91	0.43	0.85	0.63
18 or Older	1.05	0.91	0.91	0.85	0.80
18-25	0.64	0.72	0.85	0.69	0.61
26 or Older	1.64	1.38	1.40	1.26	1.23
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	0.60	0.65	0.55	0.59	0.44
12-17	0.32	0.63	0.31	0.26	0.47
18 or Older	0.68	0.73	0.62	0.65	0.50
18-25	0.50	0.36	0.60	0.48	0.26
26 or Older	1.05	1.13	0.95	0.98	0.78
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	0.75	0.54	0.66	0.51	0.57
12-17	0.43	0.65	0.30	0.81	0.43
18 or Older	0.85	0.60	0.74	0.56	0.64
18-25	0.41	0.63	0.64	0.51	0.56
26 or Older	1.34	0.88	1.14	0.83	0.96
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	0.93	0.82	0.82	0.78	0.72
12-17	0.53	0.91	0.43	0.85	0.63
18 or Older	1.05	0.91	0.91	0.85	0.80
18-25	0.64	0.72	0.85	0.69	0.61
26 or Older	1.64	1.38	1.40	1.26	1.23

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.64P Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Illicit Drug Use Treatment at a Specialty Facility, by Age Group: P Values from Tests of Differences of Percentages, 2019 Versus 2015-2018**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	0.1020	0.4742	0.0181	0.4585	
12-17	0.8571	0.0758	0.4940	0.6280	
18 or Older	0.0946	0.6197	0.0167	0.5699	
18-25	0.3646	0.6014	0.0220	0.1546	
26 or Older	0.0984	0.6309	0.0591	0.8205	
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	0.2072	0.0637	0.0548	0.1544	
12-17	0.7273	0.2292	0.8305	0.4892	
18 or Older	0.1911	0.0859	0.0529	0.1629	
18-25	0.0044	0.1411	0.0080	0.0166	
26 or Older	0.4935	0.1230	0.2073	0.3888	
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	0.2958	0.4169	0.1749	0.7515	
12-17	0.9345	0.1883	0.4422	0.3383	
18 or Older	0.2901	0.3296	0.1670	0.6048	
18-25	0.2378	0.8429	0.4492	0.9766	
26 or Older	0.1326	0.3673	0.1860	0.5987	
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	0.1020	0.4742	0.0181	0.4585	
12-17	0.8571	0.0758	0.4940	0.6280	
18 or Older	0.0946	0.6197	0.0167	0.5699	
18-25	0.3646	0.6014	0.0220	0.1546	
26 or Older	0.0984	0.6309	0.0591	0.8205	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing illicit drug use treatment if they met the DSM-IV criteria for an illicit drug use disorder or received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Illicit Drug Use Treatment includes persons who did not receive but felt they needed illicit drug use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.65C Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Numbers in Thousands, 2015-2019**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	61	64	80	70	50
12-17	2	4	5	2	4
18 or Older	61	64	80	70	50
18-25	17	17	16	14	21
26 or Older	59	61	79	69	46
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	34	45	69	44	25
12-17	1	2	2	2	*
18 or Older	33	45	69	44	25
18-25	10	8	7	8	4
26 or Older	32	45	69	43	25
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	52	44	43	52	43
12-17	1	3	4	1	1
18 or Older	52	44	43	52	43
18-25	13	15	14	12	20
26 or Older	50	42	41	51	39
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	341	337	332	353	345
12-17	38	32	31	34	30
18 or Older	337	337	330	353	342
18-25	122	121	116	116	105
26 or Older	315	311	308	333	318

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.65D Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Percentages, 2015-2019**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	0.39	0.44	0.56	0.49	0.36
12-17	0.33	0.82	1.11	0.52	1.05
18 or Older	0.41	0.45	0.58	0.50	0.37
18-25	0.44	0.46	0.47	0.43	0.69
26 or Older	0.53	0.58	0.76	0.64	0.44
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	0.22	0.31	0.49	0.31	0.18
12-17	0.23	0.42	0.54	0.47	*
18 or Older	0.23	0.32	0.51	0.32	0.19
18-25	0.27	0.21	0.22	0.23	0.15
26 or Older	0.29	0.43	0.67	0.41	0.24
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	0.34	0.30	0.31	0.37	0.31
12-17	0.24	0.71	0.97	0.22	0.28
18 or Older	0.35	0.31	0.32	0.38	0.32
18-25	0.35	0.41	0.41	0.36	0.67
26 or Older	0.46	0.40	0.40	0.48	0.37
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	0.39	0.44	0.56	0.49	0.36
12-17	0.33	0.82	1.11	0.52	1.05
18 or Older	0.41	0.45	0.58	0.50	0.37
18-25	0.44	0.46	0.47	0.43	0.69
26 or Older	0.53	0.58	0.76	0.64	0.44

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.65P Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Alcohol Use Treatment at a Specialty Facility, by Age Group: P Values from Tests of Differences of Percentages, 2019 Versus 2015-2018**

Perceived Need/Made Effort/Age Group	2015	2016	2017	2018	2019
<b>PERCEIVED NEED FOR TREATMENT</b>	0.7167	0.8290	0.0568	0.1999	
12-17	0.3213	0.9459	0.8034	0.4775	
18 or Older	0.8003	0.8183	0.0584	0.1878	
18-25	0.1044	0.1076	0.0851	0.1376	
26 or Older	0.7122	0.3816	0.0113	0.0608	
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	0.6488	0.0836	0.0065	0.0232	
12-17	*	*	*	*	
18 or Older	0.5581	0.0723	0.0058	0.0199	
18-25	0.4117	0.6907	0.8899	0.3074	
26 or Older	0.6658	0.0715	0.0048	0.0265	
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	0.4884	0.2429	0.7375	0.9617	
12-17	0.7538	0.4237	0.3622	0.6009	
18 or Older	0.5197	0.2288	0.6950	0.9671	
18-25	0.0360	0.0668	0.0746	0.0512	
26 or Older	0.8769	0.6290	0.7103	0.4790	
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	0.7167	0.8290	0.0568	0.1999	
12-17	0.3213	0.9459	0.8034	0.4775	
18 or Older	0.8003	0.8183	0.0584	0.1878	
18-25	0.1044	0.1076	0.0851	0.1376	
26 or Older	0.7122	0.3816	0.0113	0.0608	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Alcohol Use Treatment includes persons who did not receive but felt they needed alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.66C Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Numbers in Thousands, 2015-2019**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	86	81	93	92	79
12-17	5	7	6	6	6
18 or Older	86	81	92	91	79
18-25	21	23	25	22	25
26 or Older	83	77	90	89	74
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	55	56	77	62	39
12-17	3	5	3	2	4
18 or Older	55	55	77	61	39
18-25	15	11	16	14	12
26 or Older	53	54	76	61	38
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	70	57	54	66	68
12-17	5	6	5	5	4
18 or Older	69	57	54	66	68
18-25	14	20	20	18	22
26 or Older	68	53	51	63	63
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	369	377	371	405	410
12-17	50	49	46	47	54
18 or Older	364	375	369	402	402
18-25	143	145	140	144	131
26 or Older	335	341	339	376	371

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.66D Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: Standard Errors of Percentages, 2015-2019**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	0.43	0.42	0.49	0.47	0.41
12-17	0.46	0.75	0.61	0.64	0.53
18 or Older	0.46	0.44	0.52	0.49	0.43
18-25	0.41	0.46	0.52	0.45	0.54
26 or Older	0.60	0.58	0.70	0.66	0.55
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	0.28	0.29	0.42	0.32	0.21
12-17	0.22	0.47	0.35	0.22	0.39
18 or Older	0.29	0.31	0.44	0.34	0.22
18-25	0.29	0.22	0.34	0.28	0.26
26 or Older	0.39	0.42	0.59	0.45	0.29
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	0.35	0.30	0.30	0.34	0.35
12-17	0.40	0.58	0.51	0.61	0.36
18 or Older	0.38	0.31	0.31	0.36	0.37
18-25	0.29	0.41	0.41	0.36	0.48
26 or Older	0.51	0.41	0.41	0.47	0.46
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	0.43	0.42	0.49	0.47	0.41
12-17	0.46	0.75	0.61	0.64	0.53
18 or Older	0.46	0.44	0.52	0.49	0.43
18-25	0.41	0.46	0.52	0.45	0.54
26 or Older	0.60	0.58	0.70	0.66	0.55

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.

**Table 7.66P Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility, by Age Group: *P* Values from Tests of Differences of Percentages, 2019 Versus 2015-2018**

<b>Perceived Need/Made Effort/Age Group</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>
<b>PERCEIVED NEED FOR TREATMENT</b>	0.6704	0.7695	0.0307	0.2010	
12-17	0.9195	0.0961	0.6039	0.7354	
18 or Older	0.6480	0.8930	0.0354	0.2300	
18-25	0.2332	0.3809	0.6998	0.9159	
26 or Older	0.3648	0.6020	0.0320	0.1775	
<b>PERCEIVED NEED AND MADE EFFORT TO GET TREATMENT</b>	0.2833	0.0504	0.0017	0.0369	
12-17	0.6041	0.3192	0.6753	0.5331	
18 or Older	0.2601	0.0621	0.0018	0.0363	
18-25	0.1808	0.9089	0.1828	0.2655	
26 or Older	0.4223	0.0519	0.0037	0.0594	
<b>PERCEIVED NEED AND MADE NO EFFORT TO GET TREATMENT</b>	0.8237	0.2497	0.8458	0.9745	
12-17	0.7671	0.1793	0.7466	0.4298	
18 or Older	0.8244	0.2023	0.8109	0.8943	
18-25	0.0190	0.2939	0.6385	0.4080	
26 or Older	0.6103	0.3506	0.9602	0.8682	
<b>DID NOT PERCEIVE NEED FOR TREATMENT</b>	0.6704	0.7695	0.0307	0.2010	
12-17	0.9195	0.0961	0.6039	0.7354	
18 or Older	0.6480	0.8930	0.0354	0.2300	
18-25	0.2332	0.3809	0.6998	0.9159	
26 or Older	0.3648	0.6020	0.0320	0.1775	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing substance use treatment if they met the DSM-IV criteria for an illicit drug or alcohol use disorder or received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Perceived Need for Substance Use Treatment includes persons who did not receive but felt they needed illicit drug or alcohol use treatment, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019.