

Table 8.22A Received Substance Use Treatment at a Specialty Facility and/or Mental Health Services in Past Year among Persons Aged 18 or Older, by Past Year Co-Occurring Substance Use Disorder and Level of Mental Illness and Age Group: Numbers in Thousands, 2018 and 2019

Co-Occurring Substance Use Disorder (SUD) and Level of Mental Illness/Age Group	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2018)	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2019)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2018)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2019)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2018)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2019)	Received SU Tx at a Specialty Facility AND MH Services (2018)	Received SU Tx at a Specialty Facility AND MH Services (2019)
SUD and Any Mental Illness	4,709	4,596	303	182	3,758	3,664	645	742
18-25	1,067	1,109	49	35	924	941	90	130
26 or Older	3,642	3,486	254	147	2,834	2,723	555	613
26-49	2,481	2,486	127	113	1,942	1,925	412	445
50 or Older	1,162	1,000	*	35	892	798	143	167
SUD and Serious Mental Illness	2,197	2,371	84	68	1,767	1,852	345	452
18-25	529	577	14	19	464	491	51	67
26 or Older	1,668	1,794	71	48	1,303	1,361	295	385
26-49	1,157	1,325	33	48	888	972	237	305
50 or Older	*	*	*	*	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Specialty facilities for substance use treatment include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.22B Received Substance Use Treatment at a Specialty Facility and/or Mental Health Services in Past Year among Persons Aged 18 or Older, by Past Year Co-Occurring Substance Use Disorder and Level of Mental Illness and Age Group: Percentages, 2018 and 2019

Co-Occurring Substance Use Disorder (SUD) and Level of Mental Illness/Age Group	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2018)	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2019)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2018)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2019)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2018)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2019)	Received SU Tx at a Specialty Facility AND MH Services (2018)	Received SU Tx at a Specialty Facility AND MH Services (2019)
SUD and Any Mental Illness	51.4	48.6	3.3	1.9	41.0	38.7	7.0	7.8
18-25	43.8	43.3	2.0	1.4	37.9	36.7	3.7	5.0
26 or Older	54.1	50.5	3.8	2.1	42.1	39.5	8.2	8.8
26-49	49.5	48.1	2.5	2.2	38.7	37.2	8.2	8.5
50 or Older	67.6	57.9	*	2.0	51.9	46.2	8.3	9.6
SUD and Serious Mental Illness	69.5	66.6	2.7	1.9	55.9	52.0	10.9	12.7
18-25	60.1	60.5	1.5	2.0	52.8	51.4	5.8	7.0
26 or Older	73.1	68.9	3.1	1.9	57.1	52.2	12.9	14.8
26-49	67.2	66.3	1.9	2.4	51.6	48.6	13.7	15.3
50 or Older	*	*	*	*	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Specialty facilities for substance use treatment include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

^a The difference between this estimate and the 2019 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.