

Table 8.38C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Numbers in Thousands, 2018 and 2019

Gender/Age Group	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received	Received	Received	Received
					Treatment for Depression in Past Year among Persons with MDE ² (2018)	Treatment for Depression in Past Year among Persons with MDE ² (2019)	Treatment for Depression in Past Year among Persons with Severe Impairment ^{1,2} (2018)	Treatment for Depression in Past Year among Persons with Severe Impairment ^{1,2} (2019)
TOTAL	379	385	311	331	333	342	285	298
18-25	115	124	93	101	91	103	73	84
26 or Older	356	360	293	316	312	327	267	288
26-49	225	221	189	184	191	196	160	169
50 or Older	274	275	222	236	254	255	209	218
MALE	227	240	184	200	185	194	159	161
18-25	70	73	57	60	49	58	39	46
26 or Older	213	230	175	189	177	187	154	156
26-49	146	138	122	116	110	111	95	93
50 or Older	164	183	125	146	147	153	*	125
FEMALE	303	310	244	259	271	278	227	241
18-25	94	96	74	79	74	84	57	70
26 or Older	282	289	226	246	252	262	211	230
26-49	166	176	138	148	147	158	123	140
50 or Older	223	214	180	184	206	204	171	177

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.38D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: Standard Errors of Percentages, 2018 and 2019

Gender/Age Group	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year	Received Treatment for Depression in Past Year
							among Persons with MDE with Severe Impairment ^{1,2} (2018)	among Persons with MDE with Severe Impairment ^{1,2} (2019)
TOTAL	0.15	0.16	0.13	0.13	0.96	0.94	1.18	1.07
18-25	0.34	0.37	0.28	0.30	1.36	1.35	1.65	1.61
26 or Older	0.17	0.17	0.14	0.15	1.19	1.18	1.43	1.29
26-49	0.23	0.22	0.19	0.18	1.37	1.25	1.67	1.43
50 or Older	0.24	0.24	0.20	0.21	2.18	2.34	2.43	2.55
MALE	0.19	0.20	0.16	0.17	1.76	1.68	2.17	2.02
18-25	0.42	0.44	0.34	0.36	2.17	2.30	2.56	2.62
26 or Older	0.21	0.22	0.17	0.18	2.25	2.13	2.79	2.57
26-49	0.30	0.28	0.25	0.23	2.39	2.31	3.01	2.68
50 or Older	0.31	0.34	0.24	0.27	4.48	4.35	*	5.37
FEMALE	0.24	0.24	0.19	0.20	1.15	1.11	1.39	1.16
18-25	0.56	0.58	0.44	0.48	1.71	1.78	2.06	2.14
26 or Older	0.25	0.26	0.20	0.22	1.38	1.31	1.64	1.31
26-49	0.33	0.35	0.27	0.29	1.58	1.38	1.96	1.54
50 or Older	0.37	0.35	0.30	0.30	2.36	2.50	2.60	2.38

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.38P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Gender and Age Group: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Gender/Age Group	Had MDE (2018)	Had MDE (2019)	Had MDE with Severe Impairment ¹ (2018)	Had MDE with Severe Impairment ¹ (2019)	Received Treatment for Depression in Past Year among Persons with MDE ² (2018)	Received Treatment for Depression in Past Year among Persons with MDE ² (2019)	Received Treatment for Depression in Past Year among Persons with Severe Impairment ^{1,2} (2018)	Received Treatment for Depression in Past Year among Persons with Severe Impairment ^{1,2} (2019)
TOTAL	0.0029		0.0004		0.2383		0.0202	
18-25	0.0039		0.0004		0.5027		0.2287	
26 or Older	0.0244		0.0076		0.3029		0.0340	
26-49	0.0044		0.0025		0.0155		0.0036	
50 or Older	0.5426		0.2905		0.4543		0.8891	
MALE	0.0125		0.0237		0.9596		0.8988	
18-25	0.0602		0.0458		0.4218		0.4067	
26 or Older	0.0387		0.0698		0.7601		0.8560	
26-49	0.1417		0.2937		0.3776		0.6918	
50 or Older	0.1451		0.1312		0.1804		*	
FEMALE	0.0808		0.0071		0.0947		0.0020	
18-25	0.0258		0.0032		0.8156		0.3938	
26 or Older	0.2466		0.0516		0.0587		0.0011	
26-49	0.0132		0.0023		0.0101		0.0005	
50 or Older	0.6952		0.8460		0.6190		0.1862	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.