

Table 8.39C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019

Demographic Characteristic	Had MDE		Had MDE with Severe Impairment ¹		Received Treatment for Depression in Past Year among Persons with MDE ²		Received Treatment for Depression in Past Year among Persons with Severe Impairment ^{1,2}	
	(2018)	(2019)	(2018)	(2019)	(2018)	(2019)	(2018)	(2019)
TOTAL	379	385	311	331	333	342	285	298
GENDER								
Male	227	240	184	200	185	194	159	161
Female	303	310	244	259	271	278	227	241
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	351	347	286	299	317	313	262	269
White	339	330	266	279	290	285	234	244
Black or African American	127	123	102	103	107	98	87	82
AIAN	25	30	22	29	*	*	*	*
NHOPI	22	12	22	8	*	*	*	*
Asian	71	80	53	65	46	57	*	*
Two or More Races	55	68	42	50	50	48	*	38
Hispanic or Latino	140	170	115	134	117	133	97	115
CURRENT EMPLOYMENT								
Full-Time	260	248	204	202	208	200	169	173
Part-Time	132	154	101	126	109	119	82	106
Unemployed	85	87	70	71	71	67	61	54
Other ³	246	263	210	234	221	240	192	215

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.39D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019

Demographic Characteristic	Had MDE		Had MDE with Severe Impairment ¹		Received Treatment for Depression in Past Year among Persons with MDE ²		Received Treatment for Depression in Past Year among Persons with Severe Impairment ^{1,2}	
	(2018)	(2019)	(2018)	(2019)	(2018)	(2019)	(2018)	(2019)
TOTAL	0.15	0.16	0.13	0.13	0.96	0.94	1.18	1.07
GENDER								
Male	0.19	0.20	0.16	0.17	1.76	1.68	2.17	2.02
Female	0.24	0.24	0.19	0.20	1.15	1.11	1.39	1.16
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.17	0.17	0.14	0.14	1.04	1.02	1.21	1.10
White	0.21	0.20	0.16	0.17	1.19	1.07	1.34	1.16
Black or African American	0.41	0.40	0.34	0.34	3.00	2.93	3.73	3.47
AIAN	1.77	2.14	1.57	2.09	*	*	*	*
NHOPI	2.34	1.25	2.29	0.85	*	*	*	*
Asian	0.49	0.56	0.36	0.45	5.15	5.78	*	*
Two or More Races	1.25	1.47	0.98	1.11	5.19	4.81	*	5.59
Hispanic or Latino	0.35	0.42	0.29	0.33	2.80	2.54	3.58	3.19
CURRENT EMPLOYMENT								
Full-Time	0.20	0.19	0.16	0.16	1.48	1.38	1.86	1.67
Part-Time	0.40	0.46	0.32	0.38	2.13	2.16	2.70	2.44
Unemployed	0.83	0.85	0.68	0.70	3.55	4.04	4.31	4.72
Other ³	0.30	0.31	0.25	0.28	1.76	1.63	1.85	1.76

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.39P Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 18 or Older, and Receipt of Treatment for Depression in Past Year among Persons Aged 18 or Older with MDE or MDE with Severe Impairment in Past Year, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Demographic Characteristic	Had MDE		Had MDE with Severe Impairment ¹		Received Treatment for Depression in Past Year among Persons with MDE ²	Received Treatment for Depression in Past Year among Persons with MDE with Severe Impairment ^{1,2}
	(2018)	(2019)	(2018)	(2019)	(2018)	(2019)
TOTAL	0.0029		0.0004		0.2383	0.0202
GENDER						
Male	0.0125		0.0237		0.9596	0.8988
Female	0.0808		0.0071		0.0947	0.0020
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0056		0.0015		0.4115	0.0478
White	0.0092		0.0028		0.2903	0.0527
Black or African American	0.8122		0.4738		0.7133	0.9687
AIAN	0.7387		0.5471		*	*
NHOPI	0.2031		0.0910		*	*
Asian	0.5510		0.6372		0.3259	*
Two or More Races	0.0770		0.0964		0.4418	*
Hispanic or Latino	0.2819		0.1239		0.2846	0.1292
CURRENT EMPLOYMENT						
Full-Time	0.0266		0.0449		0.9448	0.1978
Part-Time	0.0160		0.0012		0.4098	0.0555
Unemployed	0.9087		0.6888		0.9836	0.7701
Other ³	0.3665		0.1326		0.0902	0.1339

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

¹ Respondents with unknown impairment data were excluded.

² Respondents with unknown past year treatment for depression data were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.