

Table 8.69C Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year: Standard Errors of Numbers in Thousands, 2018 and 2019

Past Year Mental Health or Substance Use Measure	2018	2019
Major Depressive Episode ¹	192	208
No Major Depressive Episode ¹	205	213
Mental Health Services ²	202	209
No Mental Health Services ²	203	218
Perceived Need ³	97	106
No Perceived Need ³	175	185
Substance Use Disorder	139	149
Alcohol Use Disorder	112	120
Illicit Drug Use Disorder	110	103
No Substance Use Disorder	248	272
Serious Psychological Distress	218	235
No Serious Psychological Distress	178	187
Substance Use Treatment at a Specialty Facility ⁴	53	64
No Substance Use Treatment at a Specialty Facility ⁴	285	307

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

² Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

³ Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

⁴ Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.69D Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year: Standard Errors of Percentages, 2018 and 2019

Past Year Mental Health or Substance Use Measure	2018	2019
Major Depressive Episode ¹	1.28	1.21
No Major Depressive Episode ¹	1.28	1.21
Mental Health Services ²	1.31	1.25
No Mental Health Services ²	1.31	1.25
Perceived Need ³	0.84	0.84
No Perceived Need ³	1.27	1.19
Substance Use Disorder	1.09	1.11
Alcohol Use Disorder	0.94	0.93
Illicit Drug Use Disorder	0.92	0.83
No Substance Use Disorder	1.09	1.11
Serious Psychological Distress	1.25	1.21
No Serious Psychological Distress	1.25	1.21
Substance Use Treatment at a Specialty Facility ⁴	0.47	0.53
No Substance Use Treatment at a Specialty Facility ⁴	0.47	0.53

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

² Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

³ Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

⁴ Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

Table 8.69P Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year among Persons Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year: P Values from Tests of Differences of Percentages, 2019 Versus 2018

Past Year Mental Health or Substance Use Measure	2018	2019
Major Depressive Episode ¹	0.5118	
No Major Depressive Episode ¹	0.5118	
Mental Health Services ²	0.7413	
No Mental Health Services ²	0.7413	
Perceived Need ³	0.1168	
No Perceived Need ³	0.1657	
Substance Use Disorder	0.5554	
Alcohol Use Disorder	0.9785	
Illicit Drug Use Disorder	0.0754	
No Substance Use Disorder	0.5554	
Serious Psychological Distress	0.9870	
No Serious Psychological Distress	0.9870	
Substance Use Treatment at a Specialty Facility ⁴	0.9839	
No Substance Use Treatment at a Specialty Facility ⁴	0.9839	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown suicide information were excluded.

¹ Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

² Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded.

³ Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

⁴ Specialty treatment facilities include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.