

**Table 9.7C Major Depressive Episode in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2018 and 2019**

<b>Substance Use Disorder Status/Demographic Characteristic</b>	<b>2018</b>	<b>2019</b>
<b>SUBSTANCE USE DISORDER</b>	29	32
<b>Age Group</b>		
12-13	*	*
14-15	14	18
16-17	24	25
<b>Gender</b>		
Male	16	17
Female	24	27
<b>NO SUBSTANCE USE DISORDER</b>	95	94
<b>Age Group</b>		
12-13	39	40
14-15	53	57
16-17	66	58
<b>Gender</b>		
Male	47	48
Female	81	80

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 9.7D Major Depressive Episode in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Demographic Characteristics: Standard Errors of Percentages, 2018 and 2019**

<b>Substance Use Disorder Status/Demographic Characteristic</b>	<b>2018</b>	<b>2019</b>
<b>SUBSTANCE USE DISORDER</b>	2.42	2.39
<b>Age Group</b>		
12-13	*	*
14-15	4.67	3.91
16-17	3.13	3.10
<b>Gender</b>		
Male	3.26	2.92
Female	3.55	3.54
<b>NO SUBSTANCE USE DISORDER</b>	0.36	0.37
<b>Age Group</b>		
12-13	0.50	0.49
14-15	0.60	0.66
16-17	0.73	0.71
<b>Gender</b>		
Male	0.38	0.38
Female	0.60	0.63

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.

**Table 9.7P Major Depressive Episode in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2019 Versus 2018**

<b>Substance Use Disorder Status/Demographic Characteristic</b>	<b>2018</b>	<b>2019</b>
<b>SUBSTANCE USE DISORDER</b>	0.2607	
<b>Age Group</b>		
12-13	*	
14-15	0.7385	
16-17	0.4345	
<b>Gender</b>		
Male	0.3715	
Female	0.2840	
<b>NO SUBSTANCE USE DISORDER</b>	0.0096	
<b>Age Group</b>		
12-13	0.0018	
14-15	0.3677	
16-17	0.2009	
<b>Gender</b>		
Male	0.0227	
Female	0.0851	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2018 and 2019.