

**Table 1.100A Use of Illicit Drugs Other Than Marijuana in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	23,588	23,962	1,862	1,507	21,727	22,455	5,791	5,169	15,936	17,286
<b>GEOGRAPHIC REGION</b>										
Northeast	3,722	4,224	222	232	3,500	3,992	991	826	2,509	3,165
Midwest	4,830	4,752	415	346	4,415	4,407	1,257	1,155	3,157	3,252
South	8,207	8,510	724	505	7,483	8,005	1,913	1,840	5,570	6,165
West	6,830	6,476	501	424	6,329	6,052	1,630	1,347	4,699	4,705
<b>COUNTY TYPE</b>										
Large Metro	13,560	13,153	975	765	12,585	12,388	3,374	2,893	9,211	9,495
Small Metro	7,430	7,822	661	506	6,769	7,317	1,782	1,613	4,987	5,704
Nonmetro	2,599	2,987	226	236	2,373	2,751	635	664	1,738	2,087
Urbanized	1,325	1,356	106	105	1,218	1,250	352	370	867	880
Less Urbanized	1,026	1,525	88	111	938	1,413	222	264	716	1,149
Completely Rural	248	107	32	20	216	87	61	29	156	58
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	4,417	4,884	430	352	3,987	4,532	1,379	1,242	2,608	3,290
100-199%	4,945	4,508	382	198	4,563	4,310	1,199	1,199	3,364	3,111
200% or More	14,049	14,477	1,050	957	12,999	13,520	3,036	2,635	9,964	10,886
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	13,516	13,400	1,007	818	12,509	12,583	3,764	3,454	8,745	9,129
Medicaid/CHIP	5,583	5,847	767	566	4,816	5,282	1,076	814	3,740	4,467
Other <sup>3</sup>	3,259	3,901	106	107	3,153	3,794	374	290	2,779	3,504
No Coverage	3,373	3,597	61	117	3,312	3,480	790	780	2,521	2,701

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.100B Use of Illicit Drugs Other Than Marijuana in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	8.6	8.7	7.5	6.0	8.7	8.9	17.2	15.4	7.4	7.9
<b>GEOGRAPHIC REGION</b>										
Northeast	7.8	8.9	5.6	5.9	8.0	9.1	17.2	14.6	6.6	8.3
Midwest	8.4	8.3	7.9	6.6	8.5	8.5	17.5	16.3	7.0	7.2
South	7.8	8.0	7.5	5.2	7.9	8.3	15.1	14.5	6.8	7.4
West	10.4	9.8	8.3	7.0	10.6	10.1	20.1	16.8	9.1	9.0
<b>COUNTY TYPE</b>										
Large Metro	8.8	8.7	7.2	5.4	9.0	9.1	18.0	16.3	7.6	8.0
Small Metro	8.9	9.2	8.6	6.6	8.9	9.5	16.8	14.7	7.7	8.6
Nonmetro	6.8	7.2	6.3	7.4	6.9	7.2	14.6	13.9	5.8	6.3
Urbanized	8.3	8.2	6.9	7.9	8.5	8.2	17.4	16.8	7.0	6.8
Less Urbanized	5.8	7.7	5.3	6.9	5.8	7.8	11.5	11.9	5.0	7.2
Completely Rural	5.7	2.1	7.8	7.4	5.5	1.8	16.2	8.2	4.4	1.3
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	11.8	11.7	8.4	7.7	12.3	12.1	17.5	15.3	10.7	11.3
100-199%	9.3	8.9	7.2	4.4	9.6	9.4	15.5	15.6	8.4	8.1
200% or More	7.6	7.9	7.2	6.0	7.7	8.0	17.9	15.2	6.5	7.2
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	7.5	7.7	7.1	5.5	7.6	7.9	18.4	17.6	6.0	6.6
Medicaid/CHIP	12.4	12.0	8.2	6.8	13.5	13.1	14.8	10.4	13.1	13.7
Other <sup>3</sup>	4.6	5.1	8.7	6.4	4.6	5.1	14.7	11.9	4.2	4.8
No Coverage	12.5	12.6	5.3	8.0	12.8	12.9	16.4	14.8	12.0	12.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.101A Use of Illicit Drugs Other Than Marijuana in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	9,333	<i>9,305</i>	598	<i>305</i>	8,735	<i>9,000</i>	2,059	<i>1,600</i>	6,676	<i>7,400</i>
<b>GEOGRAPHIC REGION</b>										
Northeast	1,387	<i>1,762</i>	66	<i>51</i>	1,320	<i>1,711</i>	347	<i>242</i>	973	<i>1,468</i>
Midwest	1,974	<i>1,738</i>	129	<i>83</i>	1,845	<i>1,656</i>	453	<i>347</i>	1,392	<i>1,308</i>
South	3,078	<i>3,232</i>	237	<i>111</i>	2,841	<i>3,121</i>	656	<i>600</i>	2,185	<i>2,522</i>
West	2,893	<i>2,573</i>	166	<i>60</i>	2,728	<i>2,513</i>	602	<i>411</i>	2,126	<i>2,102</i>
<b>COUNTY TYPE</b>										
Large Metro	5,558	<i>5,083</i>	312	<i>163</i>	5,246	<i>4,920</i>	1,224	<i>917</i>	4,022	<i>4,003</i>
Small Metro	2,828	<i>3,237</i>	228	<i>105</i>	2,600	<i>3,132</i>	612	<i>512</i>	1,987	<i>2,619</i>
Nonmetro	947	<i>986</i>	58	<i>37</i>	889	<i>948</i>	223	<i>171</i>	666	<i>777</i>
Urbanized	454	<i>356</i>	27	<i>18</i>	428	<i>338</i>	122	<i>66</i>	306	<i>272</i>
Less Urbanized	398	<i>610</i>	20	<i>15</i>	377	<i>595</i>	84	<i>101</i>	293	<i>494</i>
Completely Rural	96	<i>21</i>	11	<i>*</i>	85	<i>15</i>	17	<i>4</i>	68	<i>11</i>
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	1,850	<i>2,199</i>	117	<i>53</i>	1,733	<i>2,146</i>	509	<i>428</i>	1,224	<i>1,718</i>
100-199%	1,830	<i>1,814</i>	159	<i>26</i>	1,670	<i>1,787</i>	414	<i>386</i>	1,256	<i>1,401</i>
200% or More	5,594	<i>5,247</i>	322	<i>225</i>	5,272	<i>5,021</i>	1,075	<i>740</i>	4,196	<i>4,281</i>
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	4,971	<i>4,615</i>	326	<i>199</i>	4,645	<i>4,416</i>	1,315	<i>1,004</i>	3,330	<i>3,412</i>
Medicaid/CHIP	2,367	<i>2,642</i>	248	<i>102</i>	2,119	<i>2,540</i>	411	<i>278</i>	1,708	<i>2,262</i>
Other <sup>3</sup>	1,274	<i>1,458</i>	30	<i>11</i>	1,244	<i>1,447</i>	140	<i>84</i>	1,105	<i>1,363</i>
No Coverage	1,518	<i>1,599</i>	15	<i>8</i>	1,503	<i>1,592</i>	271	<i>306</i>	1,232	<i>1,285</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.101B Use of Illicit Drugs Other Than Marijuana in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	3.4	<i>3.4</i>	2.4	<i>1.2</i>	3.5	<i>3.6</i>	6.1	<i>4.8</i>	3.1	<i>3.4</i>
<b>GEOGRAPHIC REGION</b>										
Northeast	2.9	<i>3.7</i>	1.7	<i>1.3</i>	3.0	<i>3.9</i>	6.0	<i>4.3</i>	2.6	<i>3.9</i>
Midwest	3.4	<i>3.0</i>	2.4	<i>1.6</i>	3.5	<i>3.2</i>	6.3	<i>4.9</i>	3.1	<i>2.9</i>
South	2.9	<i>3.1</i>	2.4	<i>1.1</i>	3.0	<i>3.3</i>	5.2	<i>4.7</i>	2.7	<i>3.0</i>
West	4.4	<i>3.9</i>	2.8	<i>1.0</i>	4.6	<i>4.2</i>	7.4	<i>5.1</i>	4.1	<i>4.0</i>
<b>COUNTY TYPE</b>										
Large Metro	3.6	<i>3.4</i>	2.3	<i>1.2</i>	3.7	<i>3.6</i>	6.5	<i>5.2</i>	3.3	<i>3.4</i>
Small Metro	3.4	<i>3.8</i>	3.0	<i>1.4</i>	3.4	<i>4.1</i>	5.8	<i>4.7</i>	3.1	<i>4.0</i>
Nonmetro	2.5	<i>2.4</i>	1.6	<i>1.2</i>	2.6	<i>2.5</i>	5.1	<i>3.6</i>	2.2	<i>2.3</i>
Urbanized	2.9	<i>2.2</i>	1.7	<i>1.3</i>	3.0	<i>2.2</i>	6.0	<i>3.0</i>	2.5	<i>2.1</i>
Less Urbanized	2.2	<i>3.1</i>	1.2	<i>0.9</i>	2.3	<i>3.3</i>	4.4	<i>4.6</i>	2.1	<i>3.1</i>
Completely Rural	2.2	<i>0.4</i>	2.7	<i>*</i>	2.2	<i>0.3</i>	4.5	<i>1.2</i>	1.9	<i>0.2</i>
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	4.9	<i>5.2</i>	2.3	<i>1.2</i>	5.4	<i>5.8</i>	6.4	<i>5.3</i>	5.0	<i>5.9</i>
100-199%	3.5	<i>3.6</i>	3.0	<i>0.6</i>	3.5	<i>3.9</i>	5.4	<i>5.0</i>	3.2	<i>3.7</i>
200% or More	3.0	<i>2.8</i>	2.2	<i>1.4</i>	3.1	<i>3.0</i>	6.3	<i>4.3</i>	2.8	<i>2.8</i>
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	2.8	<i>2.7</i>	2.3	<i>1.3</i>	2.8	<i>2.8</i>	6.4	<i>5.1</i>	2.3	<i>2.4</i>
Medicaid/CHIP	5.2	<i>5.4</i>	2.6	<i>1.2</i>	5.9	<i>6.3</i>	5.7	<i>3.6</i>	6.0	<i>7.0</i>
Other <sup>3</sup>	1.8	<i>1.9</i>	2.5	<i>0.6</i>	1.8	<i>1.9</i>	5.5	<i>3.5</i>	1.7	<i>1.9</i>
No Coverage	5.6	<i>5.6</i>	1.3	<i>0.5</i>	5.8	<i>5.9</i>	5.6	<i>5.8</i>	5.9	<i>5.9</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.