

**Table 1.100C Use of Illicit Drugs Other Than Marijuana in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	448	<i>680</i>	63	<i>117</i>	440	<i>667</i>	136	<i>230</i>	395	<i>619</i>
<b>GEOGRAPHIC REGION</b>										
Northeast	185	<i>280</i>	19	<i>38</i>	185	<i>279</i>	48	<i>84</i>	169	<i>265</i>
Midwest	172	<i>268</i>	29	<i>46</i>	171	<i>263</i>	54	<i>97</i>	155	<i>231</i>
South	286	<i>417</i>	41	<i>66</i>	282	<i>414</i>	99	<i>137</i>	242	<i>397</i>
West	259	<i>383</i>	36	<i>73</i>	254	<i>369</i>	76	<i>129</i>	232	<i>340</i>
<b>COUNTY TYPE</b>										
Large Metro	408	<i>557</i>	52	<i>92</i>	402	<i>541</i>	152	<i>201</i>	350	<i>492</i>
Small Metro	267	<i>401</i>	42	<i>65</i>	258	<i>395</i>	91	<i>150</i>	231	<i>362</i>
Nonmetro	148	<i>253</i>	20	<i>44</i>	143	<i>249</i>	49	<i>82</i>	128	<i>234</i>
Urbanized	120	<i>163</i>	14	<i>31</i>	117	<i>159</i>	37	<i>67</i>	107	<i>146</i>
Less Urbanized	78	<i>197</i>	13	<i>30</i>	75	<i>193</i>	27	<i>47</i>	68	<i>179</i>
Completely Rural	41	<i>30</i>	7	<i>9</i>	39	<i>28</i>	16	<i>10</i>	31	<i>24</i>
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	196	<i>372</i>	35	<i>67</i>	193	<i>359</i>	106	<i>135</i>	159	<i>320</i>
100-199%	206	<i>304</i>	28	<i>36</i>	203	<i>305</i>	66	<i>119</i>	195	<i>275</i>
200% or More	365	<i>532</i>	54	<i>95</i>	360	<i>517</i>	104	<i>164</i>	331	<i>490</i>
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	340	<i>505</i>	53	<i>88</i>	333	<i>490</i>	143	<i>207</i>	289	<i>438</i>
Medicaid/CHIP	217	<i>363</i>	43	<i>69</i>	214	<i>358</i>	65	<i>91</i>	203	<i>340</i>
Other <sup>3</sup>	218	<i>328</i>	16	<i>33</i>	216	<i>327</i>	36	<i>50</i>	213	<i>328</i>
No Coverage	163	<i>261</i>	12	<i>44</i>	162	<i>258</i>	54	<i>92</i>	150	<i>238</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.100D Use of Illicit Drugs Other Than Marijuana in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	0.16	<i>0.25</i>	0.25	<i>0.47</i>	0.18	<i>0.26</i>	0.40	<i>0.69</i>	0.18	<i>0.28</i>
<b>GEOGRAPHIC REGION</b>										
Northeast	0.39	<i>0.59</i>	0.47	<i>0.96</i>	0.42	<i>0.64</i>	0.84	<i>1.48</i>	0.44	<i>0.69</i>
Midwest	0.30	<i>0.47</i>	0.54	<i>0.87</i>	0.33	<i>0.50</i>	0.76	<i>1.36</i>	0.35	<i>0.51</i>
South	0.27	<i>0.39</i>	0.43	<i>0.68</i>	0.30	<i>0.43</i>	0.78	<i>1.08</i>	0.29	<i>0.48</i>
West	0.40	<i>0.58</i>	0.59	<i>1.21</i>	0.43	<i>0.61</i>	0.94	<i>1.61</i>	0.45	<i>0.65</i>
<b>COUNTY TYPE</b>										
Large Metro	0.24	<i>0.35</i>	0.36	<i>0.62</i>	0.26	<i>0.37</i>	0.61	<i>1.00</i>	0.27	<i>0.39</i>
Small Metro	0.28	<i>0.44</i>	0.48	<i>0.83</i>	0.31	<i>0.48</i>	0.64	<i>1.15</i>	0.33	<i>0.52</i>
Nonmetro	0.34	<i>0.56</i>	0.51	<i>1.24</i>	0.37	<i>0.60</i>	0.96	<i>1.57</i>	0.39	<i>0.66</i>
Urbanized	0.62	<i>0.91</i>	0.83	<i>2.11</i>	0.68	<i>0.99</i>	1.46	<i>2.65</i>	0.76	<i>1.10</i>
Less Urbanized	0.41	<i>0.82</i>	0.71	<i>1.62</i>	0.44	<i>0.89</i>	1.24	<i>1.98</i>	0.46	<i>0.97</i>
Completely Rural	0.72	<i>0.56</i>	1.77	<i>3.16</i>	0.80	<i>0.57</i>	3.37	<i>2.68</i>	0.74	<i>0.53</i>
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.49	<i>0.83</i>	0.64	<i>1.37</i>	0.55	<i>0.90</i>	0.97	<i>1.47</i>	0.64	<i>1.03</i>
100-199%	0.37	<i>0.56</i>	0.51	<i>0.77</i>	0.40	<i>0.62</i>	0.75	<i>1.42</i>	0.46	<i>0.68</i>
200% or More	0.19	<i>0.27</i>	0.34	<i>0.57</i>	0.20	<i>0.30</i>	0.54	<i>0.88</i>	0.20	<i>0.32</i>
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.18	<i>0.28</i>	0.34	<i>0.56</i>	0.19	<i>0.30</i>	0.53	<i>0.89</i>	0.19	<i>0.30</i>
Medicaid/CHIP	0.45	<i>0.70</i>	0.43	<i>0.80</i>	0.56	<i>0.83</i>	0.78	<i>1.09</i>	0.67	<i>0.99</i>
Other <sup>3</sup>	0.30	<i>0.42</i>	1.24	<i>1.96</i>	0.31	<i>0.43</i>	1.27	<i>1.99</i>	0.31	<i>0.44</i>
No Coverage	0.55	<i>0.86</i>	1.01	<i>2.89</i>	0.57	<i>0.89</i>	0.98	<i>1.56</i>	0.66	<i>1.03</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.101C Use of Illicit Drugs Other Than Marijuana in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	286	466	40	38	283	462	85	129	263	429
<b>GEOGRAPHIC REGION</b>										
Northeast	113	220	12	16	113	222	31	42	105	212
Midwest	123	158	19	19	122	158	34	55	114	148
South	173	276	27	23	168	274	52	74	149	257
West	164	254	22	17	164	252	52	79	156	236
<b>COUNTY TYPE</b>										
Large Metro	248	351	31	30	247	351	78	108	224	322
Small Metro	162	283	26	21	159	279	47	73	149	263
Nonmetro	76	148	10	11	75	148	25	37	68	143
Urbanized	56	78	7	8	56	77	18	25	51	75
Less Urbanized	43	127	5	5	43	126	15	27	40	122
Completely Rural	23	9	4	*	22	8	8	3	19	8
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	129	258	18	15	128	257	53	83	115	232
100-199%	123	188	19	9	120	187	36	53	117	177
200% or More	234	342	32	35	232	340	60	77	217	325
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	197	316	32	34	196	315	74	100	173	289
Medicaid/CHIP	146	273	25	19	146	273	38	47	141	261
Other <sup>3</sup>	136	209	8	7	136	209	22	24	135	208
No Coverage	114	177	6	5	113	177	30	61	107	161

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.101D Use of Illicit Drugs Other Than Marijuana in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	0.10	<i>0.17</i>	0.16	<i>0.15</i>	0.11	<i>0.18</i>	0.25	<i>0.38</i>	0.12	<i>0.20</i>
<b>GEOGRAPHIC REGION</b>										
Northeast	0.24	<i>0.46</i>	0.29	<i>0.42</i>	0.26	<i>0.51</i>	0.54	<i>0.75</i>	0.28	<i>0.56</i>
Midwest	0.21	<i>0.27</i>	0.36	<i>0.36</i>	0.23	<i>0.30</i>	0.47	<i>0.77</i>	0.25	<i>0.33</i>
South	0.17	<i>0.26</i>	0.28	<i>0.23</i>	0.18	<i>0.29</i>	0.41	<i>0.58</i>	0.18	<i>0.31</i>
West	0.25	<i>0.38</i>	0.36	<i>0.28</i>	0.27	<i>0.42</i>	0.64	<i>0.98</i>	0.30	<i>0.45</i>
<b>COUNTY TYPE</b>										
Large Metro	0.15	<i>0.23</i>	0.23	<i>0.21</i>	0.17	<i>0.25</i>	0.38	<i>0.58</i>	0.18	<i>0.27</i>
Small Metro	0.18	<i>0.32</i>	0.32	<i>0.28</i>	0.20	<i>0.35</i>	0.41	<i>0.60</i>	0.22	<i>0.38</i>
Nonmetro	0.19	<i>0.35</i>	0.26	<i>0.33</i>	0.21	<i>0.38</i>	0.54	<i>0.77</i>	0.22	<i>0.42</i>
Urbanized	0.32	<i>0.47</i>	0.43	<i>0.63</i>	0.36	<i>0.50</i>	0.81	<i>1.14</i>	0.39	<i>0.57</i>
Less Urbanized	0.24	<i>0.60</i>	0.31	<i>0.32</i>	0.26	<i>0.65</i>	0.69	<i>1.18</i>	0.28	<i>0.73</i>
Completely Rural	0.46	<i>0.19</i>	0.99	*	0.50	<i>0.18</i>	2.03	<i>0.74</i>	0.47	<i>0.18</i>
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.33	<i>0.60</i>	0.35	<i>0.32</i>	0.38	<i>0.67</i>	0.58	<i>0.98</i>	0.46	<i>0.78</i>
100-199%	0.23	<i>0.36</i>	0.35	<i>0.19</i>	0.25	<i>0.39</i>	0.44	<i>0.66</i>	0.28	<i>0.45</i>
200% or More	0.12	<i>0.18</i>	0.21	<i>0.21</i>	0.13	<i>0.20</i>	0.34	<i>0.44</i>	0.14	<i>0.21</i>
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.11	<i>0.18</i>	0.22	<i>0.22</i>	0.12	<i>0.19</i>	0.34	<i>0.47</i>	0.12	<i>0.20</i>
Medicaid/CHIP	0.32	<i>0.55</i>	0.26	<i>0.23</i>	0.40	<i>0.66</i>	0.50	<i>0.59</i>	0.48	<i>0.78</i>
Other <sup>3</sup>	0.19	<i>0.27</i>	0.66	<i>0.42</i>	0.19	<i>0.28</i>	0.85	<i>0.96</i>	0.20	<i>0.28</i>
No Coverage	0.41	<i>0.60</i>	0.50	<i>0.31</i>	0.42	<i>0.63</i>	0.59	<i>1.11</i>	0.49	<i>0.72</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.