

**Table 1.102C Specific Hallucinogen, Inhalant, Needle, and Heroin Use in Lifetime: Among People Aged 12 or Older; by Age Group, Standard Errors of Numbers in Thousands, 2019 and 2020**

Drug or Method of Administration	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>HALLUCINOGENS</b>	699	<i>972</i>	39	<i>68</i>	687	<i>967</i>	134	<i>231</i>	659	<i>937</i>
PCP	273	<i>450</i>	11	<i>4</i>	273	<i>448</i>	32	<i>41</i>	269	<i>446</i>
LSD	529	<i>821</i>	32	<i>49</i>	524	<i>812</i>	105	<i>172</i>	514	<i>791</i>
Peyote	278	<i>387</i>	13	<i>13</i>	278	<i>385</i>	28	<i>27</i>	277	<i>384</i>
Mescaline	325	<i>457</i>	8	<i>3</i>	324	<i>456</i>	26	<i>30</i>	321	<i>456</i>
Psilocybin/Mushrooms	576	<i>800</i>	28	<i>40</i>	568	<i>795</i>	102	<i>167</i>	555	<i>773</i>
Ecstasy	439	<i>649</i>	25	<i>40</i>	434	<i>647</i>	113	<i>177</i>	403	<i>605</i>
Ketamine	170	<i>287</i>	10	<i>16</i>	170	<i>283</i>	43	<i>73</i>	164	<i>270</i>
DMT, AMT, or 5-MeO-DIPT/Foxy	179	<i>226</i>	13	<i>16</i>	178	<i>226</i>	48	<i>62</i>	170	<i>220</i>
Salvia divinorum	196	<i>317</i>	12	<i>16</i>	194	<i>317</i>	47	<i>53</i>	185	<i>313</i>
<b>INHALANTS</b>	464	<i>735</i>	70	<i>156</i>	455	<i>724</i>	100	<i>159</i>	443	<i>698</i>
Amyl Nitrite, Poppers, Locker Room Odorizers, or Rush	291	<i>453</i>	18	<i>36</i>	289	<i>449</i>	48	<i>70</i>	285	<i>447</i>
Correction Fluid, Degreaser, or Cleaning Fluid	106	<i>225</i>	18	<i>47</i>	104	<i>218</i>	25	<i>15</i>	101	<i>217</i>
Gasoline or Lighter Fluid	148	<i>244</i>	32	<i>76</i>	144	<i>233</i>	31	<i>62</i>	142	<i>225</i>
Glue, Shoe Polish, or Toluene	151	<i>276</i>	36	<i>92</i>	148	<i>261</i>	32	<i>62</i>	142	<i>254</i>
Halothane, Ether, or Other Anesthetics	67	<i>225</i>	8	<i>7</i>	67	<i>224</i>	12	<i>29</i>	66	<i>223</i>
Lacquer Thinner or Other Paint Solvents	114	<i>178</i>	17	<i>46</i>	114	<i>172</i>	25	<i>38</i>	110	<i>168</i>
Lighter Gases	74	<i>98</i>	20	<i>37</i>	70	<i>90</i>	18	<i>27</i>	68	<i>86</i>
Nitrous Oxide or Whippits	345	<i>525</i>	20	<i>29</i>	345	<i>523</i>	63	<i>108</i>	337	<i>503</i>
Felt-Tip Pens or Felt-Tip/Magic Markers	198	<i>364</i>	59	<i>143</i>	185	<i>334</i>	69	<i>112</i>	172	<i>310</i>
Spray Paints	110	<i>172</i>	33	<i>64</i>	104	<i>159</i>	30	<i>51</i>	102	<i>149</i>
Computer Cleaner/Air Duster	132	<i>206</i>	22	<i>29</i>	130	<i>202</i>	43	<i>46</i>	126	<i>195</i>
Other Aerosol Sprays	109	<i>195</i>	18	<i>33</i>	107	<i>193</i>	28	<i>33</i>	104	<i>190</i>
<b>NEEDLE USE<sup>1</sup></b>	221	<i>402</i>	6	<i>2</i>	221	<i>402</i>	27	<i>39</i>	218	<i>401</i>
Heroin Needle Use <sup>1</sup>	178	<i>289</i>	4	<i>*</i>	178	<i>288</i>	22	<i>34</i>	177	<i>285</i>
Cocaine Needle Use <sup>1</sup>	169	<i>300</i>	1	<i>*</i>	169	<i>300</i>	16	<i>10</i>	168	<i>300</i>
Methamphetamine Needle Use <sup>1</sup>	149	<i>298</i>	*	<i>*</i>	150	<i>298</i>	21	<i>20</i>	147	<i>297</i>
<b>HEROIN</b>	259	<i>443</i>	9	<i>*</i>	258	<i>442</i>	36	<i>39</i>	252	<i>437</i>
Smoke Heroin <sup>1</sup>	186	<i>330</i>	8	<i>*</i>	185	<i>330</i>	24	<i>33</i>	182	<i>327</i>
Sniff or Snort Heroin <sup>1</sup>	200	<i>379</i>	4	<i>*</i>	199	<i>379</i>	31	<i>36</i>	195	<i>374</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> These estimates may be inconsistent with estimates presented in other detailed tables because NSDUH data are not edited for consistency across discrete sections of the interview, except with regard to skip logic.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.102D Specific Hallucinogen, Inhalant, Needle, and Heroin Use in Lifetime: Among People Aged 12 or Older; by Age Group, Standard Errors of Percentages, 2019 and 2020**

Drug or Method of Administration	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>HALLUCINOGENS</b>	0.25	<i>0.35</i>	0.16	<i>0.27</i>	0.27	<i>0.38</i>	0.40	<i>0.69</i>	0.30	<i>0.43</i>
PCP	0.10	<i>0.16</i>	0.04	<i>0.02</i>	0.11	<i>0.18</i>	0.10	<i>0.12</i>	0.12	<i>0.20</i>
LSD	0.19	<i>0.30</i>	0.13	<i>0.19</i>	0.21	<i>0.32</i>	0.31	<i>0.51</i>	0.24	<i>0.36</i>
Peyote	0.10	<i>0.14</i>	0.05	<i>0.05</i>	0.11	<i>0.15</i>	0.08	<i>0.08</i>	0.13	<i>0.18</i>
Mescaline	0.12	<i>0.16</i>	0.03	<i>0.01</i>	0.13	<i>0.18</i>	0.08	<i>0.09</i>	0.15	<i>0.21</i>
Psilocybin/Mushrooms	0.21	<i>0.29</i>	0.11	<i>0.16</i>	0.23	<i>0.32</i>	0.30	<i>0.50</i>	0.26	<i>0.35</i>
Ecstasy	0.16	<i>0.23</i>	0.10	<i>0.16</i>	0.17	<i>0.26</i>	0.34	<i>0.53</i>	0.19	<i>0.28</i>
Ketamine	0.06	<i>0.10</i>	0.04	<i>0.06</i>	0.07	<i>0.11</i>	0.13	<i>0.22</i>	0.08	<i>0.12</i>
DMT, AMT, or 5-MeO-DIPT/Foxy	0.06	<i>0.08</i>	0.05	<i>0.06</i>	0.07	<i>0.09</i>	0.14	<i>0.18</i>	0.08	<i>0.10</i>
Salvia divinorum	0.07	<i>0.11</i>	0.05	<i>0.06</i>	0.08	<i>0.13</i>	0.14	<i>0.16</i>	0.09	<i>0.14</i>
<b>INHALANTS</b>	0.17	<i>0.27</i>	0.28	<i>0.62</i>	0.18	<i>0.29</i>	0.30	<i>0.48</i>	0.20	<i>0.32</i>
Amyl Nitrite, Poppers, Locker Room Odorizers, or Rush	0.11	<i>0.16</i>	0.07	<i>0.15</i>	0.12	<i>0.18</i>	0.14	<i>0.21</i>	0.13	<i>0.20</i>
Correction Fluid, Degreaser, or Cleaning Fluid	0.04	<i>0.08</i>	0.07	<i>0.19</i>	0.04	<i>0.09</i>	0.07	<i>0.05</i>	0.05	<i>0.10</i>
Gasoline or Lighter Fluid	0.05	<i>0.09</i>	0.13	<i>0.30</i>	0.06	<i>0.09</i>	0.09	<i>0.18</i>	0.07	<i>0.10</i>
Glue, Shoe Polish, or Toluene	0.05	<i>0.10</i>	0.14	<i>0.37</i>	0.06	<i>0.10</i>	0.10	<i>0.18</i>	0.07	<i>0.12</i>
Halothane, Ether, or Other Anesthetics	0.02	<i>0.08</i>	0.03	<i>0.03</i>	0.03	<i>0.09</i>	0.04	<i>0.09</i>	0.03	<i>0.10</i>
Lacquer Thinner or Other Paint Solvents	0.04	<i>0.06</i>	0.07	<i>0.18</i>	0.05	<i>0.07</i>	0.07	<i>0.11</i>	0.05	<i>0.08</i>
Lighter Gases	0.03	<i>0.04</i>	0.08	<i>0.15</i>	0.03	<i>0.04</i>	0.05	<i>0.08</i>	0.03	<i>0.04</i>
Nitrous Oxide or Whippits	0.13	<i>0.19</i>	0.08	<i>0.12</i>	0.14	<i>0.21</i>	0.19	<i>0.32</i>	0.16	<i>0.23</i>
Felt-Tip Pens or Felt-Tip/Magic Markers	0.07	<i>0.13</i>	0.24	<i>0.57</i>	0.07	<i>0.13</i>	0.20	<i>0.33</i>	0.08	<i>0.14</i>
Spray Paints	0.04	<i>0.06</i>	0.13	<i>0.26</i>	0.04	<i>0.06</i>	0.09	<i>0.15</i>	0.05	<i>0.07</i>
Computer Cleaner/Air Duster	0.05	<i>0.07</i>	0.09	<i>0.12</i>	0.05	<i>0.08</i>	0.13	<i>0.14</i>	0.06	<i>0.09</i>
Other Aerosol Sprays	0.04	<i>0.07</i>	0.07	<i>0.13</i>	0.04	<i>0.08</i>	0.08	<i>0.10</i>	0.05	<i>0.09</i>
<b>NEEDLE USE<sup>1</sup></b>	0.08	<i>0.15</i>	0.03	<i>0.01</i>	0.09	<i>0.16</i>	0.08	<i>0.12</i>	0.10	<i>0.18</i>
Heroin Needle Use <sup>1</sup>	0.06	<i>0.10</i>	0.01	*	0.07	<i>0.11</i>	0.07	<i>0.10</i>	0.08	<i>0.13</i>
Cocaine Needle Use <sup>1</sup>	0.06	<i>0.11</i>	0.01	*	0.07	<i>0.12</i>	0.05	<i>0.03</i>	0.08	<i>0.14</i>
Methamphetamine Needle Use <sup>1</sup>	0.05	<i>0.11</i>	*	*	0.06	<i>0.12</i>	0.06	<i>0.06</i>	0.07	<i>0.14</i>
<b>HEROIN</b>	0.09	<i>0.16</i>	0.04	*	0.10	<i>0.18</i>	0.11	<i>0.12</i>	0.12	<i>0.20</i>
Smoke Heroin <sup>1</sup>	0.07	<i>0.12</i>	0.03	*	0.07	<i>0.13</i>	0.07	<i>0.10</i>	0.08	<i>0.15</i>
Sniff or Snort Heroin <sup>1</sup>	0.07	<i>0.14</i>	0.01	*	0.08	<i>0.15</i>	0.09	<i>0.11</i>	0.09	<i>0.17</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> These estimates may be inconsistent with estimates presented in other detailed tables because NSDUH data are not edited for consistency across discrete sections of the interview, except with regard to skip logic.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.