

Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; Numbers in Thousands, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	138,027	<i>138,543</i>	57,203	<i>59,277</i>	35,803	<i>37,309</i>
Marijuana	127,139	<i>126,504</i>	48,242	<i>49,634</i>	31,606	<i>32,784</i>
Cocaine	41,445	<i>39,261</i>	5,468	<i>5,172</i>	1,998	<i>1,831</i>
Crack	9,375	<i>9,356</i>	778	<i>657</i>	378	<i>335</i>
Heroin	5,696	<i>6,252</i>	745	<i>902</i>	431	<i>513</i>
Hallucinogens	44,087	<i>43,949</i>	6,010	<i>7,133</i>	1,915	<i>1,761</i>
LSD	27,528	<i>28,123</i>	2,470	<i>2,637</i>	580	<i>649</i>
PCP	5,516	<i>6,141</i>	73	<i>95</i>	*	<i>24</i>
Ecstasy	20,097	<i>20,478</i>	2,539	<i>2,622</i>	663	<i>681</i>
Inhalants	25,090	<i>26,749</i>	2,142	<i>2,390</i>	807	<i>904</i>
Methamphetamine	16,013	<i>15,397</i>	1,999	<i>2,550</i>	1,173	<i>1,722</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	16,304	<i>16,073</i>	5,337	<i>5,278</i>
Pain Relievers	nr	<i>nr</i>	9,724	<i>9,254</i>	2,819	<i>2,536</i>
Stimulants	nr	<i>nr</i>	4,929	<i>5,092</i>	1,566	<i>1,493</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	5,895	<i>6,205</i>	1,958	<i>2,196</i>
Tranquilizers	nr	<i>nr</i>	5,220	<i>5,460</i>	1,781	<i>1,891</i>
Sedatives	nr	<i>nr</i>	1,098	<i>1,240</i>	304	<i>481</i>
Benzodiazepines	--	<i>--</i>	4,841	<i>4,779</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	10,065	<i>9,490</i>	3,101	<i>2,885</i>
Central Nervous System Stimulants	nr	<i>nr</i>	10,136	<i>10,306</i>	4,264	<i>4,483</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	23,588	<i>23,962</i>	9,333	<i>9,305</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; Percentages, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	50.2	<i>50.0</i>	20.8	<i>21.4</i>	13.0	<i>13.5</i>
Marijuana	46.2	<i>45.7</i>	17.5	<i>17.9</i>	11.5	<i>11.8</i>
Cocaine	15.1	<i>14.2</i>	2.0	<i>1.9</i>	0.7	<i>0.7</i>
Crack	3.4	<i>3.4</i>	0.3	<i>0.2</i>	0.1	<i>0.1</i>
Heroin	2.1	<i>2.3</i>	0.3	<i>0.3</i>	0.2	<i>0.2</i>
Hallucinogens	16.0	<i>15.9</i>	2.2	<i>2.6</i>	0.7	<i>0.6</i>
LSD	10.0	<i>10.2</i>	0.9	<i>1.0</i>	0.2	<i>0.2</i>
PCP	2.0	<i>2.2</i>	0.0	<i>0.0</i>	*	<i>0.0</i>
Ecstasy	7.3	<i>7.4</i>	0.9	<i>0.9</i>	0.2	<i>0.2</i>
Inhalants	9.1	<i>9.7</i>	0.8	<i>0.9</i>	0.3	<i>0.3</i>
Methamphetamine	5.8	<i>5.6</i>	0.7	<i>0.9</i>	0.4	<i>0.6</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	5.9	<i>5.8</i>	1.9	<i>1.9</i>
Pain Relievers	nr	<i>nr</i>	3.5	<i>3.3</i>	1.0	<i>0.9</i>
Stimulants	nr	<i>nr</i>	1.8	<i>1.8</i>	0.6	<i>0.5</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	2.1	<i>2.2</i>	0.7	<i>0.8</i>
Tranquilizers	nr	<i>nr</i>	1.9	<i>2.0</i>	0.6	<i>0.7</i>
Sedatives	nr	<i>nr</i>	0.4	<i>0.4</i>	0.1	<i>0.2</i>
Benzodiazepines	--	<i>--</i>	1.8	<i>1.7</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	3.7	<i>3.4</i>	1.1	<i>1.0</i>
Central Nervous System Stimulants	nr	<i>nr</i>	3.7	<i>3.7</i>	1.5	<i>1.6</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	8.6	<i>8.7</i>	3.4	<i>3.4</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 to 17; Numbers in Thousands, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	6,090	5,229	4,279	3,436	2,167	1,679
Marijuana	3,947	3,103	3,284	2,531	1,837	1,472
Cocaine	154	105	97	84	34	11
Crack	20	3	11	2	5	2
Heroin	21	*	*	*	*	*
Hallucinogens	615	563	440	370	152	80
LSD	392	317	279	219	68	27
PCP	41	7	21	*	*	*
Ecstasy	225	183	144	86	40	23
Inhalants	2,202	2,327	743	683	216	106
Methamphetamine	75	48	41	21	11	7
Misuse of Prescription						
Psychotherapeutics	nr	nr	1,062	688	329	169
Pain Relievers	nr	nr	567	396	165	96
Stimulants	nr	nr	430	288	123	72
Tranquilizers or Sedatives	nr	nr	436	226	121	26
Tranquilizers	nr	nr	392	196	112	25
Sedatives	nr	nr	82	35	29	1
Benzodiazepines	--	--	381	157	--	--
Opioids	nr	nr	567	396	165	96
Central Nervous System Stimulants	nr	nr	499	346	160	87
Illicit Drugs Other Than Marijuana ²	nr	nr	1,862	1,507	598	305

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 to 17; Percentages, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLCIT DRUGS¹	24.5	<i>20.9</i>	17.2	<i>13.8</i>	8.7	<i>6.7</i>
Marijuana	15.8	<i>12.4</i>	13.2	<i>10.1</i>	7.4	<i>5.9</i>
Cocaine	0.6	<i>0.4</i>	0.4	<i>0.3</i>	0.1	<i>0.0</i>
Crack	0.1	<i>0.0</i>	0.0	<i>0.0</i>	0.0	<i>0.0</i>
Heroin	0.1	*	*	*	*	*
Hallucinogens	2.5	<i>2.3</i>	1.8	<i>1.5</i>	0.6	<i>0.3</i>
LSD	1.6	<i>1.3</i>	1.1	<i>0.9</i>	0.3	<i>0.1</i>
PCP	0.2	<i>0.0</i>	0.1	*	*	*
Ecstasy	0.9	<i>0.7</i>	0.6	<i>0.3</i>	0.2	<i>0.1</i>
Inhalants	8.8	<i>9.3</i>	3.0	<i>2.7</i>	0.9	<i>0.4</i>
Methamphetamine	0.3	<i>0.2</i>	0.2	<i>0.1</i>	0.0	<i>0.0</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	4.3	<i>2.8</i>	1.3	<i>0.7</i>
Pain Relievers	nr	<i>nr</i>	2.3	<i>1.6</i>	0.7	<i>0.4</i>
Stimulants	nr	<i>nr</i>	1.7	<i>1.2</i>	0.5	<i>0.3</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	1.8	<i>0.9</i>	0.5	<i>0.1</i>
Tranquilizers	nr	<i>nr</i>	1.6	<i>0.8</i>	0.5	<i>0.1</i>
Sedatives	nr	<i>nr</i>	0.3	<i>0.1</i>	0.1	<i>0.0</i>
Benzodiazepines	--	<i>--</i>	1.5	<i>0.6</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	2.3	<i>1.6</i>	0.7	<i>0.4</i>
Central Nervous System Stimulants	nr	<i>nr</i>	2.0	<i>1.4</i>	0.6	<i>0.3</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	7.5	<i>6.0</i>	2.4	<i>1.2</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 or Older; Numbers in Thousands, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	131,937	<i>133,314</i>	52,924	<i>55,841</i>	33,636	<i>35,630</i>
Marijuana	123,192	<i>123,401</i>	44,958	<i>47,103</i>	29,769	<i>31,312</i>
Cocaine	41,291	<i>39,155</i>	5,371	<i>5,088</i>	1,965	<i>1,821</i>
Crack	9,355	<i>9,354</i>	766	<i>655</i>	372	<i>333</i>
Heroin	5,675	<i>6,251</i>	745	<i>902</i>	431	<i>513</i>
Hallucinogens	43,472	<i>43,386</i>	5,571	<i>6,763</i>	1,763	<i>1,681</i>
LSD	27,137	<i>27,806</i>	2,191	<i>2,418</i>	512	<i>622</i>
PCP	5,475	<i>6,134</i>	52	<i>95</i>	*	<i>24</i>
Ecstasy	19,872	<i>20,295</i>	2,395	<i>2,537</i>	623	<i>659</i>
Inhalants	22,889	<i>24,422</i>	1,399	<i>1,707</i>	591	<i>797</i>
Methamphetamine	15,939	<i>15,349</i>	1,958	<i>2,528</i>	1,161	<i>1,715</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	15,242	<i>15,385</i>	5,008	<i>5,108</i>
Pain Relievers	nr	<i>nr</i>	9,158	<i>8,858</i>	2,654	<i>2,440</i>
Stimulants	nr	<i>nr</i>	4,499	<i>4,804</i>	1,443	<i>1,421</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	5,459	<i>5,979</i>	1,837	<i>2,170</i>
Tranquilizers	nr	<i>nr</i>	4,829	<i>5,264</i>	1,669	<i>1,866</i>
Sedatives	nr	<i>nr</i>	1,016	<i>1,205</i>	275	<i>480</i>
Benzodiazepines	--	<i>--</i>	4,460	<i>4,622</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	9,499	<i>9,094</i>	2,936	<i>2,789</i>
Central Nervous System Stimulants	nr	<i>nr</i>	9,638	<i>9,960</i>	4,103	<i>4,396</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	21,727	<i>22,455</i>	8,735	<i>9,000</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 or Older; Percentages, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	52.7	52.9	21.1	22.2	13.4	14.1
Marijuana	49.2	49.0	18.0	18.7	11.9	12.4
Cocaine	16.5	15.5	2.1	2.0	0.8	0.7
Crack	3.7	3.7	0.3	0.3	0.1	0.1
Heroin	2.3	2.5	0.3	0.4	0.2	0.2
Hallucinogens	17.4	17.2	2.2	2.7	0.7	0.7
LSD	10.8	11.0	0.9	1.0	0.2	0.2
PCP	2.2	2.4	0.0	0.0	*	0.0
Ecstasy	7.9	8.1	1.0	1.0	0.2	0.3
Inhalants	9.1	9.7	0.6	0.7	0.2	0.3
Methamphetamine	6.4	6.1	0.8	1.0	0.5	0.7
Misuse of Prescription						
Psychotherapeutics	nr	nr	6.1	6.1	2.0	2.0
Pain Relievers	nr	nr	3.7	3.5	1.1	1.0
Stimulants	nr	nr	1.8	1.9	0.6	0.6
Tranquilizers or Sedatives	nr	nr	2.2	2.4	0.7	0.9
Tranquilizers	nr	nr	1.9	2.1	0.7	0.7
Sedatives	nr	nr	0.4	0.5	0.1	0.2
Benzodiazepines	--	--	1.8	1.8	--	--
Opioids	nr	nr	3.8	3.6	1.2	1.1
Central Nervous System Stimulants	nr	nr	3.9	4.0	1.6	1.7
Illicit Drugs Other Than Marijuana ²	nr	nr	8.7	8.9	3.5	3.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 to 25; Numbers in Thousands, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	18,832	<i>17,879</i>	13,193	<i>12,398</i>	8,406	<i>8,016</i>
Marijuana	17,450	<i>16,604</i>	11,952	<i>11,566</i>	7,749	<i>7,727</i>
Cocaine	3,809	<i>3,065</i>	1,789	<i>1,441</i>	540	<i>424</i>
Crack	339	<i>247</i>	61	<i>49</i>	18	<i>35</i>
Heroin	389	<i>226</i>	87	<i>62</i>	38	<i>26</i>
Hallucinogens	5,597	<i>5,269</i>	2,425	<i>2,446</i>	625	<i>645</i>
LSD	3,368	<i>3,284</i>	1,202	<i>1,254</i>	260	<i>273</i>
PCP	249	<i>167</i>	30	<i>63</i>	8	<i>*</i>
Ecstasy	3,500	<i>2,946</i>	1,089	<i>845</i>	214	<i>187</i>
Inhalants	3,099	<i>2,929</i>	577	<i>507</i>	157	<i>160</i>
Methamphetamine	904	<i>538</i>	275	<i>171</i>	110	<i>74</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	3,868	<i>3,193</i>	1,145	<i>764</i>
Pain Relievers	nr	<i>nr</i>	1,754	<i>1,361</i>	420	<i>288</i>
Stimulants	nr	<i>nr</i>	1,951	<i>1,616</i>	587	<i>267</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	1,409	<i>1,237</i>	365	<i>371</i>
Tranquilizers	nr	<i>nr</i>	1,313	<i>1,108</i>	337	<i>357</i>
Sedatives	nr	<i>nr</i>	175	<i>251</i>	44	<i>78</i>
Benzodiazepines	--	<i>--</i>	1,266	<i>1,097</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	1,776	<i>1,376</i>	439	<i>296</i>
Central Nervous System Stimulants	nr	<i>nr</i>	3,205	<i>2,567</i>	1,127	<i>682</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	5,791	<i>5,169</i>	2,059	<i>1,600</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 to 25; Percentages, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	55.8	<i>53.4</i>	39.1	<i>37.0</i>	24.9	<i>23.9</i>
Marijuana	51.7	<i>49.6</i>	35.4	<i>34.5</i>	23.0	<i>23.1</i>
Cocaine	11.3	<i>9.1</i>	5.3	<i>4.3</i>	1.6	<i>1.3</i>
Crack	1.0	<i>0.7</i>	0.2	<i>0.1</i>	0.1	<i>0.1</i>
Heroin	1.2	<i>0.7</i>	0.3	<i>0.2</i>	0.1	<i>0.1</i>
Hallucinogens	16.6	<i>15.7</i>	7.2	<i>7.3</i>	1.9	<i>1.9</i>
LSD	10.0	<i>9.8</i>	3.6	<i>3.7</i>	0.8	<i>0.8</i>
PCP	0.7	<i>0.5</i>	0.1	<i>0.2</i>	0.0	*
Ecstasy	10.4	<i>8.8</i>	3.2	<i>2.5</i>	0.6	<i>0.6</i>
Inhalants	9.2	<i>8.7</i>	1.7	<i>1.5</i>	0.5	<i>0.5</i>
Methamphetamine	2.7	<i>1.6</i>	0.8	<i>0.5</i>	0.3	<i>0.2</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	11.5	<i>9.5</i>	3.4	<i>2.3</i>
Pain Relievers	nr	<i>nr</i>	5.2	<i>4.1</i>	1.2	<i>0.9</i>
Stimulants	nr	<i>nr</i>	5.8	<i>4.8</i>	1.7	<i>0.8</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	4.2	<i>3.7</i>	1.1	<i>1.1</i>
Tranquilizers	nr	<i>nr</i>	3.9	<i>3.3</i>	1.0	<i>1.1</i>
Sedatives	nr	<i>nr</i>	0.5	<i>0.7</i>	0.1	<i>0.2</i>
Benzodiazepines	--	<i>--</i>	3.8	<i>3.3</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	5.3	<i>4.1</i>	1.3	<i>0.9</i>
Central Nervous System Stimulants	nr	<i>nr</i>	9.5	<i>7.7</i>	3.3	<i>2.0</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	17.2	<i>15.4</i>	6.1	<i>4.8</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 26 or Older; Numbers in Thousands, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLICIT DRUGS¹	113,104	<i>115,435</i>	39,731	<i>43,443</i>	25,231	<i>27,614</i>
Marijuana	105,742	<i>106,797</i>	33,007	<i>35,537</i>	22,020	<i>23,585</i>
Cocaine	37,483	<i>36,091</i>	3,582	<i>3,646</i>	1,425	<i>1,396</i>
Crack	9,016	<i>9,107</i>	706	<i>606</i>	355	<i>298</i>
Heroin	5,287	<i>6,024</i>	658	<i>840</i>	392	<i>488</i>
Hallucinogens	37,876	<i>38,117</i>	3,146	<i>4,317</i>	1,138	<i>1,036</i>
LSD	23,769	<i>24,521</i>	989	<i>1,164</i>	252	<i>349</i>
PCP	5,226	<i>5,967</i>	22	<i>31</i>	*	<i>24</i>
Ecstasy	16,372	<i>17,348</i>	1,306	<i>1,692</i>	409	<i>472</i>
Inhalants	19,790	<i>21,493</i>	822	<i>1,200</i>	434	<i>637</i>
Methamphetamine	15,034	<i>14,811</i>	1,682	<i>2,358</i>	1,051	<i>1,641</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	11,374	<i>12,192</i>	3,863	<i>4,344</i>
Pain Relievers	nr	<i>nr</i>	7,404	<i>7,498</i>	2,234	<i>2,152</i>
Stimulants	nr	<i>nr</i>	2,548	<i>3,188</i>	856	<i>1,154</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	4,050	<i>4,742</i>	1,472	<i>1,799</i>
Tranquilizers	nr	<i>nr</i>	3,516	<i>4,156</i>	1,332	<i>1,509</i>
Sedatives	nr	<i>nr</i>	841	<i>954</i>	231	<i>402</i>
Benzodiazepines	--	<i>--</i>	3,194	<i>3,526</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	7,723	<i>7,717</i>	2,497	<i>2,493</i>
Central Nervous System Stimulants	nr	<i>nr</i>	6,433	<i>7,393</i>	2,976	<i>3,714</i>
Illicit Drugs Other Than Marijuana ²	nr	<i>nr</i>	15,936	<i>17,286</i>	6,676	<i>7,400</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 26 or Older; Percentages, 2019 and 2020

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
ILLCIT DRUGS¹	52.2	52.8	18.3	19.9	11.6	12.6
Marijuana	48.8	48.9	15.2	16.3	10.2	10.8
Cocaine	17.3	16.5	1.7	1.7	0.7	0.6
Crack	4.2	4.2	0.3	0.3	0.2	0.1
Heroin	2.4	2.8	0.3	0.4	0.2	0.2
Hallucinogens	17.5	17.5	1.5	2.0	0.5	0.5
LSD	11.0	11.2	0.5	0.5	0.1	0.2
PCP	2.4	2.7	0.0	0.0	*	0.0
Ecstasy	7.6	7.9	0.6	0.8	0.2	0.2
Inhalants	9.1	9.8	0.4	0.5	0.2	0.3
Methamphetamine	6.9	6.8	0.8	1.1	0.5	0.8
Misuse of Prescription						
Psychotherapeutics	nr	nr	5.3	5.6	1.8	2.0
Pain Relievers	nr	nr	3.4	3.4	1.0	1.0
Stimulants	nr	nr	1.2	1.5	0.4	0.5
Tranquilizers or Sedatives	nr	nr	1.9	2.2	0.7	0.8
Tranquilizers	nr	nr	1.6	1.9	0.6	0.7
Sedatives	nr	nr	0.4	0.4	0.1	0.2
Benzodiazepines	--	--	1.5	1.6	--	--
Opioids	nr	nr	3.6	3.5	1.2	1.1
Central Nervous System Stimulants	nr	nr	3.0	3.4	1.4	1.7
Illicit Drugs Other Than Marijuana ²	nr	nr	7.4	7.9	3.1	3.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

² Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.