

**Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	959	<i>1,380</i>	734	<i>1,089</i>	556	<i>890</i>
Marijuana	958	<i>1,374</i>	669	<i>1,035</i>	523	<i>825</i>
Cocaine	671	<i>948</i>	215	<i>306</i>	130	<i>192</i>
Crack	328	<i>535</i>	100	<i>120</i>	62	<i>83</i>
Heroin	259	<i>443</i>	98	<i>170</i>	84	<i>147</i>
Hallucinogens	699	<i>972</i>	212	<i>390</i>	115	<i>149</i>
LSD	529	<i>821</i>	127	<i>194</i>	56	<i>102</i>
PCP	273	<i>450</i>	19	<i>38</i>	*	<i>19</i>
Ecstasy	439	<i>649</i>	129	<i>207</i>	68	<i>86</i>
Inhalants	464	<i>735</i>	120	<i>193</i>	84	<i>129</i>
Methamphetamine	443	<i>641</i>	133	<i>265</i>	108	<i>215</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	374	<i>580</i>	210	<i>345</i>
Pain Relievers	nr	<i>nr</i>	289	<i>474</i>	163	<i>245</i>
Stimulants	nr	<i>nr</i>	178	<i>292</i>	99	<i>177</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	238	<i>336</i>	137	<i>226</i>
Tranquilizers	nr	<i>nr</i>	224	<i>309</i>	131	<i>200</i>
Sedatives	nr	<i>nr</i>	102	<i>161</i>	52	<i>123</i>
Benzodiazepines	--	<i>--</i>	212	<i>283</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	303	<i>478</i>	178	<i>278</i>
Central Nervous System Stimulants	nr	<i>nr</i>	276	<i>459</i>	184	<i>316</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	448	<i>680</i>	286	<i>466</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; Standard Errors of Percentages, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	0.35	<i>0.50</i>	0.27	<i>0.39</i>	0.20	<i>0.32</i>
Marijuana	0.35	<i>0.50</i>	0.24	<i>0.37</i>	0.19	<i>0.30</i>
Cocaine	0.24	<i>0.34</i>	0.08	<i>0.11</i>	0.05	<i>0.07</i>
Crack	0.12	<i>0.19</i>	0.04	<i>0.04</i>	0.02	<i>0.03</i>
Heroin	0.09	<i>0.16</i>	0.04	<i>0.06</i>	0.03	<i>0.05</i>
Hallucinogens	0.25	<i>0.35</i>	0.08	<i>0.14</i>	0.04	<i>0.05</i>
LSD	0.19	<i>0.30</i>	0.05	<i>0.07</i>	0.02	<i>0.04</i>
PCP	0.10	<i>0.16</i>	0.01	<i>0.01</i>	*	<i>0.01</i>
Ecstasy	0.16	<i>0.23</i>	0.05	<i>0.07</i>	0.02	<i>0.03</i>
Inhalants	0.17	<i>0.27</i>	0.04	<i>0.07</i>	0.03	<i>0.05</i>
Methamphetamine	0.16	<i>0.23</i>	0.05	<i>0.10</i>	0.04	<i>0.08</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	0.14	<i>0.21</i>	0.08	<i>0.12</i>
Pain Relievers	nr	<i>nr</i>	0.11	<i>0.17</i>	0.06	<i>0.09</i>
Stimulants	nr	<i>nr</i>	0.06	<i>0.11</i>	0.04	<i>0.06</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	0.09	<i>0.12</i>	0.05	<i>0.08</i>
Tranquilizers	nr	<i>nr</i>	0.08	<i>0.11</i>	0.05	<i>0.07</i>
Sedatives	nr	<i>nr</i>	0.04	<i>0.06</i>	0.02	<i>0.04</i>
Benzodiazepines	--	<i>--</i>	0.08	<i>0.10</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	0.11	<i>0.17</i>	0.06	<i>0.10</i>
Central Nervous System Stimulants	nr	<i>nr</i>	0.10	<i>0.17</i>	0.07	<i>0.11</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	0.16	<i>0.25</i>	0.10	<i>0.17</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 to 17; Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	103	<i>206</i>	89	<i>167</i>	69	<i>113</i>
Marijuana	89	<i>162</i>	84	<i>142</i>	65	<i>111</i>
Cocaine	21	<i>27</i>	17	<i>26</i>	12	<i>9</i>
Crack	8	<i>2</i>	7	<i>2</i>	5	<i>2</i>
Heroin	9	*	*	*	*	*
Hallucinogens	39	<i>68</i>	33	<i>52</i>	21	<i>19</i>
LSD	32	<i>49</i>	27	<i>40</i>	12	<i>10</i>
PCP	11	<i>4</i>	8	*	*	*
Ecstasy	25	<i>40</i>	21	<i>20</i>	15	<i>9</i>
Inhalants	70	<i>156</i>	40	<i>81</i>	24	<i>22</i>
Methamphetamine	14	<i>22</i>	10	<i>12</i>	5	<i>5</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	51	<i>80</i>	33	<i>29</i>
Pain Relievers	nr	<i>nr</i>	39	<i>61</i>	23	<i>20</i>
Stimulants	nr	<i>nr</i>	37	<i>50</i>	23	<i>19</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	35	<i>40</i>	21	<i>11</i>
Tranquilizers	nr	<i>nr</i>	35	<i>38</i>	20	<i>11</i>
Sedatives	nr	<i>nr</i>	17	<i>14</i>	13	<i>1</i>
Benzodiazepines	--	<i>--</i>	34	<i>36</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	39	<i>61</i>	23	<i>20</i>
Central Nervous System Stimulants	nr	<i>nr</i>	39	<i>55</i>	26	<i>22</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	63	<i>117</i>	40	<i>38</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 to 17; Standard Errors of Percentages, 2019 and 2020**

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
<b>ILLCIT DRUGS<sup>1</sup></b>	0.41	<i>0.82</i>	0.36	<i>0.67</i>	0.28	<i>0.45</i>
Marijuana	0.36	<i>0.65</i>	0.34	<i>0.57</i>	0.26	<i>0.45</i>
Cocaine	0.08	<i>0.11</i>	0.07	<i>0.10</i>	0.05	<i>0.03</i>
Crack	0.03	<i>0.01</i>	0.03	<i>0.01</i>	0.02	<i>0.01</i>
Heroin	0.04	*	*	*	*	*
Hallucinogens	0.16	<i>0.27</i>	0.13	<i>0.21</i>	0.09	<i>0.07</i>
LSD	0.13	<i>0.19</i>	0.11	<i>0.16</i>	0.05	<i>0.04</i>
PCP	0.04	<i>0.02</i>	0.03	*	*	*
Ecstasy	0.10	<i>0.16</i>	0.08	<i>0.08</i>	0.06	<i>0.03</i>
Inhalants	0.28	<i>0.62</i>	0.16	<i>0.32</i>	0.10	<i>0.09</i>
Methamphetamine	0.06	<i>0.09</i>	0.04	<i>0.05</i>	0.02	<i>0.02</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	0.21	<i>0.32</i>	0.13	<i>0.11</i>
Pain Relievers	nr	<i>nr</i>	0.16	<i>0.24</i>	0.09	<i>0.08</i>
Stimulants	nr	<i>nr</i>	0.15	<i>0.20</i>	0.09	<i>0.08</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	0.14	<i>0.16</i>	0.08	<i>0.04</i>
Tranquilizers	nr	<i>nr</i>	0.14	<i>0.15</i>	0.08	<i>0.04</i>
Sedatives	nr	<i>nr</i>	0.07	<i>0.06</i>	0.05	<i>0.01</i>
Benzodiazepines	--	--	0.14	<i>0.15</i>	--	--
Opioids	nr	<i>nr</i>	0.16	<i>0.24</i>	0.09	<i>0.08</i>
Central Nervous System Stimulants	nr	<i>nr</i>	0.16	<i>0.22</i>	0.10	<i>0.09</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	0.25	<i>0.47</i>	0.16	<i>0.15</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 or Older; Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	927	<i>1,359</i>	716	<i>1,076</i>	547	880
Marijuana	931	<i>1,347</i>	653	<i>1,024</i>	513	814
Cocaine	665	<i>936</i>	213	<i>305</i>	129	192
Crack	329	<i>532</i>	100	<i>120</i>	62	83
Heroin	258	<i>442</i>	97	<i>170</i>	84	147
Hallucinogens	687	<i>967</i>	205	<i>380</i>	111	147
LSD	524	<i>812</i>	122	<i>187</i>	54	102
PCP	273	<i>448</i>	17	<i>38</i>	*	19
Ecstasy	434	<i>647</i>	127	<i>205</i>	64	86
Inhalants	455	<i>724</i>	111	<i>176</i>	80	127
Methamphetamine	443	<i>636</i>	134	<i>265</i>	108	214
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	365	<i>571</i>	209	343
Pain Relievers	nr	<i>nr</i>	285	<i>466</i>	162	243
Stimulants	nr	<i>nr</i>	173	<i>288</i>	96	177
Tranquilizers or Sedatives	nr	<i>nr</i>	233	<i>336</i>	136	225
Tranquilizers	nr	<i>nr</i>	219	<i>308</i>	130	199
Sedatives	nr	<i>nr</i>	100	<i>161</i>	51	123
Benzodiazepines	--	<i>--</i>	207	<i>283</i>	--	--
Opioids	nr	<i>nr</i>	299	<i>470</i>	177	276
Central Nervous System Stimulants	nr	<i>nr</i>	270	<i>454</i>	182	314
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	440	<i>667</i>	283	462

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 or Older; Standard Errors of Percentages, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	0.37	<i>0.54</i>	0.29	<i>0.43</i>	0.22	<i>0.35</i>
Marijuana	0.37	<i>0.53</i>	0.26	<i>0.41</i>	0.21	<i>0.32</i>
Cocaine	0.27	<i>0.37</i>	0.09	<i>0.12</i>	0.05	<i>0.08</i>
Crack	0.13	<i>0.21</i>	0.04	<i>0.05</i>	0.02	<i>0.03</i>
Heroin	0.10	<i>0.18</i>	0.04	<i>0.07</i>	0.03	<i>0.06</i>
Hallucinogens	0.27	<i>0.38</i>	0.08	<i>0.15</i>	0.04	<i>0.06</i>
LSD	0.21	<i>0.32</i>	0.05	<i>0.07</i>	0.02	<i>0.04</i>
PCP	0.11	<i>0.18</i>	0.01	<i>0.02</i>	*	<i>0.01</i>
Ecstasy	0.17	<i>0.26</i>	0.05	<i>0.08</i>	0.03	<i>0.03</i>
Inhalants	0.18	<i>0.29</i>	0.04	<i>0.07</i>	0.03	<i>0.05</i>
Methamphetamine	0.18	<i>0.25</i>	0.05	<i>0.11</i>	0.04	<i>0.08</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	0.15	<i>0.23</i>	0.08	<i>0.14</i>
Pain Relievers	nr	<i>nr</i>	0.11	<i>0.18</i>	0.06	<i>0.10</i>
Stimulants	nr	<i>nr</i>	0.07	<i>0.11</i>	0.04	<i>0.07</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	0.09	<i>0.13</i>	0.05	<i>0.09</i>
Tranquilizers	nr	<i>nr</i>	0.09	<i>0.12</i>	0.05	<i>0.08</i>
Sedatives	nr	<i>nr</i>	0.04	<i>0.06</i>	0.02	<i>0.05</i>
Benzodiazepines	--	<i>--</i>	0.08	<i>0.11</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	0.12	<i>0.19</i>	0.07	<i>0.11</i>
Central Nervous System Stimulants	nr	<i>nr</i>	0.11	<i>0.18</i>	0.07	<i>0.12</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	0.18	<i>0.26</i>	0.11	<i>0.18</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 to 25; Standard Errors of Numbers in Thousands, 2019 and 2020**

Drug	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
<b>ILLICIT DRUGS<sup>1</sup></b>	184	<i>342</i>	181	<i>325</i>	153	<i>280</i>
Marijuana	191	<i>353</i>	176	<i>324</i>	148	<i>278</i>
Cocaine	118	<i>171</i>	83	<i>124</i>	44	<i>68</i>
Crack	33	<i>41</i>	12	<i>21</i>	6	<i>16</i>
Heroin	36	<i>39</i>	17	<i>19</i>	10	<i>15</i>
Hallucinogens	134	<i>231</i>	89	<i>166</i>	47	<i>85</i>
LSD	105	<i>172</i>	67	<i>116</i>	31	<i>54</i>
PCP	32	<i>41</i>	11	<i>32</i>	8	<i>*</i>
Ecstasy	113	<i>177</i>	64	<i>93</i>	29	<i>39</i>
Inhalants	100	<i>159</i>	50	<i>61</i>	26	<i>41</i>
Methamphetamine	56	<i>67</i>	31	<i>31</i>	19	<i>20</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	122	<i>178</i>	62	<i>78</i>
Pain Relievers	nr	<i>nr</i>	75	<i>114</i>	35	<i>47</i>
Stimulants	nr	<i>nr</i>	93	<i>121</i>	48	<i>42</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	67	<i>113</i>	36	<i>59</i>
Tranquilizers	nr	<i>nr</i>	65	<i>104</i>	35	<i>58</i>
Sedatives	nr	<i>nr</i>	24	<i>57</i>	13	<i>32</i>
Benzodiazepines	--	<i>--</i>	64	<i>105</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	75	<i>115</i>	36	<i>47</i>
Central Nervous System Stimulants	nr	<i>nr</i>	116	<i>159</i>	66	<i>81</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	136	<i>230</i>	85	<i>129</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 to 25; Standard Errors of Percentages, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	0.55	<i>1.02</i>	0.54	<i>0.97</i>	0.45	<i>0.84</i>
Marijuana	0.57	<i>1.06</i>	0.52	<i>0.97</i>	0.44	<i>0.83</i>
Cocaine	0.35	<i>0.51</i>	0.24	<i>0.37</i>	0.13	<i>0.20</i>
Crack	0.10	<i>0.12</i>	0.04	<i>0.06</i>	0.02	<i>0.05</i>
Heroin	0.11	<i>0.12</i>	0.05	<i>0.06</i>	0.03	<i>0.04</i>
Hallucinogens	0.40	<i>0.69</i>	0.26	<i>0.50</i>	0.14	<i>0.25</i>
LSD	0.31	<i>0.51</i>	0.20	<i>0.35</i>	0.09	<i>0.16</i>
PCP	0.10	<i>0.12</i>	0.03	<i>0.09</i>	0.02	*
Ecstasy	0.34	<i>0.53</i>	0.19	<i>0.28</i>	0.09	<i>0.12</i>
Inhalants	0.30	<i>0.48</i>	0.15	<i>0.18</i>	0.08	<i>0.12</i>
Methamphetamine	0.16	<i>0.20</i>	0.09	<i>0.09</i>	0.06	<i>0.06</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	0.36	<i>0.53</i>	0.18	<i>0.23</i>
Pain Relievers	nr	<i>nr</i>	0.22	<i>0.34</i>	0.10	<i>0.14</i>
Stimulants	nr	<i>nr</i>	0.27	<i>0.36</i>	0.14	<i>0.12</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	0.20	<i>0.34</i>	0.11	<i>0.17</i>
Tranquilizers	nr	<i>nr</i>	0.19	<i>0.31</i>	0.10	<i>0.17</i>
Sedatives	nr	<i>nr</i>	0.07	<i>0.17</i>	0.04	<i>0.09</i>
Benzodiazepines	--	<i>--</i>	0.19	<i>0.31</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	0.22	<i>0.34</i>	0.11	<i>0.14</i>
Central Nervous System Stimulants	nr	<i>nr</i>	0.34	<i>0.48</i>	0.20	<i>0.24</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	0.40	<i>0.69</i>	0.25	<i>0.38</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.



**Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 26 or Older; Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLCIT DRUGS<sup>1</sup></b>	898	<i>1,310</i>	669	<i>989</i>	506	<i>804</i>
Marijuana	900	<i>1,301</i>	610	<i>919</i>	478	<i>746</i>
Cocaine	647	<i>915</i>	188	<i>271</i>	122	<i>175</i>
Crack	326	<i>527</i>	100	<i>117</i>	63	<i>79</i>
Heroin	252	<i>437</i>	96	<i>161</i>	84	<i>138</i>
Hallucinogens	659	<i>937</i>	170	<i>317</i>	101	<i>123</i>
LSD	514	<i>791</i>	97	<i>146</i>	44	<i>84</i>
PCP	269	<i>446</i>	13	<i>20</i>	*	<i>19</i>
Ecstasy	403	<i>605</i>	100	<i>178</i>	57	<i>81</i>
Inhalants	443	<i>698</i>	96	<i>169</i>	75	<i>125</i>
Methamphetamine	434	<i>638</i>	129	<i>263</i>	106	<i>213</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	330	<i>543</i>	198	<i>332</i>
Pain Relievers	nr	<i>nr</i>	276	<i>447</i>	161	<i>237</i>
Stimulants	nr	<i>nr</i>	138	<i>255</i>	85	<i>168</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	219	<i>318</i>	129	<i>218</i>
Tranquilizers	nr	<i>nr</i>	205	<i>291</i>	125	<i>191</i>
Sedatives	nr	<i>nr</i>	98	<i>152</i>	49	<i>119</i>
Benzodiazepines	--	<i>--</i>	194	<i>266</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	293	<i>452</i>	176	<i>267</i>
Central Nervous System Stimulants	nr	<i>nr</i>	240	<i>417</i>	169	<i>296</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	395	<i>619</i>	263	<i>429</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 26 or Older; Standard Errors of Percentages, 2019 and 2020**

<b>Drug</b>	<b>Lifetime (2019)</b>	<b>Lifetime (2020)</b>	<b>Past Year (2019)</b>	<b>Past Year (2020)</b>	<b>Past Month (2019)</b>	<b>Past Month (2020)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	0.41	<i>0.60</i>	0.31	<i>0.45</i>	0.23	<i>0.37</i>
Marijuana	0.42	<i>0.60</i>	0.28	<i>0.42</i>	0.22	<i>0.34</i>
Cocaine	0.30	<i>0.42</i>	0.09	<i>0.12</i>	0.06	<i>0.08</i>
Crack	0.15	<i>0.24</i>	0.05	<i>0.05</i>	0.03	<i>0.04</i>
Heroin	0.12	<i>0.20</i>	0.04	<i>0.07</i>	0.04	<i>0.06</i>
Hallucinogens	0.30	<i>0.43</i>	0.08	<i>0.15</i>	0.05	<i>0.06</i>
LSD	0.24	<i>0.36</i>	0.04	<i>0.07</i>	0.02	<i>0.04</i>
PCP	0.12	<i>0.20</i>	0.01	<i>0.01</i>	*	<i>0.01</i>
Ecstasy	0.19	<i>0.28</i>	0.05	<i>0.08</i>	0.03	<i>0.04</i>
Inhalants	0.20	<i>0.32</i>	0.04	<i>0.08</i>	0.03	<i>0.06</i>
Methamphetamine	0.20	<i>0.29</i>	0.06	<i>0.12</i>	0.05	<i>0.10</i>
Misuse of Prescription						
Psychotherapeutics	nr	<i>nr</i>	0.15	<i>0.25</i>	0.09	<i>0.15</i>
Pain Relievers	nr	<i>nr</i>	0.13	<i>0.20</i>	0.07	<i>0.11</i>
Stimulants	nr	<i>nr</i>	0.06	<i>0.12</i>	0.04	<i>0.08</i>
Tranquilizers or Sedatives	nr	<i>nr</i>	0.10	<i>0.15</i>	0.06	<i>0.10</i>
Tranquilizers	nr	<i>nr</i>	0.09	<i>0.13</i>	0.06	<i>0.09</i>
Sedatives	nr	<i>nr</i>	0.05	<i>0.07</i>	0.02	<i>0.05</i>
Benzodiazepines	--	<i>--</i>	0.09	<i>0.12</i>	--	<i>--</i>
Opioids	nr	<i>nr</i>	0.14	<i>0.21</i>	0.08	<i>0.12</i>
Central Nervous System Stimulants	nr	<i>nr</i>	0.11	<i>0.19</i>	0.08	<i>0.14</i>
Illicit Drugs Other Than Marijuana <sup>2</sup>	nr	<i>nr</i>	0.18	<i>0.28</i>	0.12	<i>0.20</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>2</sup> Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.