

Table 1.67C Illicit Drug Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	734	<i>1,089</i>	89	<i>167</i>	716	<i>1,076</i>	181	<i>325</i>	669	<i>989</i>
GEOGRAPHIC REGION										
Northeast	295	<i>451</i>	32	<i>74</i>	291	<i>448</i>	74	<i>129</i>	270	<i>421</i>
Midwest	286	<i>472</i>	40	<i>63</i>	279	<i>468</i>	73	<i>133</i>	254	<i>401</i>
South	429	<i>607</i>	58	<i>104</i>	422	<i>600</i>	119	<i>186</i>	383	<i>562</i>
West	410	<i>586</i>	53	<i>84</i>	400	<i>577</i>	98	<i>170</i>	369	<i>545</i>
COUNTY TYPE										
Large Metro	732	<i>1,026</i>	84	<i>153</i>	717	<i>1,009</i>	244	<i>315</i>	650	<i>918</i>
Small Metro	484	<i>679</i>	62	<i>80</i>	468	<i>669</i>	170	<i>278</i>	407	<i>598</i>
Nonmetro	265	<i>453</i>	35	<i>69</i>	254	<i>440</i>	76	<i>149</i>	232	<i>402</i>
Urbanized	205	<i>311</i>	26	<i>44</i>	198	<i>298</i>	62	<i>110</i>	177	<i>257</i>
Less Urbanized	153	<i>338</i>	21	<i>51</i>	147	<i>328</i>	45	<i>104</i>	135	<i>295</i>
Completely Rural	96	<i>86</i>	9	<i>*</i>	93	<i>84</i>	21	<i>20</i>	83	<i>77</i>
POVERTY LEVEL¹										
Less Than 100%	310	<i>556</i>	54	<i>88</i>	303	<i>538</i>	168	<i>231</i>	240	<i>464</i>
100-199%	343	<i>512</i>	44	<i>74</i>	339	<i>508</i>	105	<i>201</i>	321	<i>456</i>
200% or More	670	<i>987</i>	84	<i>151</i>	654	<i>967</i>	164	<i>265</i>	618	<i>907</i>
HEALTH INSURANCE²										
Private	643	<i>934</i>	78	<i>145</i>	629	<i>920</i>	224	<i>345</i>	576	<i>820</i>
Medicaid/CHIP	344	<i>569</i>	69	<i>98</i>	329	<i>560</i>	107	<i>174</i>	298	<i>519</i>
Other ³	344	<i>579</i>	23	<i>39</i>	342	<i>578</i>	64	<i>109</i>	336	<i>577</i>
No Coverage	270	<i>419</i>	23	<i>51</i>	268	<i>411</i>	83	<i>147</i>	248	<i>364</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.67D Illicit Drug Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	0.27	<i>0.39</i>	0.36	<i>0.67</i>	0.29	<i>0.43</i>	0.54	<i>0.97</i>	0.31	<i>0.45</i>
GEOGRAPHIC REGION										
Northeast	0.62	<i>0.95</i>	0.80	<i>1.89</i>	0.66	<i>1.02</i>	1.28	<i>2.28</i>	0.71	<i>1.10</i>
Midwest	0.50	<i>0.82</i>	0.76	<i>1.20</i>	0.54	<i>0.90</i>	1.02	<i>1.88</i>	0.57	<i>0.89</i>
South	0.41	<i>0.57</i>	0.60	<i>1.07</i>	0.44	<i>0.62</i>	0.94	<i>1.47</i>	0.47	<i>0.68</i>
West	0.63	<i>0.89</i>	0.88	<i>1.39</i>	0.67	<i>0.96</i>	1.21	<i>2.12</i>	0.72	<i>1.05</i>
COUNTY TYPE										
Large Metro	0.39	<i>0.57</i>	0.53	<i>0.98</i>	0.42	<i>0.62</i>	0.77	<i>1.30</i>	0.45	<i>0.66</i>
Small Metro	0.45	<i>0.67</i>	0.69	<i>0.98</i>	0.48	<i>0.73</i>	0.92	<i>1.66</i>	0.51	<i>0.78</i>
Nonmetro	0.54	<i>0.91</i>	0.79	<i>1.69</i>	0.59	<i>0.98</i>	1.28	<i>2.62</i>	0.63	<i>1.04</i>
Urbanized	0.95	<i>1.56</i>	1.31	<i>2.61</i>	1.04	<i>1.68</i>	2.05	<i>3.81</i>	1.13	<i>1.79</i>
Less Urbanized	0.65	<i>1.25</i>	1.07	<i>2.43</i>	0.70	<i>1.34</i>	1.70	<i>3.73</i>	0.78	<i>1.41</i>
Completely Rural	1.56	<i>1.61</i>	2.04	*	1.75	<i>1.67</i>	4.02	<i>4.50</i>	1.80	<i>1.72</i>
POVERTY LEVEL¹										
Less Than 100%	0.70	<i>1.13</i>	0.90	<i>1.70</i>	0.79	<i>1.24</i>	1.21	<i>2.13</i>	0.90	<i>1.41</i>
100-199%	0.58	<i>0.89</i>	0.75	<i>1.53</i>	0.64	<i>0.96</i>	1.02	<i>1.92</i>	0.73	<i>1.06</i>
200% or More	0.31	<i>0.46</i>	0.48	<i>0.88</i>	0.33	<i>0.50</i>	0.70	<i>1.24</i>	0.35	<i>0.53</i>
HEALTH INSURANCE²										
Private	0.31	<i>0.47</i>	0.46	<i>0.90</i>	0.33	<i>0.51</i>	0.67	<i>1.23</i>	0.35	<i>0.52</i>
Medicaid/CHIP	0.64	<i>0.96</i>	0.62	<i>1.08</i>	0.77	<i>1.14</i>	1.09	<i>1.82</i>	0.89	<i>1.34</i>
Other ³	0.46	<i>0.72</i>	1.80	<i>2.32</i>	0.47	<i>0.73</i>	1.81	<i>3.48</i>	0.48	<i>0.75</i>
No Coverage	0.81	<i>1.28</i>	1.84	<i>3.34</i>	0.85	<i>1.31</i>	1.28	<i>2.32</i>	0.98	<i>1.48</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.68C Illicit Drug Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	556	890	69	113	547	880	153	280	506	804
GEOGRAPHIC REGION										
Northeast	223	378	26	52	220	377	60	119	202	355
Midwest	229	399	29	41	224	398	68	111	200	352
South	326	499	41	58	322	493	93	159	294	463
West	312	463	40	70	310	458	85	149	289	429
COUNTY TYPE										
Large Metro	512	760	58	88	508	750	167	253	464	681
Small Metro	349	544	40	70	343	541	117	193	301	496
Nonmetro	197	347	24	43	191	344	58	92	181	321
Urbanized	156	236	17	24	152	232	47	69	142	211
Less Urbanized	106	262	16	35	102	261	32	65	95	238
Completely Rural	74	65	7	7	73	64	15	16	68	60
POVERTY LEVEL¹										
Less Than 100%	248	443	38	49	242	438	116	171	201	397
100-199%	265	393	32	61	263	390	82	139	247	355
200% or More	481	757	55	95	475	744	127	218	449	694
HEALTH INSURANCE²										
Private	452	701	51	93	447	690	160	262	410	617
Medicaid/CHIP	278	462	49	76	271	458	83	140	246	431
Other ³	263	478	16	19	262	477	46	83	258	481
No Coverage	217	339	18	22	216	337	67	113	204	302

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.68D Illicit Drug Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	0.20	<i>0.32</i>	0.28	<i>0.45</i>	0.22	<i>0.35</i>	0.45	<i>0.84</i>	0.23	<i>0.37</i>
GEOGRAPHIC REGION										
Northeast	0.47	<i>0.79</i>	0.66	<i>1.33</i>	0.50	<i>0.86</i>	1.04	<i>2.10</i>	0.53	<i>0.93</i>
Midwest	0.40	<i>0.70</i>	0.55	<i>0.78</i>	0.43	<i>0.76</i>	0.95	<i>1.57</i>	0.45	<i>0.78</i>
South	0.31	<i>0.47</i>	0.43	<i>0.60</i>	0.34	<i>0.51</i>	0.73	<i>1.25</i>	0.36	<i>0.56</i>
West	0.48	<i>0.70</i>	0.67	<i>1.15</i>	0.52	<i>0.76</i>	1.05	<i>1.85</i>	0.56	<i>0.83</i>
COUNTY TYPE										
Large Metro	0.29	<i>0.46</i>	0.41	<i>0.58</i>	0.32	<i>0.49</i>	0.63	<i>1.19</i>	0.34	<i>0.51</i>
Small Metro	0.35	<i>0.56</i>	0.48	<i>0.91</i>	0.38	<i>0.62</i>	0.77	<i>1.40</i>	0.40	<i>0.67</i>
Nonmetro	0.43	<i>0.75</i>	0.60	<i>1.19</i>	0.47	<i>0.82</i>	1.13	<i>1.79</i>	0.52	<i>0.88</i>
Urbanized	0.78	<i>1.33</i>	0.99	<i>1.69</i>	0.85	<i>1.45</i>	1.79	<i>2.86</i>	0.94	<i>1.54</i>
Less Urbanized	0.52	<i>1.06</i>	0.88	<i>1.88</i>	0.56	<i>1.16</i>	1.45	<i>2.80</i>	0.61	<i>1.22</i>
Completely Rural	1.31	<i>1.22</i>	1.53	<i>2.42</i>	1.45	<i>1.29</i>	3.41	<i>3.92</i>	1.54	<i>1.34</i>
POVERTY LEVEL¹										
Less Than 100%	0.57	<i>0.93</i>	0.68	<i>1.05</i>	0.65	<i>1.03</i>	1.02	<i>1.73</i>	0.76	<i>1.22</i>
100-199%	0.46	<i>0.72</i>	0.58	<i>1.29</i>	0.51	<i>0.78</i>	0.85	<i>1.51</i>	0.57	<i>0.87</i>
200% or More	0.24	<i>0.37</i>	0.35	<i>0.56</i>	0.26	<i>0.40</i>	0.62	<i>1.13</i>	0.27	<i>0.42</i>
HEALTH INSURANCE²										
Private	0.23	<i>0.37</i>	0.34	<i>0.59</i>	0.25	<i>0.40</i>	0.57	<i>1.11</i>	0.26	<i>0.41</i>
Medicaid/CHIP	0.54	<i>0.82</i>	0.47	<i>0.88</i>	0.67	<i>0.98</i>	0.93	<i>1.63</i>	0.77	<i>1.16</i>
Other ³	0.36	<i>0.60</i>	1.29	<i>1.16</i>	0.37	<i>0.62</i>	1.57	<i>3.06</i>	0.37	<i>0.64</i>
No Coverage	0.69	<i>1.08</i>	1.48	<i>1.54</i>	0.72	<i>1.13</i>	1.14	<i>1.90</i>	0.85	<i>1.28</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.