

Table 1.69C Marijuana Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	669	<i>1,035</i>	84	<i>142</i>	653	<i>1,024</i>	176	<i>324</i>	610	<i>919</i>
GEOGRAPHIC REGION										
Northeast	261	<i>424</i>	32	<i>64</i>	255	<i>422</i>	75	<i>123</i>	234	<i>394</i>
Midwest	259	<i>444</i>	37	<i>51</i>	251	<i>442</i>	72	<i>134</i>	228	<i>373</i>
South	389	<i>550</i>	55	<i>86</i>	382	<i>543</i>	112	<i>189</i>	346	<i>495</i>
West	383	<i>554</i>	47	<i>76</i>	375	<i>549</i>	95	<i>168</i>	349	<i>516</i>
COUNTY TYPE										
Large Metro	647	<i>934</i>	74	<i>121</i>	633	<i>923</i>	227	<i>307</i>	574	<i>827</i>
Small Metro	433	<i>613</i>	55	<i>74</i>	423	<i>604</i>	156	<i>269</i>	370	<i>533</i>
Nonmetro	245	<i>403</i>	31	<i>55</i>	237	<i>396</i>	73	<i>141</i>	217	<i>357</i>
Urbanized	191	<i>286</i>	23	<i>32</i>	186	<i>276</i>	59	<i>102</i>	166	<i>241</i>
Less Urbanized	138	<i>277</i>	20	<i>42</i>	132	<i>274</i>	44	<i>101</i>	121	<i>239</i>
Completely Rural	87	<i>77</i>	7	<i>*</i>	85	<i>76</i>	20	<i>18</i>	77	<i>69</i>
POVERTY LEVEL¹										
Less Than 100%	280	<i>472</i>	45	<i>61</i>	275	<i>462</i>	151	<i>224</i>	215	<i>393</i>
100-199%	309	<i>451</i>	41	<i>67</i>	306	<i>447</i>	102	<i>198</i>	283	<i>395</i>
200% or More	603	<i>923</i>	74	<i>125</i>	589	<i>907</i>	155	<i>252</i>	560	<i>835</i>
HEALTH INSURANCE²										
Private	582	<i>884</i>	69	<i>123</i>	570	<i>874</i>	212	<i>335</i>	525	<i>766</i>
Medicaid/CHIP	319	<i>496</i>	59	<i>86</i>	307	<i>486</i>	98	<i>171</i>	277	<i>445</i>
Other ³	297	<i>517</i>	20	<i>24</i>	295	<i>517</i>	59	<i>107</i>	289	<i>516</i>
No Coverage	247	<i>381</i>	22	<i>30</i>	245	<i>377</i>	79	<i>144</i>	227	<i>330</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.69D Marijuana Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	0.24	<i>0.37</i>	0.34	<i>0.57</i>	0.26	<i>0.41</i>	0.52	<i>0.97</i>	0.28	<i>0.42</i>
GEOGRAPHIC REGION										
Northeast	0.55	<i>0.89</i>	0.81	<i>1.63</i>	0.58	<i>0.96</i>	1.31	<i>2.16</i>	0.62	<i>1.03</i>
Midwest	0.45	<i>0.77</i>	0.70	<i>0.97</i>	0.48	<i>0.85</i>	1.00	<i>1.88</i>	0.51	<i>0.83</i>
South	0.37	<i>0.52</i>	0.57	<i>0.88</i>	0.40	<i>0.57</i>	0.88	<i>1.49</i>	0.42	<i>0.59</i>
West	0.58	<i>0.84</i>	0.78	<i>1.26</i>	0.63	<i>0.91</i>	1.17	<i>2.09</i>	0.68	<i>0.99</i>
COUNTY TYPE										
Large Metro	0.36	<i>0.54</i>	0.49	<i>0.80</i>	0.38	<i>0.59</i>	0.74	<i>1.30</i>	0.41	<i>0.61</i>
Small Metro	0.42	<i>0.62</i>	0.64	<i>0.93</i>	0.45	<i>0.68</i>	0.90	<i>1.63</i>	0.48	<i>0.71</i>
Nonmetro	0.51	<i>0.87</i>	0.73	<i>1.45</i>	0.56	<i>0.93</i>	1.22	<i>2.51</i>	0.60	<i>0.97</i>
Urbanized	0.91	<i>1.51</i>	1.20	<i>2.10</i>	1.00	<i>1.62</i>	1.96	<i>3.59</i>	1.08	<i>1.72</i>
Less Urbanized	0.60	<i>1.14</i>	1.03	<i>2.22</i>	0.65	<i>1.23</i>	1.66	<i>3.67</i>	0.71	<i>1.25</i>
Completely Rural	1.47	<i>1.47</i>	1.58	*	1.64	<i>1.53</i>	3.73	<i>4.17</i>	1.72	<i>1.56</i>
POVERTY LEVEL¹										
Less Than 100%	0.65	<i>1.00</i>	0.79	<i>1.28</i>	0.73	<i>1.10</i>	1.17	<i>2.08</i>	0.81	<i>1.24</i>
100-199%	0.53	<i>0.81</i>	0.70	<i>1.41</i>	0.59	<i>0.89</i>	1.01	<i>1.90</i>	0.66	<i>0.96</i>
200% or More	0.29	<i>0.44</i>	0.45	<i>0.74</i>	0.31	<i>0.48</i>	0.68	<i>1.22</i>	0.33	<i>0.50</i>
HEALTH INSURANCE²										
Private	0.29	<i>0.46</i>	0.43	<i>0.78</i>	0.31	<i>0.50</i>	0.66	<i>1.24</i>	0.33	<i>0.50</i>
Medicaid/CHIP	0.60	<i>0.86</i>	0.57	<i>0.99</i>	0.73	<i>1.02</i>	1.05	<i>1.83</i>	0.84	<i>1.18</i>
Other ³	0.40	<i>0.65</i>	1.59	<i>1.47</i>	0.41	<i>0.66</i>	1.77	<i>3.44</i>	0.42	<i>0.68</i>
No Coverage	0.77	<i>1.20</i>	1.75	<i>2.12</i>	0.80	<i>1.24</i>	1.27	<i>2.31</i>	0.93	<i>1.39</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.70C Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	523	825	65	111	513	814	148	278	478	746
GEOGRAPHIC REGION										
Northeast	212	326	26	52	208	325	59	118	189	309
Midwest	215	376	27	38	210	375	66	111	185	324
South	298	468	40	57	293	460	89	158	268	431
West	300	443	37	69	297	439	83	146	282	413
COUNTY TYPE										
Large Metro	469	708	55	86	463	697	162	249	426	638
Small Metro	324	480	36	69	319	477	109	191	279	433
Nonmetro	188	321	22	42	184	318	56	89	173	294
Urbanized	150	230	16	22	147	226	46	66	138	206
Less Urbanized	98	227	14	35	95	226	30	63	87	201
Completely Rural	70	65	6	*	69	64	14	16	65	60
POVERTY LEVEL¹										
Less Than 100%	228	402	35	48	224	398	107	169	185	358
100-199%	245	359	29	60	244	356	80	138	225	322
200% or More	442	701	52	91	434	686	123	216	415	637
HEALTH INSURANCE²										
Private	419	651	48	89	413	639	155	257	383	572
Medicaid/CHIP	263	411	45	75	255	407	76	139	230	383
Other ³	237	439	14	18	236	439	46	82	231	443
No Coverage	202	320	18	22	202	319	65	112	190	287

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.70D Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	0.19	<i>0.30</i>	0.26	<i>0.45</i>	0.21	<i>0.32</i>	0.44	<i>0.83</i>	0.22	<i>0.34</i>
GEOGRAPHIC REGION										
Northeast	0.44	<i>0.68</i>	0.65	<i>1.33</i>	0.48	<i>0.74</i>	1.03	<i>2.08</i>	0.50	<i>0.81</i>
Midwest	0.37	<i>0.65</i>	0.52	<i>0.73</i>	0.40	<i>0.72</i>	0.92	<i>1.56</i>	0.41	<i>0.72</i>
South	0.28	<i>0.44</i>	0.41	<i>0.58</i>	0.31	<i>0.48</i>	0.70	<i>1.24</i>	0.33	<i>0.52</i>
West	0.46	<i>0.67</i>	0.61	<i>1.15</i>	0.50	<i>0.73</i>	1.02	<i>1.82</i>	0.55	<i>0.79</i>
COUNTY TYPE										
Large Metro	0.27	<i>0.43</i>	0.39	<i>0.57</i>	0.29	<i>0.46</i>	0.61	<i>1.19</i>	0.32	<i>0.49</i>
Small Metro	0.33	<i>0.51</i>	0.43	<i>0.89</i>	0.36	<i>0.56</i>	0.75	<i>1.39</i>	0.38	<i>0.60</i>
Nonmetro	0.42	<i>0.70</i>	0.57	<i>1.16</i>	0.46	<i>0.76</i>	1.09	<i>1.75</i>	0.50	<i>0.81</i>
Urbanized	0.77	<i>1.29</i>	0.96	<i>1.54</i>	0.85	<i>1.41</i>	1.74	<i>2.75</i>	0.94	<i>1.51</i>
Less Urbanized	0.49	<i>0.95</i>	0.83	<i>1.88</i>	0.52	<i>1.04</i>	1.35	<i>2.73</i>	0.56	<i>1.06</i>
Completely Rural	1.31	<i>1.23</i>	1.33	*	1.45	<i>1.29</i>	3.33	<i>3.89</i>	1.53	<i>1.34</i>
POVERTY LEVEL¹										
Less Than 100%	0.54	<i>0.85</i>	0.64	<i>1.03</i>	0.61	<i>0.95</i>	0.98	<i>1.71</i>	0.71	<i>1.11</i>
100-199%	0.43	<i>0.67</i>	0.53	<i>1.28</i>	0.48	<i>0.73</i>	0.85	<i>1.50</i>	0.53	<i>0.80</i>
200% or More	0.22	<i>0.35</i>	0.34	<i>0.54</i>	0.24	<i>0.37</i>	0.60	<i>1.12</i>	0.25	<i>0.39</i>
HEALTH INSURANCE²										
Private	0.22	<i>0.35</i>	0.32	<i>0.57</i>	0.23	<i>0.38</i>	0.56	<i>1.09</i>	0.25	<i>0.38</i>
Medicaid/CHIP	0.52	<i>0.75</i>	0.44	<i>0.87</i>	0.64	<i>0.89</i>	0.89	<i>1.62</i>	0.73	<i>1.05</i>
Other ³	0.33	<i>0.56</i>	1.19	<i>1.09</i>	0.33	<i>0.57</i>	1.57	<i>3.03</i>	0.34	<i>0.59</i>
No Coverage	0.66	<i>1.03</i>	1.45	<i>1.53</i>	0.69	<i>1.08</i>	1.11	<i>1.89</i>	0.80	<i>1.23</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.