

Table 1.71A Cocaine Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	5,468	5,172	97	84	5,371	5,088	1,789	1,441	3,582	3,646
GEOGRAPHIC REGION										
Northeast	949	1,155	4	4	945	1,152	341	262	604	889
Midwest	1,035	1,027	23	2	1,012	1,025	324	300	688	725
South	1,797	1,532	27	37	1,769	1,495	504	410	1,266	1,085
West	1,688	1,458	42	41	1,645	1,416	621	468	1,025	948
COUNTY TYPE										
Large Metro	3,456	3,219	47	50	3,410	3,169	1,101	833	2,309	2,336
Small Metro	1,535	1,528	40	26	1,495	1,502	541	464	954	1,038
Nonmetro	476	425	10	8	466	416	147	145	320	272
Urbanized	307	174	5	*	303	174	100	78	203	96
Less Urbanized	143	231	4	*	139	223	44	59	95	164
Completely Rural	26	20	1	0	25	20	4	*	21	12
POVERTY LEVEL¹										
Less Than 100%	1,042	979	25	15	1,017	964	366	336	651	628
100-199%	1,083	993	26	*	1,058	993	315	316	743	678
200% or More	3,302	3,194	46	69	3,256	3,125	1,068	784	2,188	2,341
HEALTH INSURANCE²										
Private	3,128	2,826	45	47	3,083	2,779	1,316	977	1,766	1,803
Medicaid/CHIP	1,333	1,136	48	33	1,285	1,103	268	194	1,018	909
Other ³	510	561	5	*	505	561	82	63	423	498
No Coverage	938	1,009	4	8	934	1,001	194	236	741	765

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.71B Cocaine Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	2.0	<i>1.9</i>	0.4	<i>0.3</i>	2.1	<i>2.0</i>	5.3	<i>4.3</i>	1.7	<i>1.7</i>
GEOGRAPHIC REGION										
Northeast	2.0	<i>2.4</i>	0.1	<i>0.1</i>	2.2	<i>2.6</i>	5.9	<i>4.6</i>	1.6	<i>2.3</i>
Midwest	1.8	<i>1.8</i>	0.4	<i>0.0</i>	1.9	<i>2.0</i>	4.5	<i>4.2</i>	1.5	<i>1.6</i>
South	1.7	<i>1.4</i>	0.3	<i>0.4</i>	1.9	<i>1.6</i>	4.0	<i>3.2</i>	1.5	<i>1.3</i>
West	2.6	<i>2.2</i>	0.7	<i>0.7</i>	2.8	<i>2.4</i>	7.7	<i>5.8</i>	2.0	<i>1.8</i>
COUNTY TYPE										
Large Metro	2.2	<i>2.1</i>	0.3	<i>0.4</i>	2.4	<i>2.3</i>	5.9	<i>4.7</i>	1.9	<i>2.0</i>
Small Metro	1.8	<i>1.8</i>	0.5	<i>0.3</i>	2.0	<i>2.0</i>	5.1	<i>4.2</i>	1.5	<i>1.6</i>
Nonmetro	1.3	<i>1.0</i>	0.3	<i>0.3</i>	1.4	<i>1.1</i>	3.4	<i>3.0</i>	1.1	<i>0.8</i>
Urbanized	1.9	<i>1.1</i>	0.3	*	2.1	<i>1.1</i>	4.9	<i>3.5</i>	1.6	<i>0.7</i>
Less Urbanized	0.8	<i>1.2</i>	0.3	*	0.9	<i>1.2</i>	2.3	<i>2.7</i>	0.7	<i>1.0</i>
Completely Rural	0.6	<i>0.4</i>	0.2	<i>0.2</i>	0.6	<i>0.4</i>	0.9	*	0.6	<i>0.3</i>
POVERTY LEVEL¹										
Less Than 100%	2.8	<i>2.3</i>	0.5	<i>0.3</i>	3.1	<i>2.6</i>	4.6	<i>4.1</i>	2.7	<i>2.2</i>
100-199%	2.0	<i>2.0</i>	0.5	*	2.2	<i>2.2</i>	4.1	<i>4.1</i>	1.9	<i>1.8</i>
200% or More	1.8	<i>1.7</i>	0.3	<i>0.4</i>	1.9	<i>1.9</i>	6.3	<i>4.5</i>	1.4	<i>1.5</i>
HEALTH INSURANCE²										
Private	1.7	<i>1.6</i>	0.3	<i>0.3</i>	1.9	<i>1.7</i>	6.4	<i>5.0</i>	1.2	<i>1.3</i>
Medicaid/CHIP	3.0	<i>2.3</i>	0.5	<i>0.4</i>	3.6	<i>2.7</i>	3.7	<i>2.5</i>	3.6	<i>2.8</i>
Other ³	0.7	<i>0.7</i>	0.4	*	0.7	<i>0.8</i>	3.2	<i>2.6</i>	0.6	<i>0.7</i>
No Coverage	3.5	<i>3.5</i>	0.3	<i>0.5</i>	3.6	<i>3.7</i>	4.0	<i>4.5</i>	3.5	<i>3.5</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.72A Cocaine Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	1,998	<i>1,831</i>	34	<i>11</i>	1,965	<i>1,821</i>	540	<i>424</i>	1,425	<i>1,396</i>
GEOGRAPHIC REGION										
Northeast	381	<i>457</i>	1	*	380	<i>457</i>	102	<i>69</i>	278	<i>388</i>
Midwest	372	<i>307</i>	7	*	365	<i>307</i>	101	<i>65</i>	264	<i>242</i>
South	730	<i>565</i>	13	<i>2</i>	717	<i>563</i>	167	<i>194</i>	550	<i>369</i>
West	515	<i>503</i>	12	<i>9</i>	503	<i>494</i>	169	<i>97</i>	333	<i>397</i>
COUNTY TYPE										
Large Metro	1,327	<i>1,293</i>	15	<i>8</i>	1,312	<i>1,285</i>	316	<i>254</i>	997	<i>1,031</i>
Small Metro	501	<i>447</i>	16	<i>2</i>	485	<i>445</i>	180	<i>163</i>	305	<i>281</i>
Nonmetro	170	<i>91</i>	3	*	167	<i>91</i>	44	<i>7</i>	123	<i>84</i>
Urbanized	103	<i>31</i>	3	*	100	<i>31</i>	24	<i>4</i>	76	<i>27</i>
Less Urbanized	52	<i>61</i>	0	<i>0</i>	52	<i>61</i>	17	<i>3</i>	35	<i>58</i>
Completely Rural	15	*	*	*	15	*	2	*	13	*
POVERTY LEVEL¹										
Less Than 100%	443	<i>353</i>	11	<i>2</i>	432	<i>351</i>	136	<i>96</i>	297	<i>255</i>
100-199%	398	<i>326</i>	9	*	389	<i>326</i>	103	<i>92</i>	287	<i>234</i>
200% or More	1,147	<i>1,149</i>	14	<i>9</i>	1,133	<i>1,140</i>	291	<i>233</i>	842	<i>908</i>
HEALTH INSURANCE²										
Private	1,100	<i>1,000</i>	15	<i>8</i>	1,086	<i>992</i>	390	<i>274</i>	696	<i>717</i>
Medicaid/CHIP	493	<i>437</i>	18	<i>2</i>	475	<i>435</i>	68	<i>40</i>	406	<i>395</i>
Other ³	176	<i>115</i>	0	*	175	<i>115</i>	27	<i>23</i>	148	<i>92</i>
No Coverage	386	<i>355</i>	0	*	386	<i>355</i>	73	<i>100</i>	313	<i>255</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.72B Cocaine Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	0.7	0.7	0.1	0.0	0.8	0.7	1.6	1.3	0.7	0.6
GEOGRAPHIC REGION										
Northeast	0.8	1.0	0.0	*	0.9	1.0	1.8	1.2	0.7	1.0
Midwest	0.7	0.5	0.1	*	0.7	0.6	1.4	0.9	0.6	0.5
South	0.7	0.5	0.1	0.0	0.8	0.6	1.3	1.5	0.7	0.4
West	0.8	0.8	0.2	0.1	0.8	0.8	2.1	1.2	0.6	0.8
COUNTY TYPE										
Large Metro	0.9	0.9	0.1	0.1	0.9	0.9	1.7	1.4	0.8	0.9
Small Metro	0.6	0.5	0.2	0.0	0.6	0.6	1.7	1.5	0.5	0.4
Nonmetro	0.4	0.2	0.1	*	0.5	0.2	1.0	0.1	0.4	0.3
Urbanized	0.6	0.2	0.2	*	0.7	0.2	1.2	0.2	0.6	0.2
Less Urbanized	0.3	0.3	0.0	0.0	0.3	0.3	0.9	0.1	0.2	0.4
Completely Rural	0.3	*	*	*	0.4	*	0.6	*	0.4	*
POVERTY LEVEL¹										
Less Than 100%	1.2	0.8	0.2	0.0	1.3	0.9	1.7	1.2	1.2	0.9
100-199%	0.8	0.6	0.2	*	0.8	0.7	1.3	1.2	0.7	0.6
200% or More	0.6	0.6	0.1	0.1	0.7	0.7	1.7	1.3	0.6	0.6
HEALTH INSURANCE²										
Private	0.6	0.6	0.1	0.1	0.7	0.6	1.9	1.4	0.5	0.5
Medicaid/CHIP	1.1	0.9	0.2	0.0	1.3	1.1	0.9	0.5	1.4	1.2
Other ³	0.3	0.2	0.0	*	0.3	0.2	1.1	0.9	0.2	0.1
No Coverage	1.4	1.2	0.0	*	1.5	1.3	1.5	1.9	1.5	1.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.