

Table 1.73C Crack Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
TOTAL	328	535	100	<i>120</i>	62	83
GEOGRAPHIC REGION						
Northeast	116	<i>262</i>	36	<i>53</i>	26	<i>32</i>
Midwest	165	<i>230</i>	72	<i>61</i>	25	<i>37</i>
South	190	<i>292</i>	56	<i>71</i>	49	<i>63</i>
West	184	<i>264</i>	31	<i>49</i>	13	<i>8</i>
COUNTY TYPE						
Large Metro	256	<i>380</i>	74	<i>80</i>	57	<i>71</i>
Small Metro	184	<i>322</i>	69	<i>85</i>	23	<i>36</i>
Nonmetro	124	<i>229</i>	18	<i>30</i>	12	<i>24</i>
Urbanized	86	<i>146</i>	13	<i>5</i>	6	<i>5</i>
Less Urbanized	84	<i>179</i>	12	<i>29</i>	10	<i>23</i>
Completely Rural	39	<i>15</i>	5	<i>1</i>	4	<i>*</i>
POVERTY LEVEL¹						
Less Than 100%	156	<i>315</i>	53	<i>74</i>	40	<i>51</i>
100-199%	158	<i>253</i>	69	<i>71</i>	25	<i>42</i>
200% or More	237	<i>371</i>	47	<i>51</i>	36	<i>35</i>
HEALTH INSURANCE²						
Private	229	<i>314</i>	50	<i>27</i>	38	<i>19</i>
Medicaid/CHIP	177	<i>334</i>	83	<i>102</i>	37	<i>62</i>
Other ³	181	<i>338</i>	66	<i>64</i>	21	<i>27</i>
No Coverage	118	<i>182</i>	40	<i>45</i>	35	<i>40</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.73D Crack Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
TOTAL	0.12	<i>0.19</i>	0.04	<i>0.04</i>	0.02	<i>0.03</i>
GEOGRAPHIC REGION						
Northeast	0.24	<i>0.55</i>	0.08	<i>0.11</i>	0.05	<i>0.07</i>
Midwest	0.29	<i>0.40</i>	0.12	<i>0.11</i>	0.04	<i>0.06</i>
South	0.18	<i>0.28</i>	0.05	<i>0.07</i>	0.05	<i>0.06</i>
West	0.28	<i>0.40</i>	0.05	<i>0.07</i>	0.02	<i>0.01</i>
COUNTY TYPE						
Large Metro	0.17	<i>0.25</i>	0.05	<i>0.05</i>	0.04	<i>0.05</i>
Small Metro	0.21	<i>0.36</i>	0.08	<i>0.10</i>	0.03	<i>0.04</i>
Nonmetro	0.31	<i>0.54</i>	0.05	<i>0.07</i>	0.03	<i>0.06</i>
Urbanized	0.51	<i>0.87</i>	0.08	<i>0.03</i>	0.04	<i>0.03</i>
Less Urbanized	0.45	<i>0.84</i>	0.06	<i>0.15</i>	0.06	<i>0.12</i>
Completely Rural	0.79	<i>0.30</i>	0.11	<i>0.02</i>	0.08	*
POVERTY LEVEL¹						
Less Than 100%	0.39	<i>0.72</i>	0.14	<i>0.18</i>	0.11	<i>0.12</i>
100-199%	0.29	<i>0.49</i>	0.13	<i>0.14</i>	0.05	<i>0.08</i>
200% or More	0.13	<i>0.20</i>	0.03	<i>0.03</i>	0.02	<i>0.02</i>
HEALTH INSURANCE²						
Private	0.13	<i>0.18</i>	0.03	<i>0.02</i>	0.02	<i>0.01</i>
Medicaid/CHIP	0.37	<i>0.65</i>	0.18	<i>0.21</i>	0.08	<i>0.13</i>
Other ³	0.25	<i>0.43</i>	0.09	<i>0.08</i>	0.03	<i>0.04</i>
No Coverage	0.42	<i>0.63</i>	0.15	<i>0.16</i>	0.13	<i>0.14</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.