

Table 1.74A Hallucinogen Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
TOTAL	44,087	<i>43,949</i>	6,010	<i>7,133</i>	1,915	<i>1,761</i>
GEOGRAPHIC REGION						
Northeast	7,452	<i>7,472</i>	841	<i>1,234</i>	232	<i>354</i>
Midwest	8,996	<i>9,498</i>	1,170	<i>1,476</i>	366	<i>396</i>
South	13,599	<i>13,832</i>	1,803	<i>1,994</i>	579	<i>455</i>
West	14,040	<i>13,147</i>	2,196	<i>2,429</i>	738	<i>556</i>
COUNTY TYPE						
Large Metro	25,202	<i>23,566</i>	3,618	<i>4,248</i>	1,083	<i>1,066</i>
Small Metro	13,403	<i>14,032</i>	1,762	<i>2,170</i>	644	<i>541</i>
Nonmetro	5,483	<i>6,351</i>	630	<i>715</i>	187	<i>155</i>
Urbanized	2,721	<i>2,980</i>	424	<i>348</i>	117	<i>45</i>
Less Urbanized	2,211	<i>2,872</i>	163	<i>348</i>	57	<i>109</i>
Completely Rural	551	<i>500</i>	43	<i>19</i>	13	<i>1</i>
POVERTY LEVEL¹						
Less Than 100%	5,239	<i>6,164</i>	1,072	<i>1,450</i>	302	<i>409</i>
100-199%	7,968	<i>7,538</i>	1,275	<i>1,297</i>	396	<i>323</i>
200% or More	30,803	<i>30,209</i>	3,598	<i>4,357</i>	1,203	<i>1,009</i>
HEALTH INSURANCE²						
Private	28,443	<i>26,663</i>	3,697	<i>4,226</i>	1,148	<i>966</i>
Medicaid/CHIP	7,347	<i>8,090</i>	1,164	<i>1,523</i>	405	<i>376</i>
Other ³	8,176	<i>9,477</i>	482	<i>598</i>	147	<i>124</i>
No Coverage	5,067	<i>5,693</i>	915	<i>1,206</i>	288	<i>395</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 1.74B Hallucinogen Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Lifetime (2019)	Lifetime (2020)	Past Year (2019)	Past Year (2020)	Past Month (2019)	Past Month (2020)
TOTAL	16.0	<i>15.9</i>	2.2	<i>2.6</i>	0.7	<i>0.6</i>
GEOGRAPHIC REGION						
Northeast	15.6	<i>15.7</i>	1.8	<i>2.6</i>	0.5	<i>0.7</i>
Midwest	15.7	<i>16.5</i>	2.0	<i>2.6</i>	0.6	<i>0.7</i>
South	13.0	<i>13.1</i>	1.7	<i>1.9</i>	0.6	<i>0.4</i>
West	21.4	<i>19.9</i>	3.3	<i>3.7</i>	1.1	<i>0.8</i>
COUNTY TYPE						
Large Metro	16.4	<i>15.6</i>	2.4	<i>2.8</i>	0.7	<i>0.7</i>
Small Metro	16.1	<i>16.6</i>	2.1	<i>2.6</i>	0.8	<i>0.6</i>
Nonmetro	14.4	<i>15.4</i>	1.7	<i>1.7</i>	0.5	<i>0.4</i>
Urbanized	17.1	<i>18.0</i>	2.7	<i>2.1</i>	0.7	<i>0.3</i>
Less Urbanized	12.4	<i>14.6</i>	0.9	<i>1.8</i>	0.3	<i>0.6</i>
Completely Rural	12.7	<i>9.8</i>	1.0	<i>0.4</i>	0.3	<i>0.0</i>
POVERTY LEVEL¹						
Less Than 100%	14.0	<i>14.7</i>	2.9	<i>3.5</i>	0.8	<i>1.0</i>
100-199%	15.1	<i>14.9</i>	2.4	<i>2.6</i>	0.7	<i>0.6</i>
200% or More	16.8	<i>16.4</i>	2.0	<i>2.4</i>	0.7	<i>0.5</i>
HEALTH INSURANCE²						
Private	15.8	<i>15.3</i>	2.1	<i>2.4</i>	0.6	<i>0.6</i>
Medicaid/CHIP	16.3	<i>16.6</i>	2.6	<i>3.1</i>	0.9	<i>0.8</i>
Other ³	11.6	<i>12.4</i>	0.7	<i>0.8</i>	0.2	<i>0.2</i>
No Coverage	18.7	<i>20.0</i>	3.4	<i>4.2</i>	1.1	<i>1.4</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.