

Table 2.2A Tobacco Product Use or Nicotine Vaping in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category, Numbers in Thousands, 2020

Age Category	Lifetime	Past Year	Past Month
TOTAL	164,014	70,779	57,277
12-20	9,287	6,903	4,416
21 or Older	154,727	63,876	52,862
12-17	4,214	3,002	1,620
12-13	378	243	76
14-15	1,554	1,070	563
16-17	2,282	1,688	981
18 or Older	159,800	67,777	55,657
18-25	16,857	11,764	8,424
18-20	5,073	3,901	2,795
21-25	11,783	7,863	5,629
26 or Older	142,944	56,013	47,233
26-49	66,037	34,294	27,895
26-29	11,231	6,711	5,120
30-34	14,739	7,998	6,450
35-39	14,828	7,709	6,213
40-44	12,580	6,192	5,188
45-49	12,659	5,683	4,924
50 or Older	76,907	21,720	19,338
50-54	13,486	5,577	4,951
55-59	13,444	5,088	4,501
60-64	14,299	4,644	4,161
65 or Older	35,677	6,411	5,725

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.2B Tobacco Product Use or Nicotine Vaping in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category, Percentages, 2020

Age Category	Lifetime	Past Year	Past Month
TOTAL	59.2	25.6	20.7
12-20	24.8	18.4	11.8
21 or Older	64.6	26.7	22.1
12-17	16.9	12.0	6.5
12-13	4.5	2.9	0.9
14-15	17.9	12.4	6.5
16-17	28.9	21.4	12.5
18 or Older	63.4	26.9	22.1
18-25	50.3	35.1	25.1
18-20	40.8	31.4	22.5
21-25	56.0	37.3	26.7
26 or Older	65.4	25.6	21.6
26-49	65.0	33.8	27.5
26-29	63.1	37.7	28.8
30-34	64.9	35.2	28.4
35-39	66.5	34.5	27.8
40-44	64.9	32.0	26.8
45-49	65.5	29.4	25.5
50 or Older	65.8	18.6	16.5
50-54	67.7	28.0	24.9
55-59	62.4	23.6	20.9
60-64	68.4	22.2	19.9
65 or Older	65.4	11.8	10.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.