

Table 2.30A Tobacco Product Use or Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	70,779	3,002	67,777	11,764	56,013
GEOGRAPHIC REGION					
Northeast	12,247	505	11,742	2,036	9,706
Midwest	16,228	785	15,444	2,815	12,628
South	28,153	1,139	27,014	4,780	22,233
West	14,151	573	13,578	2,131	11,446
COUNTY TYPE					
Large Metro	34,600	1,561	33,038	5,727	27,312
Small Metro	23,498	876	22,622	3,815	18,808
Nonmetro	12,681	564	12,116	2,222	9,894
Urbanized	5,248	221	5,026	1,040	3,987
Less Urbanized	6,122	309	5,812	1,010	4,802
Completely Rural	1,311	*	1,277	*	1,105
POVERTY LEVEL¹					
Less Than 100%	14,381	419	13,962	2,943	11,019
100-199%	14,838	584	14,254	2,663	11,591
200% or More	41,406	1,999	39,407	6,003	33,404
HEALTH INSURANCE²					
Private	38,601	1,941	36,660	7,108	29,553
Medicaid/CHIP	16,094	910	15,184	2,266	12,918
Other ³	14,264	148	14,115	904	13,211
No Coverage	11,085	154	10,931	1,943	8,988

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.30B Tobacco Product Use or Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	25.6	12.0	26.9	35.1	25.6
GEOGRAPHIC REGION					
Northeast	25.7	12.9	26.8	36.0	25.5
Midwest	28.3	14.9	29.6	39.7	28.0
South	26.6	11.7	28.1	37.6	26.7
West	21.4	9.5	22.6	26.6	22.0
COUNTY TYPE					
Large Metro	22.9	11.1	24.1	32.3	22.9
Small Metro	27.8	11.4	29.4	34.7	28.5
Nonmetro	30.7	17.6	31.8	46.6	29.7
Urbanized	31.8	16.7	33.1	47.2	30.7
Less Urbanized	31.1	19.1	32.1	45.6	30.2
Completely Rural	25.8	*	26.6	*	24.8
POVERTY LEVEL¹					
Less Than 100%	34.3	9.1	37.4	36.2	37.8
100-199%	29.4	12.9	31.0	34.6	30.3
200% or More	22.5	12.6	23.4	34.7	22.1
HEALTH INSURANCE²					
Private	22.2	13.0	23.1	36.3	21.2
Medicaid/CHIP	33.0	10.9	37.7	29.1	39.7
Other ³	18.7	9.0	18.9	37.2	18.3
No Coverage	39.0	10.5	40.5	36.9	41.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.31A Tobacco Product Use or Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	57,277	1,620	55,657	8,424	47,233
GEOGRAPHIC REGION					
Northeast	9,805	256	9,549	1,506	8,044
Midwest	13,081	444	12,637	2,046	10,591
South	23,362	638	22,724	3,508	19,216
West	11,030	283	10,747	1,364	9,382
COUNTY TYPE					
Large Metro	27,181	765	26,415	3,987	22,428
Small Metro	19,214	458	18,756	2,790	15,966
Nonmetro	10,883	397	10,486	1,647	8,838
Urbanized	4,432	170	4,262	733	3,529
Less Urbanized	5,307	199	5,108	777	4,331
Completely Rural	1,143	*	1,115	*	978
POVERTY LEVEL¹					
Less Than 100%	12,707	233	12,474	2,242	10,232
100-199%	12,645	332	12,313	1,964	10,349
200% or More	31,828	1,055	30,772	4,120	26,652
HEALTH INSURANCE²					
Private	29,276	993	28,283	4,927	23,357
Medicaid/CHIP	13,991	546	13,446	1,732	11,714
Other ³	12,363	68	12,295	627	11,668
No Coverage	9,659	79	9,581	1,422	8,159

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.31B Tobacco Product Use or Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	20.7	6.5	22.1	25.1	21.6
GEOGRAPHIC REGION					
Northeast	20.6	6.5	21.8	26.6	21.1
Midwest	22.8	8.4	24.2	28.9	23.5
South	22.1	6.5	23.7	27.6	23.1
West	16.7	4.7	17.9	17.0	18.0
COUNTY TYPE					
Large Metro	18.0	5.4	19.3	22.5	18.8
Small Metro	22.7	6.0	24.4	25.4	24.2
Nonmetro	26.4	12.4	27.5	34.5	26.5
Urbanized	26.8	12.8	28.1	33.3	27.2
Less Urbanized	26.9	12.3	28.2	35.1	27.3
Completely Rural	22.5	*	23.2	*	21.9
POVERTY LEVEL¹					
Less Than 100%	30.3	5.1	33.4	27.6	35.1
100-199%	25.1	7.3	26.8	25.5	27.1
200% or More	17.3	6.7	18.3	23.8	17.6
HEALTH INSURANCE²					
Private	16.8	6.6	17.8	25.2	16.8
Medicaid/CHIP	28.7	6.5	33.3	22.2	36.0
Other ³	16.2	4.1	16.5	25.8	16.1
No Coverage	34.0	5.4	35.5	27.0	37.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.