

Table 2.30C Tobacco Product Use or Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	1,192	168	1,171	309	1,135
GEOGRAPHIC REGION					
Northeast	468	53	465	120	451
Midwest	540	78	532	133	509
South	767	122	756	203	721
West	602	66	588	133	580
COUNTY TYPE					
Large Metro	1,090	149	1,083	296	1,016
Small Metro	795	76	781	253	729
Nonmetro	655	70	639	176	567
Urbanized	490	39	478	147	390
Less Urbanized	491	57	475	109	435
Completely Rural	245	*	243	*	229
POVERTY LEVEL¹					
Less Than 100%	681	54	676	228	617
100-199%	621	81	616	178	582
200% or More	1,052	151	1,040	250	980
HEALTH INSURANCE²					
Private	1,009	155	991	322	920
Medicaid/CHIP	695	91	687	154	653
Other ³	722	28	723	103	724
No Coverage	549	29	544	156	504

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.30D Tobacco Product Use or Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	0.43	0.67	0.46	0.92	0.52
GEOGRAPHIC REGION					
Northeast	0.98	1.35	1.06	2.12	1.18
Midwest	0.94	1.49	1.02	1.87	1.13
South	0.73	1.25	0.79	1.60	0.87
West	0.91	1.10	0.98	1.66	1.12
COUNTY TYPE					
Large Metro	0.60	0.97	0.66	1.31	0.73
Small Metro	0.71	0.93	0.76	1.47	0.84
Nonmetro	1.16	1.82	1.24	2.29	1.32
Urbanized	1.80	2.54	1.91	3.91	2.00
Less Urbanized	1.64	2.79	1.75	3.11	1.87
Completely Rural	4.37	*	4.61	*	4.84
POVERTY LEVEL¹					
Less Than 100%	1.25	1.16	1.38	1.91	1.68
100-199%	0.98	1.73	1.06	1.81	1.22
200% or More	0.49	0.90	0.54	1.20	0.58
HEALTH INSURANCE²					
Private	0.51	0.97	0.55	1.13	0.59
Medicaid/CHIP	1.08	1.05	1.27	1.72	1.51
Other ³	0.85	1.70	0.87	3.45	0.90
No Coverage	1.49	2.07	1.52	2.29	1.76

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use or nicotine vaping in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.31C Tobacco Product Use or Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	1,128	122	1,113	279	1,089
GEOGRAPHIC REGION					
Northeast	431	43	432	114	424
Midwest	518	57	510	110	496
South	714	92	708	191	687
West	572	44	558	110	548
COUNTY TYPE					
Large Metro	978	104	973	245	932
Small Metro	720	54	714	208	665
Nonmetro	591	57	580	135	541
Urbanized	410	35	400	104	359
Less Urbanized	457	44	449	90	413
Completely Rural	240	*	239	*	228
POVERTY LEVEL¹					
Less Than 100%	644	41	640	189	596
100-199%	582	57	579	158	557
200% or More	932	106	923	205	883
HEALTH INSURANCE²					
Private	889	107	878	266	826
Medicaid/CHIP	657	67	651	133	625
Other ³	694	19	693	88	697
No Coverage	518	21	516	125	487

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

Table 2.31D Tobacco Product Use or Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2020

Geographic/Socioeconomic Characteristic	Aged 12+	Aged 12-17	Aged 18+	Aged 18-25	Aged 26+
TOTAL	0.41	0.49	0.44	0.83	0.50
GEOGRAPHIC REGION					
Northeast	0.90	1.08	0.99	2.02	1.11
Midwest	0.90	1.08	0.98	1.56	1.10
South	0.68	0.95	0.74	1.50	0.83
West	0.87	0.73	0.93	1.37	1.05
COUNTY TYPE					
Large Metro	0.56	0.70	0.61	1.18	0.69
Small Metro	0.67	0.69	0.72	1.32	0.80
Nonmetro	1.10	1.56	1.19	2.11	1.30
Urbanized	1.64	2.25	1.75	3.36	1.97
Less Urbanized	1.58	2.39	1.69	3.18	1.80
Completely Rural	4.40	*	4.64	*	4.93
POVERTY LEVEL¹					
Less Than 100%	1.21	0.89	1.34	1.74	1.64
100-199%	0.94	1.23	1.02	1.70	1.19
200% or More	0.46	0.64	0.50	1.09	0.54
HEALTH INSURANCE²					
Private	0.47	0.68	0.51	1.05	0.55
Medicaid/CHIP	1.04	0.79	1.22	1.53	1.47
Other ³	0.83	1.12	0.84	3.21	0.88
No Coverage	1.46	1.45	1.49	2.09	1.74

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.