

**Table 2.32A Tobacco Product Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	71,977	64,415	2,072	1,406	69,905	63,009	11,874	9,638	58,032	53,371
<b>GEOGRAPHIC REGION</b>										
Northeast	11,471	11,385	272	278	11,200	11,107	1,951	1,694	9,249	9,414
Midwest	16,742	14,826	468	427	16,274	14,399	2,857	2,254	13,417	12,145
South	29,293	25,610	857	493	28,436	25,117	4,601	4,029	23,834	21,089
West	14,470	12,594	475	209	13,995	12,384	2,464	1,661	11,531	10,723
<b>COUNTY TYPE</b>										
Large Metro	36,334	31,445	913	658	35,420	30,786	6,013	4,771	29,407	26,015
Small Metro	23,569	21,222	722	441	22,847	20,781	3,982	3,027	18,865	17,754
Nonmetro	12,074	11,748	436	306	11,638	11,442	1,879	1,840	9,759	9,602
Urbanized	5,146	4,789	187	110	4,959	4,680	866	830	4,093	3,849
Less Urbanized	5,685	5,707	187	178	5,498	5,529	853	856	4,646	4,674
Completely Rural	1,243	1,252	62	*	1,181	1,233	160	*	1,021	1,079
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	12,767	13,799	457	278	12,310	13,521	2,868	2,615	9,442	10,906
100-199%	16,307	13,657	489	283	15,818	13,374	2,612	2,264	13,206	11,110
200% or More	42,555	36,872	1,125	845	41,430	36,027	6,046	4,672	35,384	31,355
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	41,343	34,199	1,089	795	40,255	33,404	7,083	5,605	33,172	27,799
Medicaid/CHIP	14,916	15,125	857	491	14,059	14,634	2,352	1,982	11,707	12,652
Other <sup>3</sup>	13,846	13,536	103	96	13,742	13,439	978	719	12,764	12,720
No Coverage	10,491	10,506	129	103	10,362	10,404	1,887	1,711	8,475	8,693

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 2.32B Tobacco Product Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	26.2	23.3	8.3	5.6	27.9	25.0	35.2	28.8	26.8	24.4
<b>GEOGRAPHIC REGION</b>										
Northeast	24.0	23.9	6.9	7.1	25.6	25.4	33.8	29.9	24.3	24.7
Midwest	29.2	25.8	8.9	8.1	31.3	27.6	39.9	31.8	29.9	27.0
South	28.0	24.2	8.9	5.0	30.0	26.2	36.2	31.7	29.0	25.3
West	22.1	19.1	7.9	3.5	23.5	20.6	30.4	20.7	22.4	20.6
<b>COUNTY TYPE</b>										
Large Metro	23.6	20.8	6.7	4.7	25.3	22.5	32.0	26.9	24.2	21.8
Small Metro	28.3	25.1	9.3	5.7	30.2	27.0	37.6	27.5	29.0	26.9
Nonmetro	31.7	28.4	12.1	9.6	33.8	30.0	43.4	38.6	32.4	28.8
Urbanized	32.4	29.0	12.2	8.3	34.5	30.8	42.8	37.7	33.2	29.7
Less Urbanized	31.9	29.0	11.3	11.0	34.0	30.6	44.1	38.6	32.6	29.4
Completely Rural	28.6	24.7	15.2	*	30.0	25.6	42.6	*	28.7	24.2
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	34.1	32.9	9.0	6.0	38.1	36.2	36.3	32.1	38.6	37.4
100-199%	30.8	27.1	9.2	6.3	33.2	29.1	33.8	29.4	33.1	29.1
200% or More	23.2	20.0	7.8	5.3	24.5	21.4	35.7	27.0	23.2	20.8
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	23.0	19.7	7.6	5.3	24.3	21.0	34.7	28.6	22.8	20.0
Medicaid/CHIP	33.0	31.1	9.1	5.9	39.3	36.3	32.4	25.4	41.1	38.9
Other <sup>3</sup>	19.7	17.7	8.4	5.8	19.9	18.0	38.5	29.6	19.2	17.6
No Coverage	38.8	36.9	11.1	7.0	40.0	38.6	39.1	32.5	40.2	40.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 2.33A Tobacco Product Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	58,074	<i>51,694</i>	947	<i>598</i>	57,127	<i>51,096</i>	8,203	<i>6,434</i>	48,924	<i>44,662</i>
<b>GEOGRAPHIC REGION</b>										
Northeast	8,937	<i>8,868</i>	124	<i>116</i>	8,813	<i>8,752</i>	1,281	<i>1,120</i>	7,532	<i>7,632</i>
Midwest	13,847	<i>11,716</i>	229	<i>154</i>	13,618	<i>11,562</i>	2,031	<i>1,538</i>	11,587	<i>10,024</i>
South	24,375	<i>21,283</i>	380	<i>255</i>	23,996	<i>21,027</i>	3,312	<i>2,784</i>	20,684	<i>18,244</i>
West	10,915	<i>9,826</i>	215	<i>72</i>	10,700	<i>9,754</i>	1,579	<i>992</i>	9,121	<i>8,762</i>
<b>COUNTY TYPE</b>										
Large Metro	28,115	<i>24,416</i>	399	<i>311</i>	27,716	<i>24,105</i>	3,968	<i>3,013</i>	23,747	<i>21,092</i>
Small Metro	19,394	<i>17,307</i>	340	<i>152</i>	19,055	<i>17,155</i>	2,774	<i>2,131</i>	16,281	<i>15,024</i>
Nonmetro	10,564	<i>9,971</i>	208	<i>135</i>	10,356	<i>9,836</i>	1,461	<i>1,290</i>	8,896	<i>8,546</i>
Urbanized	4,410	<i>3,927</i>	78	<i>45</i>	4,332	<i>3,882</i>	670	<i>513</i>	3,662	<i>3,369</i>
Less Urbanized	5,050	<i>4,951</i>	91	<i>81</i>	4,959	<i>4,870</i>	671	<i>653</i>	4,288	<i>4,217</i>
Completely Rural	1,104	<i>1,093</i>	39	<i>*</i>	1,065	<i>1,085</i>	120	<i>*</i>	945	<i>960</i>
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	11,196	<i>12,180</i>	274	<i>105</i>	10,922	<i>12,075</i>	2,167	<i>1,989</i>	8,755	<i>10,086</i>
100-199%	13,844	<i>11,539</i>	232	<i>114</i>	13,613	<i>11,424</i>	1,899	<i>1,542</i>	11,714	<i>9,883</i>
200% or More	32,851	<i>27,915</i>	442	<i>378</i>	32,409	<i>27,537</i>	3,955	<i>2,843</i>	28,455	<i>24,693</i>
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	31,500	<i>25,467</i>	426	<i>306</i>	31,074	<i>25,161</i>	4,596	<i>3,483</i>	26,478	<i>21,678</i>
Medicaid/CHIP	12,839	<i>13,200</i>	449	<i>229</i>	12,390	<i>12,971</i>	1,786	<i>1,529</i>	10,604	<i>11,442</i>
Other <sup>3</sup>	11,918	<i>11,796</i>	60	<i>26</i>	11,858	<i>11,770</i>	684	<i>472</i>	11,174	<i>11,298</i>
No Coverage	9,169	<i>9,068</i>	69	<i>43</i>	9,099	<i>9,025</i>	1,458	<i>1,205</i>	7,641	<i>7,820</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 2.33B Tobacco Product Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>TOTAL</b>	21.1	18.7	3.8	2.4	22.8	20.3	24.3	19.2	22.6	20.4
<b>GEOGRAPHIC REGION</b>										
Northeast	18.7	18.6	3.1	3.0	20.1	20.0	22.2	19.8	19.8	20.0
Midwest	24.2	20.4	4.3	2.9	26.2	22.2	28.4	21.7	25.8	22.2
South	23.3	20.1	3.9	2.6	25.3	21.9	26.1	21.9	25.2	21.9
West	16.6	14.9	3.6	1.2	18.0	16.2	19.5	12.4	17.7	16.8
<b>COUNTY TYPE</b>										
Large Metro	18.3	16.2	2.9	2.2	19.8	17.6	21.1	17.0	19.6	17.7
Small Metro	23.3	20.4	4.4	2.0	25.2	22.3	26.2	19.4	25.0	22.8
Nonmetro	27.8	24.1	5.8	4.2	30.0	25.8	33.7	27.0	29.5	25.6
Urbanized	27.8	23.8	5.1	3.4	30.2	25.6	33.1	23.3	29.7	25.9
Less Urbanized	28.3	25.1	5.5	5.0	30.7	26.9	34.7	29.4	30.1	26.6
Completely Rural	25.4	21.5	9.6	*	27.1	22.5	32.0	*	26.5	21.5
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	29.9	29.1	5.4	2.3	33.8	32.4	27.4	24.4	35.8	34.6
100-199%	26.2	22.9	4.3	2.5	28.6	24.9	24.5	20.0	29.4	25.8
200% or More	17.9	15.2	3.1	2.4	19.1	16.4	23.3	16.5	18.7	16.4
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	17.5	14.6	3.0	2.0	18.8	15.8	22.5	17.8	18.2	15.6
Medicaid/CHIP	28.4	27.1	4.8	2.7	34.6	32.2	24.6	19.6	37.2	35.2
Other <sup>3</sup>	17.0	15.4	4.9	1.6	17.2	15.8	26.9	19.4	16.8	15.6
No Coverage	33.9	31.9	5.9	2.9	35.2	33.4	30.3	22.9	36.3	36.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.